Descriptive Notes of T.14.N._R.2.E. 2nd. Mer.

Exterior Section Corners.					Interior Section Corners.				
Posts	Bearing Trees	Inches Diam	Course they Bear	links dist.	Section Corners	Bearing Trees	inches Diam	Course they Bear	links dist.
C.	Beech	14	N 3° W	12	1,2,11,12	B. Oak	12	S 13° E	3
	Do.	12	S 10 E	23		Do.	12	N 47 W	19
D.	Beech	3	S 72 E	3	2,3,10,11	Beech	18	N 58 W	15
	Do.	12	S 83 W	25		Do.	14	S 59 E	44
E.	Beech	14	N 17 E	36	3,4,9,10	W. Oak	8	N 36 E	16
	Do.	12	S 18 W	16		Ironwood	6	S 5 W	8
F.	Beech	10	North	12	4,5,8,9	Beech	10	N 80 E	23
	Poplar	60	S 29 W	9		Buckeye	8	S 63 W	25
G.	Beech	18	S 54 W	13	8,9,16,17	Beech	14	N 32 W	7
	Do.	14	N 76 E	46		Sugar	18	S 35 E	45
g.	Hickory	14	S 55 W	10	9,10,15,16	Poplar	20	N 59 W	16
	Oak	15	N 69 E	27		Ash	20	S 46 E	25
H.	Beech	24	S 24 E	20	10,11,14,15	W. Oak	34	S 60 E	50
	Do.	18	N 20 E	5		Poplar	50	N 34 W	23
h.	Omitted	6	S 26 E	17	11,12,13,14	W. Oak	12	N 40 E	20
	Sugar	26	N 70 W	27		Ash	4	S 27 W	32
I.	Sycamore	20	S 48 W	40	13,14,23,24	Sugar	12	N 14 E	35
	Do.	30	N 48 W.	28		Do.	8	S 7 W	7
i	Beech	10	S 33 E	31	14,15,22,23	Sugar	10	N 33 E	29
	Hickory	18	N 49 W	13		Do.	8	S 33 W	20
K.	Beech	24	S 11 W	4	15,16,21,22	Ash	12	S 12 W	23
	Ash	10	N 9 E	17		Beech	14	S 19 W	25
k.	W. Oak	24	S 29 W	12	16,17,20,21	B. Walnut	24	S 32 W	23
	Beech	12	N 21 E	27		Hornbeam	4	S 35 E	18
L.	Hickory	10	S 15 W	40	20,21,28,29	Beech	10	N 27 W	12
	Do	8	N 18 E	27		Poplar	50	S 33 E	23

Interior Sections Corners.				
Section Corners.	Bearing Trees	inches Diam	Courses they bear	links dist.
21,22,27,28	Beech	14	N 76 E	24
	Hickory	10	S 45 W	5
22,23,26,27	Beech	8	N 35 W	4
	Do.	6	S 44 E	32
23,24,25,26	Beech	7	N 23 E	9
	Buckeye	10	S 70 W	12
Qarter Section Corners.				
between Sec				
1,2.	Beech	10	S 12° E	19
	Do.	14	N 12 W	9
2,3.	Sugar	12	S 58 W	47
	Beech	12	N 74 E	10
3,4.	Beech	14	N 62 W	20
	Do.	12	S 43 E	2
4,5.	Sugar	18	S 5 E.	8
	Do.	14	N 20 W	6
1,12.	Beech	10	N 31 W	14
	Do.	8	S 24 W	10
2,11.	Beech	14	N 68 E	5
	Do.	12	S 45 W	30

Quarter Section Corners.				
Between Sections	Bearing Trees	inches diam	Course they bear	links dist.
3,10.	Beech	12	N 87° W	20
	Do.	4	N 89 E	11
4,9.	W. Oak	14	S 52 W	9
	Beech	12	N 51 E	13
8,9.	Beech	12	N 18 E	45
	Do.	10	N 75 E	2
9,10.	Hickory	12	N 40 E.	13
	Do.	12	S 45 W	32
10,11.	Beech	8	S 65 W	20
	W. Oak	12	N 57 E	24
11,12.	W. Oak	20	N 81 E.	10
	Do.	30	N 84 W	43
12,13.	Beech	10	N 31 W	14
	Do.	8	S 24 W	10
11,14.	Beech	14	N 68 E	5
	Do.	12	S 45 W	30
10,15.	Beech	12	N 87 W	20
	Do.	4	N 89 E	11
9,16.	W. Oak	14	S 52 W	9
	Beech	12	N 51 E	13
16,17.	W. Oak	20	S 15 W	44
	Beech	12	N 18 E	45
15,16.	W. Oak	12	N 26 W	17
	Beech	18	S 25 E	45
14,15.	B. Walnut	20	N 42 W	14
	Beech	14	S 82 E	15

Quarter Section Corners.				
Between Sections	Bearing Trees.	inches diam.	Course they Bear	link dist.
13,14.	Beech	10	S 20° W	25
	Sugar	12	N 7 E	18
13,24.	Hornbeam	8	S 13 W	13
	B. Walnut	20	N 65 E	38
14,23.	Beech	12	N 6 E	38
	Do.	12	S 2 E	46
15,22.	Beech	10	N 38 E	16
	Do.	10	S 71 W	18
16,21.	Dogwood	4	S 2 W	25
	W. Oak	24	N 22 E	25
20,21.	Beech	12	N 87 E	12
	Do.	7	N 70 W	24
21,22.	Beech	14	S 60 E	24
	Do.	18	S 40 W	21
22,23.	Beech	14	N 57 E	13
	Do.	8	S 62 W	11
23,24.	Beech	14	N 51 E	4
	Do.	14	S 40 W	47
24,25	Beech	6	N 5 W	9
	Sugar	14	S 14 W	30
23,26.	Beech	10	S 76 W	15
	Do.	18	N 54 E	15
22,27.	Beech	12	N 57 W	30
	Do.	4	S 25 E	2
21,28.	Beech	5	S 24 E	26
	Ash	12	N 20 W	30.

From L, to V, and from R, to C, the Section and Quarter section corners, are on the County line.

3.4

Township No. 14. N. Range No. 2 East 2nd. Mer.



Meanders of								
Posts	Courses	Chs. Lks.	Posts	Courses	Chs. Lks.	Posts	Courses	Chs. Lks.

Total number of Acres 10217.39

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed	When pd. for and chd. in the Surr. Genl's acct.
Township line			M. Ch. Lks.		
Subdivision	Wm. B. Laughlin			182[illegible]	

The above Map of Township No. 14 North, of Range No. 2 East of the 2nd Principal Meridian Indiana, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office. Ethel [illegible] Giffin

T. No. 14. N. R. No. 2. E. of 2nd. 1.



2.

Township N. 14 N. R. 2. E. 2nd Mer. Ind. 3.

	Fractional
	East Boundry.
lks. lks.	Var. 6°00' E.
	From Cor. to Secs 25 & 24 from which
	a Hickory 10. S. 15. W. 40
	do. 8. N. 18. E. 27.
North	On the East side of Sec. 24.
16.50	a Hackberry 14 inchs diame--
37,00	a Brook 6 lks. S. E.
40,00	qtr Sec. Cor. & W. Oak 24. S. 29. W. 12
	Beech 13. N. 21. E. 27.
52,35	a Hickory 12 inchs diam.
80,00	Set. post-Cor. to Sec 13 & 24
	Beech 20. S. 11. W. 40
	Ash 10. N. 9. E. 17.
	good farm land.
North	On the East side of Sec. 13.
24,80	a Span. Oak 40 inchs diam
40,00	qtr. Sec. Cor. Beech 10. S. 33. E. 31
	Hickory 18. N. 49. W. 13.
56.06	a Hickory 18 inchs diam..

4 T. N. 14 N. R. No. 2. E. 2d Mer. Ind.

80,00	Set-post in Brook, 8 lks Course E.
	Corner of Sec's 12 & 13.
	Sycamore 20 S. 48 W. 40
	do. 30 N. 48 W. 28.
	Good farming land B. S. H &c.
North	On the East-Side of Sec 12
11,30	a Brook 7 lks East
27,60	a Sugar 14 inc's diam.
40,00	qtr. Sec. Cor. --- 6. S. 26 E. 17.
	Sugar 26. N. 70 W. 27.
62.60	a Beech 13 inc's diam.
74,80	a Creek 25 lks S. E.
80,00	Set-post Corner to Sec's 1 & 12
	Beech 20. S. 20 E. 20
	do. 18 N. 20 E. 5.
	Land & Timber Similar
North	On East Side of Sec. 1.
29.75	An Ash 14 inc's diam.
40,00	qtr. Sec. Cor. Hickory 14 S. 55 W. 10
	Oak 15 N 69 E 27

75, 86.	Set. Post. Cor. of. Ran: 2 & 3. E. Town. 14 & 15 N. Beech. 18. S. 54. W. 13. do. 14. N. 76. E. 46. Good farm. L. Sugar Beech Ash & undergrowth spice. Surveyed by John Mc Donald D. S.
	Subdivisions
	From Cor. of. Secs. 23. 24, 25 & 26 from which — a Beech 7. N. 23. E. 9. lks. Buckeye 10. S. 70. W. 12. "
East	Bet. Secs. 24 & 25 on Random. July 17. 1820.
40. 00	Temporary qtr. Sec. Post.
80. 45.	Intersected E. Line 72 lk. South of P.
West	Corrected.
40. 22½	qtr. Sec. Cor. Beech 6. N. 5 W. 19. Sugar 14. S. 14. W. 30.
80. 45.	Sec. Cor. Land & Tim. Same July 17th 1820.

6. T. No. 14. N. R. No. 2. E. 2nd Mer. Ind.

North.	Between Secs. 23 & 24.
24,00	A Beech 10 incs. diam.
40,00	qtr. Sec. Cor. Beech 14. N. 51. E. 4.
	do. 14. S. 40. W. 47.
55,50.	a. Stream 5 links S. E.
80,00.	Set Post Corner to Secs. 13. 14. 23 & 24
	Sugar 12 N. 14. E. 35.
	do. 8. S. 7. W. 7.
	Land. 2nd Rate Beech, Oak, Hickory S. x.
	"
East.	Between Secs. 13 & 14 on Random
40,00	Temp. qtr. Sec. Post.
80,54.	Intd. E. Line 60 lks South of Post.
	"
West.	Corrected.
40.27½	qtr. Sec. Cor. Hornbeam 8. S. 13. W. 13.
	B. Walnut 20. N. 65. E. 38.
	Land 1st rate Ash, Sugar. Walnut &c.
	"
North	Between Secs. 13 & 14.
25,10	a Beech 12 incs. diam.
40,00	qtr. Sec. Cor. Beech 10. S. 20. W. 25.

T. No. 14. N. R. No. 2 E. 2d. Mer. Ind'y.

	Sugar 12. N. 7. E. 18.
54.30.	a. W. Oak 18 inc^s. diam.
80.00	Set. post. Cor. to Sec^s. 11. 12. 13. 14.
	W. Oak 12. N. 40. E. 20.
	Ash. 4. S. 27. W. 32.
	Land flat 2nd rate Beech. W. Ash Oak &c.
	"
East.	Between Sec^s. 12 & 13 on Random.
40,00	Comp. qtr Sec. Post.
80,43.	Int^d. E. Line 69 lks South of Post
	"
West	Corrected July 18. 1820.
40,22½	qtr. Sec. Cor. Beech 10. N. 31. W. 14.
	do. 8. S. 24. W. 18.
	Land 2nd rate Beech. Oak. & W. Ash. & c.
	"
North.	Between Sec^s. 11 & 12.
27. 65.	a Beech 12 inc^s. diam.
40,00	qtr. Sec. Cor. W. Oak 20. N. 81. E. 10.
	do. 30. N. 84. W. 43.
76,25	a. B. Walnut 12. inc^s. diam.
80,00	Set. Post. Cor. to Sec^s. 1. 2. 11. & 12.

8 T. N. 14. N. R. N. 2. E. 2nd Mer. Ind.

	B. Oak 12 S. 13. E. 3.
	do. 12 N. 47. W. 19.
	Land level 2nd rate Oak. Beech. Sug & c.
East	Between Secs. 1 & 12. on Random
40,00	Temp: qtr Sec. post.
71,00	a stream 5 lks S. E.
80,40.	Intd. E. line 129 lks South of post.
West.	Corrected
40,20	qtr Sec. Cor. W. Oak. 6. N. 45 E. 23.
	Buckeye 5. S. 45 W.
80,40.	Sec. Cor.
	Land 2nd rate B. O. S. Undgth Spice &c
North.	Between Secs. 1 & 2
31,85	a Beech 14 inchs. diam.
40,00.	qtr. Sec. Cor. (Beech 10. S. 12 E. 19.
68.55.	a. W. Oak. 14 inchs. diam. do. 14. N. 12. W. 9.)
76,00	a stream 10 lks East.
79,78	Intd. Line at Post. Land 2nd Rate
	Beech. Oak & Walnut & Elm &c.

Chs. Lks.	
	From Cor. of Sec.s 22. 23. 26 & 27
	from which — Beech 8. N. 35. W. 4.
	do. 6. S. 44. E. 32.
East.	On Random Betw. Sec.s 23 & 26
40,00	Temp. qtr. Sec. Post.
81,20	Int.d East Line 56. lks. South of Post
	Land 2nd rate beech. Oak, Sugar &c.
West	Corrected
40,60	qtr. Sec. Cor. Beech 10. N. 76 W. 15.
	do 18. N. 54. E. 15.
81,20.	Section Corner.
North	Between Sec.s. 22 & 23.
20,00	a Stream 5 lks. East.
20,50.	a Poplar 30 inc.s diam
23. 50.	a Stream 3 lks. East
40,00	qtr. Sec. Cor. Beech 14. N. 57. E 13.
	do. 8. S. 62. W. 11.
62. 50.	a. Sugar 24. inc.s diam.
80,00	Set post Cor. to Sec.s 14. 15. 22 & 23.
	Sugar 10 N. 33. E. 29.

10. T. No. 14. N. R. No. 2. E. 2d. Mer. Ind.

Chs. Lks.	
	Sugar 8. S. 33. W. 20.
	Land 2nd rate. Beech. Oak. Sugar Elm &c.
	"
East	Bet. Secs. 14 & 23 on Random
40.00	Temp. qtr. Sec. post
81.09	Intd. E. & 66. North of Post
	"
West	Corrected
40.54½	qtr Sec. Cor. Beech 12. N. 6. E. 38.
	do 12. S. 2. E. 46.
81.09.	Sect. Corner
	Land and Timber same July 19th 1820.
	"
North	Between Secs. 14 & 15
2.50.	a Stream 5 lks S. E.
37.05	a Beech 12 ins. diam
40,00	qtr. Sec. Cor. B. Walnut 20. N. 42. W. 14.
	Beech 14. S. 82. E. 15.
46,00	a Stream 3 lks S. E.
64.83	a Beech 14 ins. diam.
80.00	Set. Post. Cor. to Secs. 10. 11. 14. & 15.

T. No. 14. N. R. N2. E. 2nd Mer. Ind. 11.

	"W. Oak 30. S. 60. E. 50.
	Poplar 50. N. 34. W. 23.
	Land 2nd rate. Beech. Poplar. Oak. Sug. &c.
	"
East	On Random Bet. Secs. 11 & 14.
40.00	Temp. qtr. Sec. Post
81.00.	Intd. E. L. 50 lks North of Post
	"
"West	Corrected
40.50	qtr. Sec. Corner Beech 14. N. 68. E. 5
	do. 12. S. 45. W. 30.
81.00	Sec. Corner
	Land and Timber as before.
	"
North	Betw. Secs. 10 & 11.
25.70.	a Beech 24 incs. diam.
40.00	qtr. Sec. Co. B. 8. S. 65. W. 20. W. Oak 12. N. 57. E. 24.
62.21.	a Beech 14 incs. diam.
80.00	Set. Post. Cor. of Secs. 2. 3. 10 & 11.
	Beech 18. N. 68. W. 10.
	Land 2nd rate do. 14. S. 59. E. 44. Beech. Oak, Sugar &c.
	"
East	Betw. Secs. 2 & 11. on Random.

12. T. No. 14. N. R. No. 2. E 2nd Mer. Ind.

40.00	Temp. Quar. Sect. Post:
81.00	Intd. E. L. 24 lks. North of Post.
West.	Corrected
40.50	qtr. Sec. Cor. Beech 8. S. 40. W. 2
	B. Oak. 18. N. 43. W. 11.
81.00	Sect. Corner:
	Land K, Timber as before:
North	Between Secs. 2 & 3.
33.40	a Hickory 12 ins. diam.
40.00	qtr. Sec. Cor. Sugar 12. S. 58. W. 47.
	Beech 12. N. 74. E. 10.
79.70	Intd. N. L. 67. West of Post.
	Beech 14. N. 67. E. 36.
	do. 12. S. 18. W. 16.
	Land 2nd rate Beech, Oak & very Bushy.
	From Cor. of Secs. 21. 22. 27 & 28 fr. which
	Beech 14. N. 76. E. 24.
	Hickory 10. S. 45. W. 5.
East.	Bet. Secs. 22 & 27. on Random.

T. No. 14. N. R. No. 2. E. 2nd. Mer. Ind. 13.

40.00.	qtr. Sec. Post- Temp.
81.00	Intd. E. L. 73. lks. North of Post-
	"
West.	Corrected.
40.50	qtr. Sec. Cor. Beech 12. N. 57. W. 30
	do. 4. S. 25. E. 2.
81,00	Sec. Cor. Land 2nd. rate B. W. & O. Pop. &c.
	"
North	Between Secs 21 & 22.
25.00	a Hickory, 12 incs. diam
40.00	qtr. Sec. Cor. Beech 14. N. 60. E. 24.
	do. 18. S. 40. W. 21.
61.00.	a Hickory, 12 incs. dia.
80.00	Set. Post. Cor. of Secs. 15. 16. 21 & 22
	Ash 12. N. 12 W. 23
	Beech 14. S. 19. W. 45.
	Land 2nd. rate- Beech. Sugar. Oak &c.
	"
East	Betw. Secs. 15 & 22 on Random
40.00	Temp. Quarter Sec. Post.
73.00	a Spring. N. E.
76.00	a Stream. 3. lks. N. E.

14. T. No. 14. N. R. No. 2. E. 2nd. Mer. Ind.

81.05	Intd. E. Line 15 lks North of Post.
	"
West	Corrected.
40.52½	qtr. Sec. Cor. Beech 10. N. 38. E. 16.
	do. 10. S. 71. W. 18.
81.05	Sec. Cor. Land 2nd. rate –
	"
North	Between Secs. 15 & 16.
31.00	An Ash 18 ins. diam.
40.00	qtr. Sec. Cor. W. Oak 12. N. 26. W. 17.
	Beech 18. S. 25. E. 45.
63.36	a. W. Oak 10. ins. diam.
80.00	Set. Post. Cor. to Secs. 9. 10. 15 & 16.
	Poplar 20. N. 59. W. 16 lks.
	Ash 20. S. 46. E. 25
	Land same July 21. 1820.
	"
East	Between Secs. 10 & 15 on Random
40.00	Temp. qtr. Sec. Post.
81.20.	Intd. E. line 27. lks N. of Post.
	"
West.	Corrected.

T. No. 14. N. R. No. 2 E. 2d. Mer. Ind. 15.

40.60	qtr. Sec. Cor. Beech 12. N. 87. W. 20
	do. 4. N. 89. E. 11
	Land 2nd rate. Beech, Oak, Sugar &c.
	"
North.	Between Secs. 9 & 10
11.95	a Beech 4 incs. diam.
40.00	qtr. Sec. Cor. Hickory 12. N. 40. E 13
	do. 12. S. 45. W. 4-2
52.15	An Elm 24 incs. diam.
80.00	Set. Post. Cor. of. Secs. 3. 4. 9 & 10.
	W. Oak 8 N. 36 E. 16.
	Ironwood 6. S. 5 W. 8.
	Land & Timber same with Elm
	"
East	Bet. Secs. 3 & 10 on Random
40.00	Temp. qtr. Sec. Post.
81.28	Intd. East Line 19 lks. North of Post
	"
West	Corrected
40.64	qtr. Sec. Cor Ash 12. S. 40 E. 13.
	a Hickory, 10. N. 25. W. 7.
81.28.	Sec. Cor. Land 2nd rate Beech, Oak, Sugar &c

16. T. No. 14. N. R. No. 2. E. 2nd Mer. Snd.

North	Between Sect.s 3 & 4.
22.00	a B. Oak. 30 inc.s dia.
40.00	qtr. Sec. Cor. Beech 14. N. 62. W. 20.
	do. 12. S. 43. E. 2.
47.45.	a Hickory 24 inc.s diam.
79.00.	Intd. N. line 20 lks West of Post
	Beech 5 S. 73. E. 3.
	do. 12. S. 83. W. 28.
	Land & Timber as before
	From cor. of sec.s 20. 21. 28 & 29.
	fr. which Beech 10. N. 27. W. 12.
	Poplar 50. S. 33. E. 23.
East	Between Sec.s 21 & 28 on Random
40.00	Temp. Quar. Sec. Post.
80.60.	Intd. E. Line 30 lks. south of Post.
West	Corrected.
40.30.	qtr. Sec. Cor. Beech 5. S. 24. E. 26.
	Ash 12. N. 20. W. 30.
80.60	Sec. Cor. Land 2nd rate.
	Beech. Oak. Sugar &c.

T No. 14. N. R. No. 2. E. 2nd Mer. Ind. 17.

North.	Bet. Secs. 20 & 21.
13.00	a Beech 14 ins. diam.
40.00	qtr. Sec. Cor. Beech 12. N. 87. E. 12.
	do. 7. N. 70. W. 24.
64.00	an Ash 10 ins. diam.
80.00	Set. Post. Cor. to Secs. 16. 17. 20 & 21.
	B. Walnut 24. N. 32. W. 23.
	Land 2nd rate. Beech. Hornbeam 4. S. 35. E. 18. Oak. Sug. Pop. &c.
East.	Between Secs. 16 & 21. on Random
40.00	Temp. Quar. Sec. Post.
80.46.	Int'd. E. line 5 lks North of Post.
West	Corrected.
40.23.	qtr. Sec. Cor. Dogwood 4 S. 2. W. 25.
	W. Oak 24. N. 22. E. 25.
80.46.	Sec. Cor. Land 2nd rate Beech. O. Pop. &c.
North	Betw. Secs. 16 & 17.
17.50.	an Ash 30 ins. diam.
40.00	qtr. Sec. Cor. W. Oak 20. S. 15. W. 44.
	Beech 12. N. 18. E. 45.

18. T. No. 14. N. R. No. 2. E. 2nd Mer. Ind.

41.00	a W. Oak 24 ines. diam.
80.00	Set. Post. Cor. to Secs. 8, 9. 16 & 17.
	Beech 14. N. 32. W 7.
	Sugar 18. S. 35. E. 45.
	Land 2nd rate Beech. Oak. Ash. &c
East.	Betw. Secs. 9 & 16 on Random.
40.00	Temp. qtr. Sec. Post.
80.25.	Intd. E. Line 70 lks South of Post.
West	Corrected
40.12½	qtr. Sec. Cor. W. Oak 14. S. 52. W. 9.
	Beech. 12. N. 51. E. 13.
80.25	Sec. Cor. Land 2nd rate B. O. Sug. and 9th spice
North	Betw. Secs. 8 & 9.
33.00	a Beech 24 ines. diam.
40.00	q.p Buch 12. N. 75. E 2.
63.00	Buch. 10. N. 46. W. 16. Beech 14 ins diam.
80.00	Set. Post. Cor. of Secs. 4. 5. 8. & 9.
	Beech 10. N. 80. E. 23.
	Buckeye 8. S. 63. W. 25.
	Land 2nd rate July 23. 1820.

East.	Bet. Secs. 4 & 9 on Random.
40.00	Temp. Quar. Sec. Post.
80.20.	Intd. E. Line 14. lks. South of Post.
	"
West.	Corrected
40.10.	qtr. Sec. Cor. Ash. 10. N. 20. W. 16.
	Beech 12. S. 26. E. 11.
80.20.	Sec. Cor. Land 2nd rate B. A. Sug. Oak &c
	"
North	Bet. Secs. 4. & 5.
23.45.	a Sugar 12 ins. diam.
40.00	qtr. Sec. Cor. Sugar. 18. N. 5. E. 8.
	do. 14. S. 20. W. 6.
66.35	a Sugar 14 ins. diam.
79.50.	Intd. N. Line 200 lks West of. Post
	Beech 14. N. 3. W. 12.
	do. 12. S. 10. E. 23.
	Land 2nd rate Beech. Oak &c.
	"
East	Between Secs. 24 & 25 on Random
40.00	Temp. Quar. Sec. Post.
80.45.	Intd. E. Line 72 lks South of Post

20. T. No. 14. N. R. No. 2. E. 2nd Mer. Ind.

West.	Corrected
40.22½	qtr. Sec. Cor. Beech 6. N. 5. W. 19.
	Sugar 14. S. 14. W. 30.
80.45.	Sec. Cor. Land 2nd rate Be. Sug. Oak. Elm &c
	"
East	On Random Betw. Secs. 23. & 26.
40.00	Temp. Quar. Sec. Cor.
81.20.	Int'd. E. Line 56 lks. South of Post
	Land 2nd rate Beech, Oak, Sugar &c.
	"
West	Corrected
40.60	qtr. Sec. Cor. Beech 10. S. 76. W. 15.
	do. 18. N. 54. E. 15.
81.20.	Sec. Cor.
	"
East	Betw Secs. 22 & 27 on Random
40.00	Temp. Quar. Sec. Post.
81.00	Int'd. E. Line 73. lks North of Post.
	"
West	Corrected.
40.50.	Qtr. Sec. Cor. Beech 12. N. 57. W. 30.
	do. 4. S. 25. E. 2.

T. No. 14. N. R. No. 2. E. 2nd Mer. Ind. 21.

81.00.	Sec. Cor. Land 2nd rate Be. W. Ash. O. Pop. &c
East.	Betw. Sects. 21 & 28 on Random
40.00	Temp. quar. Sec. Post.
80.60.	Int'd. E. Line 30 lks South of Post.
West.	Corrected.
40.30	qtr. Sec. Cor. Beech 5. S. 24. E. 26. Ash 12. N. 20. W. 30.
80.60	Sec. Cor. Land 2nd rate Beech, Oak, Sug &c

This Township was surveyed by
W. B. Laughlin
Deptty Surv'r

22.