Descriptive Notes of T. 14. N. R. 5. E. 2nd Mer

Exterior Section Corners					Interior Section Corners				
Posts	Bearing Trees.	inches diam.	Course they Bear.	links dist.	Section Corners.	Bearing Trees.	inches diam.	Course they Bear.	links dist.
A.	Beech	18	S 85° W	35	2.3.10.11.	Beech	20	S 56° E	10
	Lynn	20	S 67 W	5		Do.	12	N 3 E	18
B.	Elm	36	N 40 W	24	3.4.9.10.	Beech	11	N 16 W	28
	Ash	8	S 69 E	23		Ash	9	S 19 W	15
C.	Beech	6	S 26 E	11	4.5.8.9.	Beech	8	S 17 E	11
	Ash	18	N 88 W	23		Ash	18	N 10 E	20
D.	Beech	24	N 87 E	41	5.6.7.8.	Beech	12	N 28 W	37
	Do.	8	N 73 W	34		Do.	16	S 30 W	9
E.	Beech	20	S 18 E	10	7.8.17.18.	R. Oak	22	N 13 W	20
	Do.	8	N 83 W	24		Hickory	12	S 10 W	38
V.	Beech	30	Corner tree		8.9.16.17.	Ash	12	S 8 E	14
	Do.	30	N 48 W	52		Do.	12	N 64 W	9
	Do.	15	S 32 E	25					
W.	B. Oak	50	S 87 W	22	9.10.15.16.	Beech	24	S 7 W	23
	Hickory	11	S 54 E	2		Do.	20	S 12 W	27
X.	Elm	10	S 30 E	24	10.11.14.15.	Beech	12	S 67 W	21
	Ash	6	N 29 W	20		Do.	10	S 60 E	34
Y.	Beech	14	N 3 W	16	14.15.22.23.	W. Beech	5	N 80 E	21
	Do.	7	S 28 E	6		Beech	10	N 65 W	29
					15.16.21.22.	Beech	36	S 25 W	31
						Do.	6	N 40 W	29
					16.17.20.21.	Beech	20	North	21
						Do.	15	N 5 W	20
					17.18.19.20.	Beech	18	S 5 E	18
						Do.	12	N 12 E	18
					19.20.29.30.	Beech	24	N 40 W	10
						Do.	15	S 7 E	25
					20.21.28.29.	Elm	5	S 11 W	
						Ash	6	N 40 W	31
					21.22.27.28	Beech	14	N 29 E	34
						Sugar	12	S 16 E	14
					22.23.26.27	Ash	6	S 78 W	6
						Do.	4	N 11 E	32

Quarter Section Corners					Quarter Section Corners				
Between Sections	Bearing Trees	inches diam.	Course they Bear.	links dist.	Between Sections	Bearing Trees.	inches diam.	Course they Bear	links dist.
H to Y at 3.	Hackberry	12	S 45° W	23	L to V at 3.	Ash	5	S 68° E	17
	Buckeye	8	N 49 E	12		Elm	4	N 42 W	3
" " " " 4.	Beech	22	S 60 E	6	" " " " 4.	Elm	4	S 80 W	4
	Do.	5	N 10 E	16		Do.	3	S 41 E	2
" " " " 5.	Beech	6	N 33 W	11	" " " " 5.	Beech	12	S 53 E	38
	Ash	12	S 7 E	24		Sugar	18	S 80 W	20
" " " " 6.	Beech	14	S 82 E	33	" " " " 6.	Beech	16	N 63 E	14
	Do.	12	N 71 W	14		Do.	15	S 75 W	24
I to X at 3.	Locust	16	S 37 E	15	P to E at 3.	W. Oak	7	N 43 E	12
	Maple	10	North	54		Ash	2	S 14 W	17
" " " " 4.	Beech	20	N 41 E	12	" " " " 4.	Beech	30	S 58 E	17
	Do.	5	S 15 W	15		Do	6	S 2 E	39
" " " " 5.	Beech	12	East	5	" " " " 5.	Beech	12	N 1 W	22
	Do.	18	West	17		Do.	6	S 70 E	19
" " " " 6.	Hickory	8	N 79 E	30	" " " " 6.	Beech	8	S 61 E	13
	Ash	12	S 36 W	9		Hickory	16	North	14
K to W at 3.	Beech	18	N 39 E	38	Q to D at 3.	Beech	8	S 32 E	22
	W. Oak	4	S 68 W	19		Dogwood	5	N 28 W	31
" " " " 4	Beech	24	S 59 W	39	" " " " 4.	Beech	14	N 24 E	23
	Do.	15	N 37 E	17		Do.	6	S 24 W	12
" " " " 5.	Beech	6	N 15 W	5	" " " " 5	Beech	24	S 67 E	15
	Do.	6	S 22 W	6		Do.	19	S 66 W	5
" " " " 6.	Beech	12	N 19 E	7	" " " " 6.	Beech	18	S 1 W	23
	Ash	14	S 21 W	36		Do.	20	N 12 W	26

Quarter Section Corners				
Between Sections	Bearing Trees!	inches diam.	Course they Bear	links dist.
R to C at 3.	Sugar	12	S 55 E	19
	Dogwood	5	S 39 W	5
" " " " 4.	Ash	20	S 47 W	17
	Do.	14	S 9 E	37
" " " " 5.	Beech	25	S 15 W	26
	Do.	12	S 67 E	20
" " " " 6.	Beech	12	S 18 W	29
	Do	4	N 19 W	14
S to B at 3.	Beech	7	S 10 E	19
	Do.	5	N 14 W	4
" " " " 4.	Sugar	14	N 30 E	11
	Beech	6	S 45 W	11
" " " " 5.	Beech	16	N 30 E	10
	Do	4	S 20 E	29
" " " " 6.	Walnut	14	N 64 E	14
	Beech	12	S 41 W	13

From P to E, and from L to V, the Section and Quarter section corners are on the County line.

3.19

Township No. 14 North, Range No. 5 East 2nd, Mer:



Meanders of

Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s

Total number of Acres.

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed	When p.d for and ch.d in the Sur.r Gen.ls acc.t
			M. Ch.s Lks.		
Township lines					
Subdivisions	John Hendricks.			1820.	

The above Map of Township No. 14 North, of Range No. 5 East of the 2nd. Principal Meridian Indiana, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office. Edward Tiffin Sur.r Gen.l

[illegible] 14. [illegible] 5 [illegible] 129.

	152.	1.73 152	.94 151.	98	57	1.75.
4	6	145 5	140 4	136 3	132 2.	1.
	~~144~~	~~144~~	~~139~~	~~136~~		
1.10 4	7	143 8	139 9.	135 10	132 11	12
	~~143~~	~~143~~	~~138~~	~~135~~		
37 3	18	142 17	138 16	134 15	131 14	13.
	~~141~~	~~138~~	~~137~~	~~134~~		
10. 3	19	141 20	137 21	133 22	131 23.	24
	~~141~~	~~140~~	~~137~~	~~131~~		
.33 3	30	29	28	27	26	25
.03.	31	32	33	34.	35.	36.

[illegible] 14. [illegible] 6. [illegible] 131.

	Fractional
	Last division [illegible] Var. 5° 55' [illegible]
	from Cor. of Secs 22. 23. 26. & 27.
	an Ash. 6. ins S. 78. W. 6.
	" 4. " N. 11. E. 32.
North	Bet. Secs 22 & 23.
3.00.	a Bayou from & parallel with the Creek
40.00.	Qt Sec. Cor. W. Oak. 7. N. 43. E. 12.
	Ash 20. [illegible] 14. W. 17.
17.06.	a Beech 20 ins dia.
80.00.	Set P. Cor. to Secs 14. 15. 22 & 23.
	Water Beech 5. N. 80. E. 21.
	Beech 10. N. 65. W. 20.
	S. Rolling Soil thin. Mostly Beech
	Ung[illegible] Spices.
North	Bet. Secs 14 & 15.
40.00	Qt Sec. Cor. Beech 30. S. 58. [illegible]
	" 6. [illegible]
51.47.	an Elm 10 ins diam.
80.00.	Set P. Cor. to Secs 10. 11. 14 & 15
	[illegible]

	Beech 10. S. 60. E. 34.
	1st ½ M. thin Beech land. last ½ 2nd K.
North	Bet. Secs 10 & 11.
4.66.	a Beech 8 ins diam.
40.00.	Qt Sec. Cor. Beech 12. N. 1. W. 22.
	" 6. S. 70. E. 19.
54.60.	a Beech 20 ins diam.
80.00.	Set P. Cor. to Secs 23. 10 & 11.
	Beech 20. S. 56. E. 10.
	" 12. N. 3. E. 18.
	S. Rolling & rich. Beech Ash. Wal.
	Popl. W. Oak. Ungth Spice. July 14. 1820.
North	Bet. Secs 2 & 3.
40.00.	Qt Sec. Cor. Beech 8. S. 61. E. 13.
	Hick. 10. N. 14.
44.70	a Beech 20 ins diam.
49.80.	Intd N. Bound 58 lks. W. of P.
	1st ½ M. [illegible] H. last [illegible] rich. Beech. Ash. popl. (Beech 20. S. 18. E. 10.
	" 8. N. 83. W. 24.
	[illegible]

T. N° 14. N. R. N° 5. E 2d M. Ind. 133.

	From Cor. of Secs. 21. 22. 27 & 28.
	a Beech 14. N. 29. E. 34.
	Eng. 12. S. 16. E. 14.
East.	Bet. Secs. 22 & 27. on Random.
40.00.	Temp. Qt. Sec. Post.
71.50.	a Stream 60 lks. South.
80.54.	Int. E. line 30 lks. S. of Post.
	a Holling at the Creek. broken. high banks & good current.
West.	Corrected. { Ash 5. S. 68. E. 17.
40.27.	Qt. Sec. Cor { Elm 4. N. 42. W. [illegible]
80.54.	Sec. Cor.
North	Bet. Secs. 21 & 22.
7.00.	a Stream 8 lks. S. E.
40.00.	Qt. Sec. Cor. Beech 8. S. 32. E. 22.
	Dogwood 5. N. 28. W. 21.
71.90.	a Beech 12 ins. Diam.
[illegible]	[illegible] Cor. to Secs. 15. 16. 21 & 22.
	[illegible] S. 25. W. 21. & Beech [illegible] 40. W. 29
	[illegible]
	[illegible]

134. T. N° 14. N. R. N° 4 O. 2d M. Ind.

East.	Bet. Secs. 15 & 22 on Random
[illegible]	Temp. Qt. Sec. Post.
[illegible]	a Stream 50 lks. South.
79.83.	Int. E. line 94 lks. S. of P.
	S. Rolling high. Check banks: Soil thin, very brushy.
West.	Corrected.
39.91.	Qt. Sec. Cor. { Beech 8. N. 30. E. 38 / W. Jack 4. S. 68. W. 19.
79.83.	Sec. Cor. Sunday 16th
North.	Bet. Secs. 15 & 16.
19.50.	a Stream 25 lks. N. E.
12.05.	a Beech 8 ins. Dia.
40.00.	Qt. Sec. Cor. Beech 14. N. 24. E. 23.
	" 6. S. 24. W. 12.
42.00.	a Dry Branch S. E.
51.45.	a Beech 12 ins. diam.
[illegible]	Set P. Cor. to Secs. 9. 10. 15 & 16.
	Beech 24. S. 7. W. 23.
	" 20. N. 12. W. 24.
	[illegible]
	[illegible]

T. [illegible] 14. [illegible] 135.

East.	Bet. Secs. 10 & 15 on Random.
25.00.	a small Water Course. S. E.
[illegible]	a Stream 40 lks. S. E.
[illegible].00.	Temp. Qt. Sec. Post.
54.50.	a Stream 20 lks. South.
[illegible].24.	Int. E. line 265 lks. S. of Post. L. level & rich. Beech. Ash. Ung. Spice.
West.	Corrected. Bet. Secs. 10 & 15.
39.12.	Qt. Sec. Cor. { Locust 16. S. 37. E. 17. Maple 10. North 54.
78.24.	Sec. Cor.
North.	Bet. Secs. 9 & 10.
3.00.	an Ash. 15 ins. diam.
40.00.	Qt. Sec. Cor. Beech 24. S. 67. E. 15. 19. S. 66. W. 5.
42.50	a Stream 15 lks. East.
47.45.	a Beech 15 ins. diam.
70.50.	a Stream 8 lks. S. E.
[illegible].00.	Set P. Cor to Secs. 3. 4. 9 & 10. S. Rolling 2d R. [illegible] W. [illegible] [illegible] Ung. [illegible] { Beech 11. [illegible] 16. [illegible] Ash [illegible] 15

136. T. N° 14 N. ~~[illegible]~~ Ind.

East.	Bet. Sec. 3 & 10. [illegible] Dom.
[illegible].50.	a Stream 35 lks. [illegible] E.
40.00.	Temp. Qt. Sec. Post.
[illegible].98.	Int. E. line 2.16. lks. S. of P.
	S. same & good Tim as above.
West.	Corrected.
39.49.	Qt. Sec. Cor. { Hak by. 12. S. 45. W. 23. Buckeye 8 N. 49. E. 12.
78.98.	Sec. Cor.
North	Bet. Secs. 3 & 4
12.00.	a Small Stream, near dry. East.
40.00.	Qt. Sec. Cor. { Beech 18. S. 1. W. 23. 20. N. 12. W. 26.
42.00.	a Beech 15. in s. diam.
44.00.	a Stream in wet weather S. E.
79.84.	Int. N. Bound. 98 lks. E. of Post.
	Beech 24. N. 87. E. 41.
	" 8. N. 73. W. 34.
	S. Rolling 2d K. Beech. Ash. W. Oak.
	Hick. Ungth. Spice
	From Cor. Secs. 20. 21. 28. & 29.
	Elm 5. S. 11. W.

T. No. 14. N. R. No. 3 E. 2d Ord. Inv. 137.

	Ash. 6. N. 40. W. 31.
East.	Bet. Secs. 21 & 28. on Random
40.00.	Temp. Qr. Sec. Post.
29.00.	Intd. E. line 350 lks. S. of Post.
	L. level 2d R. Tim. as before. part fallen Timber.
West.	Corrected.
39.50.	Qr. Sec. Cor. { Elm 4. S. 80. W. 4. / " 3. S. 41. E. 2.
[illegible].00.	Sec. Cor.
North	Bet. Secs. 20 & 21.
16.50.	an Ash. 12 ins. diam.
40.00.	Qr. Sec. Cor. Sug. 12. S. 55. E. 19.
	Dogwood 5. S. 89. W. 15.
18.75.	a Beech 18 ins. diam.
80.00.	Set P. Cor. to Secs. 16. 17. 20. & 21.
	Beech 20. South 21.
	" 15. N. 5. W. 20.
	L. level 2d R. Beech, Ash. W. Oak. Ungth. Spice.
East.	Bet. Secs. 16 & 21 on Random.
40.00.	Temp. Qr. Sec. Post.

79.78.	[illegible] 114 [illegible] of [illegible] L & Tim. as above.
West.	Corrected bet. Sec.s 16 & 21.
39.89.	Q.t Sec. Post. Beech. 20. S. 59. W. 39.
	" 15. N. 37. E. 17.
79.78.	Sec. Cor.
North	Bet. Sec.s 16 & 17.
37.00.	a Stream 15 lks. East
40.00.	Q.t Sec. Cor. Ash. 20. N. 47. W. 17.
	" 14. S. 9. E. 37.
54.25	an Elm 15 in.s diam.
80.00.	Set. P. Cor. to Sec.s 8. 9. 16 & 17.
	S. level 2d R. Beech Ash. W. Oak. Hick Ung.th Spice } Ash. 12. S. 8. E. 14. " 12. N. 64. W. 69.
[illegible]	Bet. Sec.s 9 & 16. on Random
40.00.	Temp. Q.t Sec. Post.
80.10.	[illegible] 210 Lks. [illegible]
	[illegible] & Tim. as [illegible]

[illegible] No. 14. [illegible] No. 5. [illegible] 2 [illegible] 139

West.	Corrected.
40.05.	Qt. Sec. Post. Beech 20. N. 41. E. 12.
	" 5. S. 5. W. 15.
80.10.	Sec. Cor.
North.	Bet. Secs. 8 & 9.
40.50.	Qt. Sec. Cor. Beech 25. N. 15. W. 26.
	" 12. S. 67. E. 20.
45.00.	a Stream 20 lks. N. E.
68.20.	a Beech. 12 ins. diam.
80.50.	Set P. Cor. to Secs. 4. 5. 8 & 9.
	S. level 2d. R. Beech. Ash. Ung. Spice { Beech. 8. S. 17. E. 11. Ash. 18. N. 10. E. 20.
East.	Bet. Secs. 4 & 9 on Random
40.00.	Qt. Sec. Post Temp.
79.62.	Ind. E. line 30 lks. E. of Post.
	Description of L. Tim. omitted.
West.	Corrected.
39.[illegible]	Qt. Sec. Cor. Beech 22. S. 60. E. 6.
49.[illegible]	Sec. Cor. " 5. N. 10. E. 10.

140. T. N.° 14. N. R. N.° 5. E. 2.d M. Ind.

North.	Bet. Sec.s 4 & 5.
29.40.	a W. Oak. 50. in.s diam.
40.00	Q.t Sec. Cor. Beech 12. S. 8. W. 29.
	" 4. N. 19. W. 14.
47.64	an Ash 10 in.s diam.
78.07.	Int.d N. Bound. 94 lks. W. of Post.
	Beech 6. S. 26. E. 11.
	Ash 15. N. 88. W. 22.
	1st ½ m. 2.d R. last ½ m. rich. Beech, Ash. W. Oak. Pop. some Aspen, very brushy with large Spices. July 18th 1820.
	from Cor. of Sec.s 19. 20. 29 & 30.
	a Beech. 24. N. 40. W. 10.
	" 15 S. 7. E. 25.
East.	Bet. Sec.s 20 & 29. on Random.
40.00.	Temp. Q.t Sec. Post.
[illegible]	Int.d E. line 23 lks. S. of Post.
	L. level 2.d R. Beech. Ash. Ung.th Spice
West.	Corrected.
40.00.	Q.t Sec. Cor. { Beech 12. T. 53. E. 38. Sug. 18. S. 80. W. 20.
80.00.	Sec. Cor.

T. N.° 14. N. R. N.° 5. E. 2.d M. Inv. 141.

West.	Bet. Sec.s 19 & 30.
14.35.	an Ash. 8 in.s diam.
40.00.	Q.t Sec. Cor. Beech 16. N. 63. E. 14.
	" 15. S. 75. W. 24.
43.04.	a Beech 18 in.s dia.
68.15.	Ant.d W. Bound. 33 lks. East of P.
	S. rolling Soil thin Tim as above { Beech 30. N. 48. E. 52.
	" 15. S. 32. E. 25.
North.	Bet. Sec.s 19 & 20
12.87.	a Beech 20 in.s dia.
40.00.	Q.t Sec. Cor. Beech 7. S. 90. E. 19.
	" 5. N. 14. W. 4.
47.00.	a Stream 12 lks.
51.60	a Beech 12. in.s dia.
80.00.	Set P. Cor. to Sec.s 17. 18. 19 & 20.
	S. Rolling 2.d R. Beech roots high. Ung.th Spice { Beech 18. S. 5. E. 18.
	" 12. N. 12. E. 18.
West.	Bet. Sec.s 18 & 19.
21.30.	a Beech 16. in.s diam.
40.00	Q.t Sec. Cor. { Beech 12. N. 19. E. 7.
	Ash. 14. [illegible]

52.26.	a Beech 18 in^s diam.
69.4.	Int^d W. Bound. 10 lks. N. of Post.
	& tim as before { Red Oak 50. S. 87. W. 22. Hick. 11. S. 54. E. 2
East:	Bet. Sec^s 17 & 20.
40.00.	Temp. Q^t Sec. Post.
49.00.	Int^d E. line 4 lks. N. of Post.
	S. Rolling 2^d R. Beech. Ash. W. Oak.
West.	Corrected Bet. Sec^s 17 & 20. July 19. 1820.
30.50.	Q^t Sec. Cor. { Beech. 6. N. 16. W. 5.
49.00.	Sec. Cor. { " 6. S. 22. W. 6.
North.	Bet. Sec^s 17 & 18.
27.75	an Ash. 24 in^s diam.
29.00.	a dry Stream 15 lks. S. E.
40.00.	Q^t Sec. Cor. Sug. 10. N. 30. E. 11. Beech. 6. S. 45. E. 11.
57.00.	a Hick: 18 in^s diam.
80.00.	Set. P. Cor. of Sec^s 7. 8. 17 & 18 Red Oak. 22. [illegible]

T. N.° 14 N. R. N.° 3. E. 2.d M. Ind. 143

Hickory 12. S. 10. W. 38.
Ft. James. Beech. Ash. W. Oak. Ung.th Spice. Dogwood.

East	Bet. Sec.s 8 & 17 on Random
40.00.	Temp. Q.t Sec. Post.
80.10.	Int.d E. line 73 lks. S. of Post. L. & tim. as before
West.	Corrected
40.05.	Q.t Sec. Corner { Beech 11. East 5
80.10.	Sec. Cor. { " 18 West 17.
West	Bet. Sec.s 7 & 18.
15.42.	a. Beech 14 in.s dia.
40.00.	Q.t Sec. Cor. { Hick. 8. N. 79. E. 20. Ash. 12. S. 36. W. 7
43.40	an Ash 30 in.s dia.
68.70.	Int.d W. Bound. 37 lks. N. of P.
	Rolling 2.d R. Beech. Ash. W. Oak Ung.th Spice { Elm 10. S. 30. E. 24. Ash 6. N. 29. W. 21 Small Ung. & Beech.
North	Bet. Sec.s 7 & 8.
[illegible]	[illegible] in.s dia.
10.00.	[illegible]

144. [illegible] 14. [illegible]

	Beech 11. N. 20. E. 20.
70. 00.	a dry Branch 10 lks. S. E.
71. 00.	an Ash. 24 in. [illegible]
80. 00.	Set [illegible] Cor. to Sec. 5. 6. 7 & 8.
	Crossing 2 K. Tim. as before { Beech 12. N. 28. W. [illegible]
	" 16. S. 30. W. 7.
East.	Bet. Sec. 5 & 8 on Random
10. 00	Temp. Qt. Sec. Post.
80. 50.	Tab. E. line 100 lks. S. of Post.
	S. & Tim. as before.
West.	Corrected.
110. 25	Qt. Sec. Cor. { Beech 6. N. 33. W. 11
	Ash. 12. S. 7. E. 24.
80. 50.	Sec. Cor.
West.	Bet. Sec. 6 & 7.
14. 20.	an Ash. 20 in. dia.
40. [illegible]	Set. Qt. Sec. Post. from which.
	Beech 14. S. 32. E. 32.
	" 12. [illegible] 70. W. 14.
[illegible]	[illegible] dia.
[illegible]	[illegible] 110 [illegible]

Lat. 14. N. R. N. 5. E. 2d M. Ear. 145

Set. P. Cor. of Secs 6 & 7. fr. which.
Beech 14. N. 3. W. 16.
Do 7. S. 28. E. 6
S. Rolling. Soil thin. Tim. as before.

North Bet. Secs 5 & 6
40. 00. Qtr. Sec. Cor. { Wal. 14. N. 64. E. 14.
{ Do 12. S. 45. W. 13.
79. 66. Intd. N. Bound. 193 lks. E. of Post.
Elm 36. N. 40. W. 24.
Ash. 8. S. 59. E. 23.
S. Rolling 2d R. Beech. Ash.
W. Oak. Hick. Popl. Jug. Aspen &c.
Undergth. Spice.
Dogwood &c.
Surveyed by
John Hendricks.
D. S.