Descriptive Notes of T.15.N._R.2.E. 2nd. Mer.

Exterior Sections Corners.					Interior Section Corners				
Posts	Bearing Trees	inches diam.	Course they Bear	links dist.	Section Corners.	Bearing Trees	inches diam.	Course they Bear	links dist.
C.	Beech	10	S 67° E	11	1,2,11,12	Sugar	14	N 14° E	40
	Do.	5	N 30 W	8		Beech	7	S 54 W	31
D.	Beech	10	N 41 E	10	2,3,10,11	W. Oak	10	N 70 E	10
	Ash	10	S 36 W	42		Do.	18	N 77 W	25
E.	Sugar	10	S 70 E	5	3,4,9,10	Buckeye	5	N 51 E	22
	Beech	6	S 67 W	10		Sugar	8	S 48 E	47
F.	Beech	12	S 6 W	13	4,5,8,9	Sugar	14	N 87 W	12
	Ironwood	4	N 14 W	7		Do.	12	S 71 E	9
G.	Hornbeam	10	N 17 W	27	8,9,16,17	Beech	20	N 28 W	6
	Beech	18	S 65 W	25		Do.	12	S 10 W	15
g.	Hickory	13	S 7 E	32	9,10,15,16	W. Oak	10	N 63 W	24
	Lynn	14	N 39 W	13		Do.	12	S 38 E	6
H.	Beech	18	N 31 W	20	10,11,14,15	W. Oak	14	N 24 E	38
	Sugar	12	N 12 E	18		Do.	14	S 22 W	27
h.	Beech	10	N 27 E	6	11,12,13,14	Sugar	12	N 59 E	22
	Sugar	12	N 51 W	17		Elm	4	S 5 W	12
I.	Hickory	8	S 27 E	14	13,14,23,24	Sugar	18	S 76 E	11
	Walnut	20	N 37 W	17		Beech	12	S 72 W	5
i.	Ash	10	S 7 W	37	14,15,22,23	Dogwood	5	S 61 E	10
	Maple	15	N 6 E	9		B. Walnut	8	N 60 W	5
K.	Beech	12	N 30 E	24	15,16,21,22	B. Walnut	18	N 5 E	27
	Oak	10	S 13 E	25		Do.	24	S 33 E	12
k.	Beech	20	S 49 E	34	16,17,20,21	White Thorn	8	N 15 E	15
	omitted	18	N 30 W	24		Elm	4	S 39 W	6
L.	Sugar	10	S 29 E	30	20,21,28,29	Sycamore	16	N 89 W	14
	Do.	10	N 30 W	13		Do.	10	N 56 W	23
l.	Beech	20	N 41 W	22	21,22,27,28	Beech	14	N 12 E	10
	Do.	18	S 10 E	24		Do.	14	S 50 E	65
M.	Sugar	14	N 12 E	16	22,23,26,27	Beech	18	N 3 W	37
	Do.	10	S 79 W	17		Do	20	S 7 W	30
m.	Sugar	13	S 25 W	43	23,24,25,26	Beech	18	N 56 E	22
	Do.	13	N 32 E	30		Do.	12	S 66 W	38
N.	Beech	18	S 54 W	13	25,26,35,36	Sugar	5	N 4 E	23
	Do.	14	N 76 E	46		Beech	14	S 41 W	20
n	Beech	8	N 72 W	24	26,27,34,35	W. Oak	5	N 81 W	20
	Do.	10	S 72 E	23		Beech	14	S 55 E	26
O.	Beech	10	North	12	27,28,33,34	Beech	14	N 49 W	21
	Poplar	6	S 29 W	9		Do.	16	S 58 E	38
o.	Beech	12	N 29 E	14	28,29,32,33	Buckeye	10	N 86 E	19
	Do.	10	S 76 W	12		Do.	5	S 80 W	24
P.	Beech	12	N 82 E	37	Exterior Section Corners Cont'd.				
	Sugar	16	N 59 W	17	Q.	Sugar	10	S 50 E	15
p.	W. Oak	36	S 72 E	30		Hickory	18	N 57 W	48
Q.	Beech	10	N 72 W	20	R.	Walnut	30	S 23 E	45
	Do.	12	S 64 E	14		Sugar	19	N 23 E	22
		8	N 52 W	10					

Quarter Section Corners.					Quarter Section Corners				
Between Sections	Bearing Trees	inches diam.	Course they Bear.	links dist.	Between Sections	Bearing Trees	inches diam.	Course they Bear	links dist.
1.2.	Sugar	10	S 74° W	43	14.23.	Beech	12	S 50° W	13
	Do.	4	N 69 E	21		Do.	12	N 65 E	22
2.3.	Lynn	10	N 76 W	25	15.22.	Beech	20	N 19 W	22
	W. Oak	12	S 65 E	25		Do.	14	S 7 E	22
3.4.	Sugar	10	N 88 E	25	16.21.	Beech	14	S 51 W	17
	Do.	12	S 84 W	36		Ironwood	8	N 14 E	18
4.5.	Beech	10	N 13 E	16	20.21.	Beech	12	N 37 W	9
	Elm	12	S 22 E	3		Do.	12	N 85 E	17
1.12.	Buckeye	10	N 82 W	16	21.22.	Ash	12	N 22 W	25
	Beech	8	S 78 E	19		Do	14	S 80 E	35
2.11.	Hickory	12	S 80 W	32	22.23.	Ash	10	N 40 W	24
	W. Oak	36	N 64 E	14		Hickory	10	S 19 E	11
3.10.	B. Walnut	14	N 31 W	5	23.24.	W. Oak	20	N 12 E	24
	Elm	14	N 21 E	25		Beech	18	S 18 W	18
4.9.	Ironwood	6	S 55 E	6	24.25.	Beech	20	N 43 W	10
	Beech	8	N 7 W	12		Hickory	18	S 38 E	14
8.9.	Beech	10	N 76 E	9	23.26.	Beech	20	N 75 W	12
	Hickory	12	N 84 W	52		Hickory	18	S 48 E	43
9.10.	Hickory	18	N 22 E	20	22.27.	Elm	12	N 8 E	20
	Beech	14	S 37 W	40		Do	10	S 8 W	27
10.11.	Hickory	4	N 44 E	14	21.28.	W. Oak	12	S 7 E.	30
	Quak Aspen	14	S 27 W	25		Hornbeam	8	N 35 W	20
11.12.	Beech	14	N 13 E	8	28.29.	Elm	16	N 84 W	21
	B. Walnut	10	S 27 W	33		Do.	12	S 6 E	24
12.13.	Ash	4	N 19 W	12	27.28.	W. Oak	10	N 57 E	10
	Do.	6	S 28 E	2		Hickory	12	S 64 W	26
11.14.	Sugar	12	N 5 W	18	26.27.	Beech	14	N 28 W	43
	Ironwood	4	S 10 E	15		Sugar	14	S 23 E	30
10.15.	Aspen	14	N 11 E	11	25.26.	Beech	14	N 71 W	24
	Elm	8	S 11 W	27		Do.	18	N 80 E	51
9.16.	Elm	8	S 20 W	19					
	Hackberry	8	N 29 E	25					
16.17.	Ash	3	N 16 E	9					
	Do.	3	S 16 W	9					
15.16.	Buckeye	8	N 29 E	34					
	Beech	18	S 45 W	4					
14.15.	W. Oak	18	N 5 E	35					
	Sugar	10	S 31 W	34					
13.14.	Beech	10	N 10 W	30					
	Do.	14	S 40 E	3					
13.24	Elm	7	S 6 W	14					
	Beech	20	N 32 E	47					

Quarter Section Corners.					Quarter Section Corners.				
Between Sections	Bearing Trees	inches diam.	Course they Bear.	links dist.	Between Sections	Bearing Trees	inches diam.	Course they Bear.	links dist.
25.36.	Beech	14	N 37° E	12					
	Do.	13	S 61 W	54					
26.35.	Beech	14	N 7 E	16					
	Do.	18	N 20 W	12					
27.34.	Beech	14	N 69 W	52					
	Do.	14	N 77 E	24					
28.33.	Hickory	12	N 61 W	20					
	Do.	10	N 4 E	22					
32.33.	Beech	14	N 48 E	25					
	Do.	10	S 26 W	47					
33.34.	Beech	14	N 47 W	15					
	Do.	12	N 89 W	14					
34.35.	Beech	20	N 15 E	27					
	Do.	12	N 87 W	18					
35.36.	Beech 10	Corner tree							
	Do.	12	N 87 E	52					

From R, to C, the Section, and Quarter Section coners are on the County *line.*

2.

Township No. 15 North Range No. 2 East 2nd Mer:



Meanders of

Posts	Courses	Chs. Lks.	Posts	Courses	Chs. Lks.	Posts	Courses	Chs. Lks.

Total number of Acres. 15422.47

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed	When pd. for and chd. in the Sur. Genl's acct.
			M. Chs. Lks.		
Township lines					
Subdivisions	Wm. B. Laughlin			1820	

The above Map of Township No. 15 North of Range No. 2 East of the 2nd. Principal Meridian Indiana is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office. Edward Tiffin Sur. Genl.

T. No. 15. N. Th. No. 2. E. 2nd. Ser. Ind. 23.



T. N. 15. N. R. N. 2. E. 2nd Mer. Ind. 25

lks. lks.	Range Line Var. 6° E.
North	Bet. Ranges No 2 & 3 E. T. 15. N.
	On the East Side of Sec. 36.
15.03	a Beech 14 inches diam.
29.50	a Brook 3 lks East
38.85	Same do. East
40.00	qtr. Sec. Cor. Sugar 13. S. 35. W. 43.
	Hickory 13. N. 32. E. 30.
63.75	a Sugar 14 inches diam.
80.00	Set. Post. Cor. to Secs. 25 & 36
	Sugar 14. N. 12. E. 16.
	do. 10. S. 79. W. 17.
	Land rich. Be. Sug. Ash undgth Spice
North	on the East Side of Sect. 25.
3.60	a Brook 3 lks East
32.90	a Beech 18 inches diam.
37.40	a Creek 20 lks East.
40.00	qtr. Sec. Cor. Beech 22. N. 41. W. 22.
	do. 18 S. 10. E. 24.
64.55	a Sugar 14 inches diam.
78.00	a Brook 7 lks East.

26. T. No. 15. N. R. No. 2. E. 2nd Mer. Ind

80.00	Set. Post. Cor. of Secs. 24 & 25
	Sugar 10 S. 29 E. 30
	do. 10 N. 30 W. 13.
	Land & Timber same.
	"
North	On the East Side of Sec. 24.
19.45.	a Beech 18 incs. diam.
40.00	qtr Sec. Cor: Beech 20 S. 49. E. 34.
	do. 18. N. 30. W. 24.
67.00	a span: Oak 40 incs. diam
80.00	Set. Post Cor. Secs. 13 & 24 fr. which
	Beech 12 N. 30 E. 24.
	Oak 10. S. 13. E. 25.
	Land & Timber same.
	"
North.	On the East Side of Sec: 13.
6.00	a Brook 6 lks East.
16.50	same — East
24.35	An Ash 14 incs. diam
40.00	qtr. Sec. Cor. Ash 10. S. 7. W. 37.
	Maple 15 N. 61. E. 9.
74.90	An Oak 36 incs. diam.

T. No. 15. N. R. No. 2. E. 2nd Mer Ind. 27.

80.00	Set. Post. Cor. of Secs 12 & 13.
	Hickory 8. S. 27. E. 14.
	Walnut 20. N. 37. W. 17.
	Rich land. Oak. Ash &c.
North	On the East Side of Sec 12.
16.25	a Brook 8 lks East.
35.85.	a Beech 14 ins. diam.
40.00	qtr. Sec. Cor. Beech 10. N. 27. E. 6.
	Sugar 12. N. 81. W. 17.
50.80.	a Beech 20 ins. diam
80.00	Set Post. Cor. of Secs. 1 & 12.
	Beech 18. S. 31. W. 20.
	Sugar 12. N. 12. E. 18.
	Land & Timber as before
North	On the East Side of Sec. 1.
3.80.	An Ash 22 ins. diam.
40.00	qtr. Sec. Cor. Hickory 13. S. 7. E. 32.
	Sycm. 14. N. 39. W. 13.
46.50	a Creek 150 lks S. E.
80.70	Set. Post. Cor of Ranges 2 & 3. Townships

	15 & 16 N. Secs. 1. 6. 31. & 36.
	Hornbeam 10 N. 17. W. 27.
	Beech 18. S. 55. W. 25
	"
	Surveyed in Aug. 1819 by John Mc. Donald D. S.
	Township Line
West	Bet. Townships 14 & 15 N. of Range No. 2. East. On the South Side of Sec. 36.
23.53.	An Ash 14 ins. diam.
40.00	Qtr. Sec. Cor. Beech 8. N. 72. W. 24
	do. 10. S. 72. E. 23.
56.86.	a Beech 14 ins. diam.
63.50.	a Brook 10 lks N. E.
80.00	Set. Post. Cor. of Secs. 35 & 36.
	Beech 10 N. 12.
	Poplar 60 S. 29. W. 9.
	Good Farm Land: Be. Sug: Ash. Undg. Spice
	"
West.	On the South Side of Sec 35

T. No. 15. N. R. No. 2. E. 2nd Mer Ind. 29.

14.90	An Elm 30 inches diam
40.00	Qtr. Sec. Cor: Beech 12. N. 29. E. 14.
	do. 10. S. 76. W. 12.
41.50.	a Brook 6 lks S. E.
55.45	an Elm 18 inches diam.
80.00	Set. Post Cor. of Secs. 34 & 35
	Beech 12. N. 82. E. 37.
	Sugar 16. N. 59. W. 17.
	Good Farm Land. Beech. Oak. Sugar &c.
	"
West.	On the South Side of Sec. 34.
18.45.	An Ash 12 inches diam.
40.00	qtr. Sec. Cor. W. Oak 36. S. 72. E. 30.
	Beech 10. N. 72. W. 20
80.00	Set. Post. Cor. Secs. 33 & 34.
	Beech 12. S. 64. E. 14.
	do. 8. N. 52. W. 10.
	Land level Hickory Ash. Oak &c.
	"
West.	On the South Side of Sec 33.
25.70	A. Span: Oak 30 inches diam.
40.00	qtr. Sec. Cor. Sug. 10 S. 50. E. 15.

	Hickory 18 N. 57. W. 48.
70.17.	A. Sug. 12 inc^s diam
80.00	Set. Post. Cor. of Sec^s. 32 & 33.
	Walnut 30. S. 23. E. 45
	Sug. 19. N. 23. E. 22.
	Good Far. Land - O. Sug. A. Undg^th spice
	"
West.	On the South Side of Sec. 32.
23.50.	a beek 50. lks South
40.00	qtr. Sec. Cor. Beech 18. N. 10. E. 44.
	do 18. S. 59. W. 16.
53.00	a Brook 7 lks S. E.
59.26.	a Beech 20 inc^s diam.
80.00	Set. Post. Cor. of. Sec^s 31 & 32.
	Beech 8. N. 74. E. 35.
	Sug. 16. S. 74. W. 40.
	Good Far. Land. O. Sugar. B. Oak. Undg^th spice
	"
West.	On the South Side of Sec. 31.
14.60.	A. Beech 15. inc^s diam:
40.00	qtr. Sec. Cor. Hickory 11. S. 31. W. 10.
	Sug. 12. N. 46. W. 19

T. No. 15. N. R. No. 2. E 2nd Mer Ind. 31.

68.00	Intd. N. & S. line Betw. R's 1 & 2.
	E. Tps 14 & 15 N. Secs. 1. 6. 31 & 36 at Cor.
	Aug. 12th 1819. Surveyed by
	John McDonald. D. S.
	Subdivisions.
North.	Bet: Secs. 35 & 36.
37.50.	a Beech 12 incs. diam.
40.00	qtr. Sec. Cor. on a Beech 10. incs. fr. which
	Beech 12 N. 57 E. 52.
	do. 14. S. 43. W. 27.
65,97	a Hickory 14 incs. dia.
80.00	Set. Post. Cor. to Secs. 25. 26. 35 & 36
	Sugar 5. N. 11. E. 23.
	Beech 14. S. 41. W. 20.
	Land 2nd rate Beech. O. Pop. Sug. &c.
East	Bet: Secs. 25 & 36 on Random
40.00	Temp: qtr. Sec. Post.
80.37	Intd. East-line 25 lks. South of Post
West	Corrected.
40.18½	qtr. Sec. Cor. Beech 14. N. 51. E. 12.

	Beech 13. S. 61. W. 54.
80.37.	Sec. Cor. Land & Timber as before. July 26th 1829.
North	" Bet: Secs. 25 & 26.
28.85.	a Beech 14 incs. diam.
40.00	qtr. Sec. Cor. Beech 14. N. 71 W. 24.
	do. 18. N. 80. E. 51.
53.12.	a Sug. 20 incs. dia.
80.00	Set. Post. Corn. of Secs. 23. 24. 25 & 26.
	Beech 18. N. 56. E. 22.
	do. 12. S. 66. W. 38.
	Land 2nd rate Beech. Oak Poplar.
East.	" Betw. Secs. 24 & 25 on Random
40.00	Temp. qtr. Sec. Cor.
81.50.	Intd. E. Line 74 lks North of Post
West	" Corrected (Bet: Secs. 24 & 25)
40.75.	qtr. Sec. Cor. Beech. 20. N. 43. W. 10
	Hickory 18. S. 38. E. 14.
81.50.	Sec. Cor.
	Land & Timber same

T. No. 15. N. R. No. 2. E. 2nd Mer. Ind. 35.

North.	Bet. Secs. 23 & 24.
22.11	a Beech 24 ins. diam.
40.00	qtr. Sec. Cor. B. Oak. 20. N. 12. E. 24
	Beech 12. S. 18. W. 18.
50.11	an Ash 12. ins. diam.
80.00	Set P. Cor. of Secs. 13. 14. 23. & 24.
	Sugar 18. S. 76. E. 11.
	Beech 12. S. 72. W. 5.
	Land 2nd rate Beech. Sug. Oak & thick Bush.
East	Bet. Secs. 13 & 24 on Random
40.00	Temp. qtr. Sect. Post.
82.00	Intd. E. L. 3 lks South of Post.
West	Corrected.
41.00	qtr. Sec. Cor. Elm. 7 S. 6. W. 14.
	Beech 20. N. 32. E. 47.
82.00	Sec. Cor. Land 2nd rate B. O. Sug. etc.
North	Bet. Secs. 13. 14.
12.17.	a Beech 14 ins. diam.
40.00	qtr. Sec. Cor. Beech 10. N. 10. W. 30.

36. T. No. 15 N. R. No. 2 E. 2nd Mer. Ind.

	Beech 14. S. 40. E. 3.
51.19.	an Ash 14 ins. diam.
80.00	Set Post. Cor. of Secs. 11. 12. 13 & 14
	Sug. 12. N. 59 E. 22.
	Elm. 4. S. 75. W. 12.
	Land & Timber same.
East	Bet. Secs. 12 & 13 on Random
40.00	Temp. Quar. Sec. Post.
82.50	Intd. E. Line 2 lks North of Post
West	Corrected.
41.25	qtr. Sec. Cor. Ash. 4. N. 19. W. 12.
	do. 6. S. 28. E. 2.
82.50	Sec. Cor. July 26th 1820. Land 2nd rate B. O. Sug & e
North	Bet. Secs. 11 & 12.
22.55	a. W. Oak 30 ins. diam
40.00	quarter. Sec. Post. Beech 14. N. 15 E. 8.
	B. Walnut 10. S. 27. W. 33.
58.36.	a. Beech 12. ins. diam
80.00	Set. Post. Cor. of Secs. 1. 2. 11. & 12.

T. No. 15. N. R. No. 2. E 2nd Mer. Ind. 37.

	Sugar 14. N. 14. E. 40
	Beech 7. S. 54. W. 31.
	Land 2nd rate Beech O. Sug. Wal. & c.
East	"
	Bet. Secs. 1 & 12 on Random
40.00	Temp. qtr Sec. Post.
82.65	Intd. E. Boundry 44 lks South of Post.
West	"
	Corrected.
41.32½	qtr Sec. Cor. Buckeye 10. N. 82. W. 16.
	Beech 8. S. 75. E. 19.
82.65.	Sec. Cor. Land & Tim. same as above
North	"
	Bet. Secs. 1 & 2.
34.27.	a Beech. 20. incs. diam.
40.00	qtr. Sec. Cor. Sug. 10. S. 74. W. 43.
	do. 4. N. 69. E. 21.
58.80.	a Hickory 20 incs. diam.
81.68.	Intd. N. Line 200 lks West of Post
	Beech 12. S. 6. W. 13.
	Ironwood 4. N. 14. W. 4.
	Land 2nd rate Beech O. Sug. & Brush.

38. T. No. 15 N. R. No. 2. E. 2nd Mer. Ind.

North	Bet. Secs. 34 & 35.
17.19.	a Beech 14 ins. dia.
40.00	qtr. Sec. Cor. Beech 20. N. 15. E. 27.
	do 12. N. 87. W. 18.
68.00.	a W. Oak 36 ins. diam.
80.00	Set. Post. Cor: Secs. 26. 27. 34. 35.
	a. W. Oak 5 N. 81. W. 20.
	Beech 14. S. 55. E. 26.
	Land 2nd rate Beech, Oak. Sug. & c.
East.	Bet. Secs. 26. & 35 on Random
40.00.	Temp. qtr. Sec. Post.
79.50	Intd. E. L. 34 lks. South of Post.
West	Corrected
39.75.	qtr. Sec. Cor. Beech 14. N. 7. E. 16
	do. 18. S. 20. W. 12.
79.50.	Sect. Corner.
North	Bet. Secs. 26 & 27.
35.25.	a Beech 10 ins. diam
40.00	qtr Sec. Cor. Beech 14. N. 28. W. 43.

	Sugar. S. 23. E. 30.
68.50.	a Beech 14 inches diam.
80.00	Set. Post. Cor. of Secs. 22. 23. 26 & 27.
	Beech 18 N. 3. W. 37.
	" 20 S. 7. W. 30.
	Land and Timber same with Sugar.
East	Bet: Secs. 23 & 26. on Random
40.00	Temp. qtr. Sec. Post.
80.00	Intd. E. Line 55 lks N. of Post.
West	Corrected (Bet: Secs. 23 & 26).
40.00	qtr. Sec. Cor. Beech 20 N. 75. W. 12.
	Hickory 18. S. 48. E. 43.
80.00	Sec. Cor.
	Land and Timber as before.
North	Bet: Secs. 22 & 23.
17.70	a Beech 14 inc. dia.
40.00	qtr. Sec. Cor. Ash 10. N. 40. W. 24.
	Hickory 10. S. 19. E. 11.
56.65.	an Elm 36 inches dia.

40. T. No. 15. R. No. 2. E. 2nd Mer. Ind.

80.00	Set. Post. Cor. of Secs. 14. 15. 22 & 23.
	Dogwood 5. S. 61. E. 10.
	B. Walnut 8. S. 60. W. 5.
	Land 2nd rate Beech. Sugar June 27th 1820
East	Bet: Secs. 14. & 23 on Random.
40.00	Temp. Quar. Sec. Post.
80.28.	Intd. E. Line 28 lks South of Post
West	Corrected.
40.14.	qtr. Sec. Cor. Beech 12. S. 50. W. 13.
	" 12. N. 65. E. 22
80.28.	Sec. Cor.
	Land 2nd rate Beech. O. Sug. W. Ash &c.
North	Bet: Secs. 14 & 15.
4.95	a R. Oak 24 incs. diam.
40.00	qtr. Sec. Cor. W. Oak 18. N. 5. E. 35.
	Sugar 10. S. 31. W. 34.
47.40	a W. Oak 24 incs. dia.
80.00	Set. Post. Cor. of Secs. 10. 11. 14. & 15.
	W. Oak 14 N. 24. E. 38.

	W. Oak 14 S. 22. W. 27.
	Land 2nd rate Oak. Beech. Hickory &c.
East.	Bet: Secs. 11 & 14 on Random
40.00	Temp. Quar. Sec. Cor.
80.70.	Intd. E. Line 10 lks North of Post.
West	Corrected
40.35	qtr. Sec. Cor. Sug: 12 N. 5. W. 18
	Ironwood 4. S. 10. E. 15.
80.70	Sect. Cor.
	Land & Timber same.
North	Bet. Secs. 10 & 11
10.45.	a. W. Oak 36 ins. diam.
40.00	qtr. Sec. Cor. Hickory 4. N. 44. E 14.
	Aspen 14. S. 37. W. 25.
56.60.	an Elm 14 ins. diam
80.00	Set. P. Cor. of Sects. 2. 3. 10 & 11.
	W. Oak 10 N. 70. E 10
	do. 18. N. 77. W. 25
	Land 2nd rate Oak. Hick. Beech. Ash &c.

East.	Bet: Secs. 2 & 11 on Random
40.00	Temp. quar. Sec. Post.
81.00	Intd. E. Line. 48 lks. N. of Post.
	"
West.	Corrected.
40.50	qtr. Sec. Cor. Hickory 12. S. 80. W. 32.
	B. Oak 36. N. 64. E. 14.
81.00	Sect. Cor.
	Land and Timber as before.
	"
North	Bet. Secs. 2 & 3.
33.50.	a Hickory 14 incs. diam.
40.00	qtr. Sec. Cor. Lynn. 10. N. 76. W. 25.
	W. Oak. 12. S. 65. E. 26.
52.05.	a Sugar 14 incs. diam.
81.79	Intd. N. Line 310 lks. West of Post
	Sugar 10. S. 70. E. 5.
	Beech 6. S. 67. W. 10.
	Description of Land and Timb. omitted.
North.	Bet. Secs. 33 & 34.
17.05	a Hickory 14 incs. diam.

40.00	qtr. Sec. Cor. Beech 14. N. 47. E. 15.
	do. 12. N. 89. W. 14.
55.50.	a. Beech 12 ins. diam.
80.00.	Set. P. Cor. to Secs. 27. 28. 33 & 34.
	Beech 14. N. 49. W. 21.
	do. 16. S. 58. E. 38.
	Land 2nd rate Beech. Oak. Ash &c.
East.	Bet. Secs. 27 & 34 on Random
40.00.	Temp. quar. Sec. Post.
80.25.	Intd. E. Line 28 lks N. of Post.
West	"Corrected. — July 28th 1820.
40.12½	qtr. Sec. Cor. Beech 14. N. 69. W. 52.
	do. 4. N. 77. E. 24.
80.25.	Sec. Cor:
	Land 2nd rate Oak. Beech. Ash. Sugar &c.
North	Bet. Secs. 27 & 28.
18.32.	a B. Walnut 14 ins. dia.
40.00	qtr. Sec. Cor. W. Oak. 10. N. 57. E 10.
	Hickory 12. S. 64. W. 26.

51.90.	a Beech 14 inches diam.
80.00	Set. P. Cor. of Secs. 21.22.27 & 28.
	Beech 14. N. 12. E. 10.
	do. 14. S. 50. E. 65.
	Land 2nd rate. Beech. Oak. Ash
East.	Bet. Secs. 22 & 27 on Random.
40.00	Tem. qtr. Sec. Post.
79.15	Intd. E. Line 64 lks N. of Post.
West.	Corrected:
39.87½	qtr. Sec. Cor. Elm 12. N. 8. E. 20.
	do. 10. S. 8. W. 27.
79.75.	Sec. Cor.
	Land 2nd rate Beech. Oak. Elm. Sugar &c.
North	Bet: Secs. 21 & 22.
30.32.	a B. Walnut 14 inches diam.
40.00	qtr. Sec. Cor. Ash 12. N. 22 W. 25.
	do. 14. S. 80. E. 35.
54.45.	a W. Oak 18 inches diam.
80.00	Set. P. Cor. of Secs. 15. 16. 21. & 22.

T. N. 15. N. R. No. 2 E. 2nd Mer. Ind. 45

	B. Walnut 18. N. 5. E. 27.
	a do. 24. S. 33. E. 12.
	Land 1st rate Ash. Wal. B. Sugar Spice &c.
East.	Bet. Secs. 15 & 22 on Random.
40.00	Set. Temp. qtr. Sec. Post.
79.50	Intd. E. Line 84 lks. N. of Post.
West.	Corrected.
39.75.	qtr. Sec. Cor. Beech 20. N. 19. W. 22.
	do. 14. S. 7. E. 22.
	Land 1st rate Ash. Sug. Wal.
79.50.	Sec. Cor.
North	Bet. Secs. 15 & 16.
17.85.	a Beech 12 ins. diam.
34.45	a Beech " "
40.00	qtr. Sec. Cor. Buckeye 8. N. 29. E. 34.
	Beech. 18. S. 45. W. 4.
48.75	a Beech 20 ins. diam.
80.00	Set. Post. Cor. of Secs. 9. 10. 15 & 16.
	W. Oak 10. N. 63. W. 24.

46. T. No 15. N. R. No. 2 E. 2nd Mer. Ind.

	W. Oak 12. S. 38. E. 6.
	Land 2nd rate. Oak. Beech. Sug. &c.
East.	" Bet. Secs. 10. 15 on Random
40.00	Temp. qrt. Sec. post.
79.50	Intd. E. Line 3. lks. N. of Post.
West	" Corrected.
39.75	qtr. Sec. Cor. Aspen 14. N. 11. E. 11.
	Elm. 8. S. 11. W. 27.
79.50.	Sec. Corner.
	Land 2d rate. Aspen. Oak. Elm &c.
North	" Bet. Secs. 9 & 10.
11.10.	a Sugar 24 incs. diam.
40.00.	qtr. Sec. Cor. Hickory 12. N. 22. E. 20.
	Beech 14. S. 37. W. 40.
78.60.	a Hickory, 12 incs. diam.
80.00	Set. Port. Cor. of Secs. 3. 4. 9 & 10.
	Buckeye 5. N. 51. E. 22.
	Sugar. 8. S. 48. E. 47.
	Land 2nd rate Beech. Oak. Ash &c.

East.	Bet: Secs. 3 & 10 on Random.
40.00.	Temp. Qrt. Sec. Post.
79.65.	Intd. E. Line 12 lks S. of Post.
	"
West	Corrected.
39.82½	qtr. Sec. Cor. B. Walnut 4. S. 31. W. 5.
	Elm 14. N. 21. E. 25.
	Land 2d rate Beech. Oak &c. July 29th 1820.
	"
North	Betw. Secs. 3 & 4.
14.50	a Stream 20 lks S. W.
20.37.	a B. Oak 18 incs. dia.
40.00	qtr. Sec. Cor. Sugar 10 N. 88. E. 25.
	do. 12. S. 84. W. 36.
49.44.	a Poplar 30. incs. diam
71.00	a Stream 20 lks S. E.
81.70	Intd. N. Line 289 lks W. of Post
	Beech 10. N. 41. E. 10
	Ash 10. S. 36. W. 42.
	Land 2nd rate Beech. Oak. Sug. Elm
	"
North	Bet Secs. 32 & 33

48. T. No. 15 N. R. No. 2 E 2nd Mer. Ind.

30.30	a Sugar 14 ins. diam.
40.00	qtr. Sec. Cor. Beech 18. N. 37. E. 13.
	do. 10. S. 4. W. 15.
44.50.	a W. Oak 14 lks diam.
51.00	a Stream 25 lks S. W.
80.00	Set. Post. Cor. Secs. 28. 29. 32 & 33.
	Buckeye 10. N. 86. E. 19.
	do. 5. S. 60. W. 24.
	Land 2nd rate Beech. O. Ash. Undgth. Spice
East.	Bet. Secs. 28 & 33 on Random
2.00	a. Stream 25 lks South
40.00	Temp. Qtr. Sec. Cor.
80.06	Intd. E. Line 80 lks. S. of Post.
West.	Corrected.
40.03.	qtr. Sec. Cor. Hickory 12. S. 61. W. 20.
	do. 10. N. 40. E. 22
80.06	Sec. Cor.
	Land 2nd rate Beech. Oak. Hickory
North	Bet. Secs. 28 & 29.

T. N: 15. V. R. No. 2 E 2nd Mer. Ind. 49.

3.00	a Stream 20 lks. S. E.
20.00	Same " " S. W.
23.00	Same " " S. E.
40.00.	qtr. Sec. Cor. in Stream.
	Willow 10 N. 43. W. 17.
	Hornbeam 3. S. 50. E. 27.
41.50	a Sycamore 36 in: diam.
80.00	Set. post. Cor. of Secs. 20. 21. 28 & 29.
	in stream Sycamore 16. N. 89. W. 14.
	" " 10. N. 56. W. 23.
	Land 2d rate Beech. Oak. Sugar &c.
East.	Bet. Secs. 21 & 28 on Random
40.00	Tem: qtr. Sec. Post.
80.10.	Intd. E. L. at Post.
West	Corrected
40.05	qtr. Sec. Cor. W. Oak 12. S. 7. E. 30
	Hornbeam 8. N. 35. W. 20.
80.10	Sec. Cor.
	Land 2d rate Oak Beech Elm Hick &c

50. T. No. 15 N. R. No. 2. E. 2nd Mer. Ind.

North	Bet. Secs. 20 & 21.
20.00	an Ash 40 incs. diam.
40.00.	qtr. Sec. Cor. Beech 10. N. 4. W. 23.
	18. S. 24. E. 7.
54.50	a B Walnut 18 incs. diam.
80.00	Set. Post. Cor. Secs. 16. 17. 20 & 21.
	W. Thorn 8. N. 13. E. 15
	Elm 4. S. 39. W. 6.
	Land 2nd rate Oak. Beech. Elm. Ash
	July 30. 1820.
East	Bet. Secs. 16 & 21 on Random
30.00	a Stream 25 lks South
40.00	Temp. qtr. Sec. Post.
80.00	Intd. E. Line 25 lks. S. of Post.
West.	Corrected.
40.00	qtr. Sec. Cor. Beech 14. N. 51 W. 17.
	Ironwood 8. N. 14. E. 18.
80.00	Sec. Cor.
	Land 2d rate. Beech. O. Sugar Undgth Thick Brush
North	Bet. Secs. 16 & 17.

20.27.	a Cherry 12. inches diam.
40.00	qtr. Sec. Cor. Ash 8 N. 59. E. 26.
	Ash 7. S. 24. W. 43.
52.09	an Aspen 14 inches diam.
59.45	a Beech 20 " "
80.00	Set. Post. Cor. of Secs. 8. 9. 16 & 17.
	Beech 20. N. 28. W. 6.
	" 12. S. 10. W. 15.
	Land 2nd rate.
East.	Bet: Secs. 9. & 16 on Random
40.00	Tem: qtr. Sec. Post.
55.50	a Stream 25 lks. South.
79.75	Intd. E. Line 18 lks S. of Post.
West.	Corrected.
39.87½	qtr. Sec. Cor. Elm 8. S. 20. W. 19.
	Hackberry 8. N. 29. E. 25.
79.75.	Sec. Cor.
	Land 2nd rate. Beech. Oak. Ash.
North	Bet. Secs. 8. & 9.

52. T. No 15. N. R. No 2 E. 2nd Mer. 3rd.

16.73.	an Ash 18 inches diam.
40.00	qtr. Sec. Cor. Sugar 10. N. 55. W. 17.
	" 16. S. 42. E. 11.
60.17.	A. Beech 20 inches diam.
80.00	Set. Post. Cor. of Secs. 4. 5. 8. & 9.
	Sugar 14. N. 87. W. 12.
	" 12 S. 71. E. 9.
	Land 2nd rate. Beech. Oak. Hickory &c.
East	Bet: Secs. 4 & 9. on Random.
40.00	Tem: qtr. Sec. Post.
67.50	a Stream 20 lks South
79.75	Intd. E. Line 30 lks S. of Post.
West.	Corrected
39.87.	qtr. Sec. Cor. Ironwood 6. S. 55. E. 6.
	Beech. 8. N. 7. W. 12.
79.75.	Sec. Cor.
	Land same
North	Bet: Secs. 4. & 5.
34.38	an Ash 12 inches diam:

T. No. 15. N.R. No. 2 E. 2nd Mer. Ind. 1.27 53.

40.00	qtr. Sec. Cor. Ash 8. N. 12. E. 12.
	Beech 14. S. 16. E. 34.
54.27.	a Beech 12 inches diam.
81.75.	Intd. N. Line 231 lks W. of Post
	Beech 10. S. 67. E. 11.
	" 5. N. 30. W. 8.
	Land 2nd rate Beech. Oak. Sugar & Brush
	Surveyed by.
	Wm. B Laughlin D S