Descriptive Notes of T.15.N._R.4.E. 2nd.Mer.

Exterior Section Corners.

Corner	Bearing Trees	inches diam.	Course they Bear.	Links dist.
A.	Beech	27	S50°W	18
	Hackberry	10	N29E	12
B.	Sugar	28	N32E	16
	Beech	8	S54W	37
C.	Ash	22	S39W	15
	Beech	22	N6W	20
D.	Beech	30	N74E	29
	Do.	20	S83W	25
E.	Beech	36	N36W	25
	Do.	24	S15E	42
F.	Beech	15	N45W	5
	Do.	10	S55E	8
G.	Ash	8	N56E	4
	Do.	13	S56W	2
g.	Beech	20	South	9
	Do.	9	N24W	13
H.	Beech	14	N89W	15
	Sugar	6	S85E	9
h.	Beech	21	S55E	18
	Do.	9	N88W	29
I.	Hickory	18	S14E	12
	Beech	14	S34W	21
i.	Beech	18	S8E	10
	Do.	15	N8W	12
K.	Beech	18	N79W	38
	Do.	16	S69E	23
k.	W. Ash	18	N15E	13
	Beech	18	S27E	10
L.	W. Oak	18	N26E	18
	Beech	8	S66W	8
l.	Beech	18	West	23
	Do.	18	S46E	21
M.	Beech	18	S26W	10
	Do.	25	S79E	26
m.	Sugar	9	N83E	9
	Dogwood	6	S16W	10
N.	Beech	18	N85E	35
	Lynn	20	S67W	5
n.	Ash	22	S87E	48
	Do.	12	S80W	14
O.	Beech	8	N85E	29
	Do.	20	N86W	28
o.	Lynn	10	S36E	11
	Elm	10	S35W	15
P.	Ash	17	S25E	18
	Oak	10	S45W	13
p.	Elm	9	S58E	24
	Beech	10	N45W	11
Q.	W. Oak	14	S85E	28
	Beech	20	N85W	40
q.	Ash	20	N32W	15
	Do.	13	S51E	28
R.	W. Oak	11	S80W	26
	Ash	10	N60E	28
r.	Beech	12	N65E	18
	W. Oak	8	S83W	10
S.	Beech	14	S66E	18
	Do.	18	N63W	11
s.	Beech	15	N86E	29
	Do.	30	S86W	39
T.	Beech	16	N81W	25
	Do.	25	S29E	35
U.	Beech	18	N10W	7
	Do.	12	S8E	40

Interior Section Corners.

Section Corners.	Bearing Trees.	inches diam.	Course they Bear.	Links dist.
1.2.11.12	Sugar	30	S70°E	19
	Ironwood	6	N81W	22
2.3.10.11	Beech	15	N68E	42
	Do.	12	N89W	34
3.4.9.10	Sugar	15	N64W	21
	Do.	10	S52E	37
4.5.8.9	Beech	36	S37W	17
	Do.	12	N37E	37
5.6.7.8	Ash	30	N86E	26
	Beech	16	S87W	24
7.8.17.18	Sugar	24	S3W	41
	Elm	8	N11E	15
8.9.16.17	Beech	16	N48E	10
	Do.	24	N47W	20
9.10.15.16	Ironwood	4	N63E	4
	Ash	24	S68W	8
10.11.14.15	Hickory	22	N86E	10
	Beech	15	N65W	19
11.12.13.14	Beech	20	S29W	15
	Do.	12	South	26
13.14.23.24	Beech	24	S31W	24
	W. Oak	10	N30E	25
14.15.22.23	Elm	20	N78W	14
	Beech	8	N67E	9
15.16.21.22	Beech	24	S14E	13
	Do.	18	N7E	24
16.17.20.21	Beech	22	N29E	10
	Do.	24	S74W	16
17.18.19.20	Ash	26	S71W	24
	Do.	8	East	12
19.20.29.30	Beech	26	S28E	25
	Do.	20	N7W	34
20.21.28.29	Beech	18	N31W	23
	Do.	10	S60E	28
21.22.27.28	Beech	12	N45E	30
	Sugar	15	N83W	22
22.23.26.27	Beech	5	N24W	37
	Do.	11	S46E	22
23.24.25.26	Beech	12	N10E	9
	Do.	6	S44W	12
25.26.35.36	Beech	20	N22W	30
	W. Oak	10	S29E	7
26.27.34.35	Beech	22	N75E	11
	Sugar	6	N64W	31
27.28.33.34	Beech	24	S52W	30
	Ash	8	N44E	26
28.29.32.33	Beech	20	N61W	20
	Do.	8	S32E	38
29.30.31.32	Beech	20	N86E	13
	Do.	12	S79W	24

Exterior Section Corners continued.

Corner	Bearing Trees	inches diam.	Course they Bear.	Links dist.
V.	Beech	12	N11E	26
	Elm	7	S36E	45
W.	Beech	20	S39E	33
	Ash	16	N32W	12
X.	Sugar	24	N31W	21
	Beech	20	S71E	6
Y.	Hickory	20	S44E	17
	Sugar	10	N25W	18

Quarter Sections Corners

Between Sections	Bearing Trees.	inches diam.	Course they Bear.	Links dist.
H to Y at 1.	Beech	18	S55°W	26
	Do	8	N29E	17
" " " " 2.	Beech	18	N56W	29
	Do.	12	S57E	10
" " " " 3.	Beech	12	N83W	21
	Sugar	8	N63E	31
" " " " 4.	Ash	20	N72E	15
	Do.	18	N67W	18
" " " " 5.	Beech	16	N4W	33
	Do.	8	S33E	20
" " " " 6.	Buckeye	8	N80W	20
	Beech	7	S62E	14
I to X at 1.	Beech	20	N49E	17
	Do.	18	S86W	6
" " " " 2.	Beech	20	S38W	11
	Do.	12	N6E	9
" " " " 3.	Beech	15	N36E	37
	Buckeye	6	S30W	25
" " " " 4.	Beech	15	N34E	25
	Do.	10	S74W	18
" " " " 5.	Beech	18	S20W	21
	Do.	22	North	28
" " " " 6.	Sugar	18	N57W	37
	Beech	8	S71E	5
K to W at 1.	W. Oak	30	S75W	30
	Ash	8	East	32
" " " " 2.	Beech	22	N70E	40
	Do.	20	S74W	29
" " " " 3.	Beech	24	N19W	29
	Do.	20	S55E	28
" " " " 4.	Beech	15	N48W	36
	Do.	10	S20E	32
" " " " 5.	Beech	18	N72W	6
	Do.	16	S87E	31
" " " " 6.	Beech	15	N18E	9
	Buckeye	7	S61E	13
L to V at 1.	Beech	18	S59W	18
	Do.	5	N14W	20
" " " " 2.	W. Oak	24	S32W	17
	Hickory	7	N11E	17
" " " " 3.	Beech	24	S68E	27
	Hickory	20	S78W	11
" " " " 4.	Poplar	30	West	24
	Ironwood	6	N45E	38
" " " " 5.	Hickory	20	N78E	8
	Beech	12	S72W	25
" " " " 6.	Beech	20	S60E	6
	W. Beech	4	N65W	39

Quarter Section Corners.

Between Sections	Bearing Trees	inches diam.	Course they Bear	Links dist.
M to U at 1.	Beech	12	N80E	7
	R. Oak	20	N83W	38
" " " " 2.	W. Oak	38	N48E	17
	Lynn	14	N77W	31
" " " " 3.	Beech	14	S41E	8
	Ash	12	N35W	28
" " " " 4.	Beech	15	N56E	16
	Do.	18	S48W	8
" " " " 5.	Beech	18	N15E	18
	Do.	11	S64W	8
" " " " 6.	Beech	20	N32W	35
	Do.	10	S41E	14
O to F at 1.	Ash	18	S42E	7
	Do.	22	S73W	5
" " " " 2.	Ash	12	S38E	24
	Do.	10	N40W	4
" " " " 3.	Sugar	30	S69W	32
	Beech	6	N71E	10
" " " " 4.	Hickory	12	S25E	5
	Beech	15	N55E	30
" " " " 5.	Sugar	12	S68W	22
	Beech	14	N32E	44
" " " " 6.	Beech	30	N62E	8
	Do.	5	S73W	19
P to E at 1.	Elm	15	N54E	18
	Hickory	7	S39W	9
" " " " 2.	Ash	10	N3W	31
	Beech	5	S5E	9
" " " " 3.	Sugar	12	S34W	34
	Beech	15	N52E	12
" " " " 4.	Beech	15	N81W	32
	Ironwood	6	S84E	35
" " " " 5.	Lynn	24	S25W	6
	Beech	5	N26E	21
" " " " 6.	Beech	20	N85E	36
	Beech	18	S77W	20

Quarter Section Corners.

Between Sections	Bearing Trees.	inches diam.	Course they Bear.	Links dist.
Q to D at 1.	Hickory	7	N77°E	15
	W. Oak	6	N62W	10
" " " " 2.	Poplar	12	S13E	22
	Walnut	11	N38W	17
" " " " 3.	Beech	15	S67E	18
	Sugar	18	S54W	8
" " " " 4.	Beech	15	S83E	18
	Do.	18	N35W	17
" " " " 5.	Sugar	8	S2E	35
	Hickory	10	North	33
" " " " 6.	Beech	14	N67E	25
	Do.	15	S64W	24
R to C at 1.	Beech	24	S42W	28
	Ash	18	N73E	35
" " " " 2.	Beech	16	S10W	25
	Do.	12	N81E	20
" " " " 3.	Beech	20	N44E	26
	Do.	15	S42W	44
" " " " 4.	Beech	23	N56W	32
	Do.	18	S18E	8
" " " " 5.	Beech	18	N26E	8
	Do.	8	N88W	32
" " " " 6.	Beech	18	N84E	10
	Hickory	6	S41W	28
S to B at 1.	Beech	15	N13E	41
	Do.	12	S32E	26
" " " " 2.	Hickory	15	N75W	15
	Beech	7	S70E	35
" " " " 3.	Elm	18	N26W	3
	Beech	15	North	21
" " " " 4.	Beech	15	S76W	34
	Do.	10	N56E	35
" " " " 5.	Beech	15	N46E	5
	Do.	7	S61W	13
" " " " 6.	Beech	24	S48E	13
	Do.	16	N34W	9

Township No. 15 North, Range No. 4 East 2nd. Mer.



Meanders of

Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s

Total number of Acres.

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys M. Ch.s Lks.	When Surveyed	When p.d for and ch.d in the Sur. Gen.l's acc.t
Township lines					
Subdivisions	John Hendricks.			1820	

The above Map of Township No. 15 North, of Range No. 4 East of the 2nd. Principal Meridian Indiana, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office, Edward Tiffin

Sur. Gen.l

[illegible] 31.


72 92 72 66 71 29 78 18 68 19 68
6 61 5 55 4 51 3 46 2 42 1 35
61 61 54 50 46 41 266
196
7 60 8 54 9 50 10 45 11 41 12 34
59 60 54 50 45 40 188
198
18 59 17 58 16 41 15 45 14 40 13 34
59 58 53 49 44 40 250
157
19 58 20 53 21 48 22 44 23 39 24 34
57 57 52 48 43 34
118
30 57 29 28 47 27 42 26 37 25 32
56 56 51 47 42
0.97
31 55 32 51 33 47 34 42 35 32 3
57 37 36 36 36 35
100 83 53 80 39

[illegible]

[illegible] 15 N. [illegible] 4 [illegible] Mer. [illegible] 33

Chs. Ks.	Range Line
	Var. 6° E.
North	Bet. Ranges 4 & 5 E. T. 15 N.
	On the E. Side of Sec. 36.
13.23.	a Beech 21 ins. diam.
40.00.	Qt. Sec. Cor. Sugar 9. N. 33. E. 9.
	Dogwood 6. S. 16. W. 40.
73.00.	a Beech 18 ins. diam.
80.00.	Set P. Cor. of Secs. 25 & 26.
	Beech 18. S. 26. W. 10.
	Do. 25 S. 79. E. 26.
	Good Far. L. Beech Sug. Ash. Elm. W. Oak. Ang. [illegible]
North	On the E. Side of Sec. 25.
14.00.	a W. Oak 25 ins. diam.
40.00.	Qt. Sec. Cor. Beech 18. Wos. 23.
	Do. 18 S. 46. E. 21.
50.06.	a W. Oak 54 ins. diam.
80.00.	Set P. Cor. to Secs. 24 & 25.
	Land level 2 R. Beech Sug. Ash { W. Oak 18. N. 36. E. 18. Beech 8. S. 66. W. 8.
	Elm. W. Oak. Hick. Ang. [illegible]

34. T. N° 15. N. R. N° 4. E. 2nd Mer. Ind.

North.	On the E. Side of Sec. 24.
18.54.	a Maple 24 in^s diam.
40.00.	Q^t Sec. Cor. W. Ash 18. N. 15. E. 13.
	Beech 18. S. 27. E. 10.
43.64.	a W. Ash 24 in^s diam.
80.00.	Set P. Cor. of Sec^s 13 & 24.
	S. level 2 R. Beech. Sug. Ash. Elm. W. Oak. Hick. Ung^th Spice & papaw } Beech 18. N. 79. W. 38. D^o 16. S. 69. E. 23.
North.	On the E. Side of Sec. 13.
11.54.	a Beech 25 in^s diam.
40.00.	Q^t Sec. Cor. Beech 18. S. 8. E. 10.
	D^o 15. N. 8. W. 12.
54.84.	a Beech 16 in^s diam.
80.00.	Set P. Cor. of Sec^s 12 & 13.
	S. level 2 R. Beech Sug. Elm. Wal. W. Oak c.c. Ung^th Spice } Hickory 18. N. 14. E. 12. Beech 14. S. 34. W. 21.
North.	On the E. Side of Sec. 12.
40.00.	Q^t Sec. Cor. Beech 21. S. 55. E. 18.
	D^o 9. N. 88. W. 20.
80.00.	Set P. Cor. of Sec^s 1 & 12.

T. No. 15 N. R. No. 4 E. 2nd M. Ind. 35.

	good Far. land. Beech. Sug. Cr. Lynn, Wal. Bak. Ungth Spice Tapon. { Beech 14. N. 89. W. 15. Sug. 6. S. 85. E. 9.
North.	On the East Side of Sec. 1.
4.00.	a Branch 15 Ks. S. W.
40.00.	Qt. Sec. Cr. Beech 20. S. 9. Do. 9. N. 24. W. 13.
70.95.	Int. East & West line (Township Line) at a Post Cor. of Ts. 15 & 16. Rs. 4 & 5. E. Secs. 1. 6. 31 & 36. Good farming land. Firm as above. Aug. 14. 1810. Surveyed by John McDonald. D.S.

Township Line.

West.	Bet. Ts. 14 & 15. N. R. 4. E. On the South Side of Sec. 36.
21.50.	an Elm 24 ins. diam.
40.00.	Qt. Sec. Post. Ash 22. S. 87. E. 48. Do. 12. S. [illegible] W. 14.
80.00.	Set Post Cor. of Secs. 35 & 36. Beech 8. N. 85. E. 20. [illegible] Do. 20. N. 76. [illegible]

36. T. N° 15. N. R. N° 4. E. 2nd M. Ind.

West	On the South Side of Sec. 35
28.00.	a Hickory 18 in.s diam.
40.00.	Qt. Sec. Post. Lynn 10. S. 36. E. 11.
	Elm 10 N. 35. W. 15
55.80.	a Hickory 14 in.s diam.
80.00	Set. P. Cor. of Sec.s 34 & 35
	Land & Timber as before. Ash 12. N. 5. E. 18. Oak 10. S. 45. W. 13.
West.	On the South Side of Sec. 34.
32.48.	a Beech 16 in.s diam.
40.00.	Qt. Sec. Cor. Elm 9. S. 58. E. 24.
	Beech 10. N. 45. W. 11.
63.20.	an Oak 14 in.s diam.
80.00	Set. P. Cor. of Sec.s 33 & 34.
	good farming land. Beech Oak, Lyme &c. W. Oak. S. 85. E. 28. Beech 20. N. 83. W. 42
West.	On the South Side of Sec. 33.
11.10.	a W. Oak 13 in.s diam.
40.00	Qt. Sec. Cor. Ash. 20. N. 32. W. 15.
	D° 13. S. 51. [illegible]

T. No. 15. N. R. No. 4. E. 2nd M. Im. 37.

56. 84.	an Elm 13 ins. diam.
80. 00.	Set P. Cor. of Secs. 32 & 33.
	Sing. & Lin. as before. W. Oak 11. S. 80. W. 26.
	Ash. 10. N. 60. E. 28.
West.	On the South Side of Sec. 32.
10. 15.	a Cherry 12 ins. diam.
40. 00.	Qt. Sec. Cor. Beech 12. N. 65. E. 18.
	W. Oak. S. 83. W. 10.
57. 80.	an Ash. 30 ins. diam.
63. 20.	a Brook 16 lks. N. W.
80. 00.	Set P. Cor. of Secs. 31 & 32.
	good farming land. Beech. Sug. Ungth. Spice. { Beech. 14. S. 66. E. 18
	Do. 18. N. 63. W. 11.
West.	On the S. Boundy. of Sec. 31.
29. 81.	a Beech 20 ins. diam.
34. 00.	a Brook 2 lks. North
40. 00	Qt. Sec. Cor. Beech. 15. N. 86. E. 29.
	Do. 30. S. 86. W. 39.
80. 00.	[illegible] Range line at Cor. of Ts. 14 & 15. N. R's. 3 & 4. East. Secs.

	1. 6. 31 & 36. over good farming land Surveyed by John McDonald D.S.
	Subdivisions. Var 6° 00' E.
North.	Bet. Sec 35 & 36. Sept 28. 1820.
8.45.	an Elm 24 in's diam.
40.00.	Qt. Sec. Cor. Ash 18. S. 42. E. 7.
	D° 22. S. 73. W. 5.
69.43.	a Hickory 10 in's diam.
80.00.	Set P. Cor. of Secs 25. 26. 35. & 36.
	L. level 2d R. Beech Ash Pop. Ungth Spice { Beech 20. N. 22. W. 30. W. Oak 10. S. 29. E. 7.
East.	Bet. Secs 25 & 36 on Random
40.00.	Temp. Qt. Sec. Post.
80.40.	Trd E. Brandy 111 lks S. of Post. Land level 2d R. Soil inclining to mod
West.	Corrected. { W. Oak 12. N. 80. E. 7.
40.20.	Qt. Sec. Cor. { R. Oak 20. N. 83. W. 38.
80.40.	Sec. Cor.

[illegible] 15. [illegible] 4. [illegible] 2nd [illegible] 39.

[illegible]	[illegible] Secs 25 & 26.
35.10.	an Ash 20 ins diam.
40.00.	Cor. Sec. Cor. Ash. 12. S. 38 E. 24.
	Do 20. N. 40. W. 4
68.65.	an Ash 15 ins diam.
80.00	Sec. Cor. of Secs 23. 24. 25 & 26.
	[illegible] level 2d R. Beech. Ash. Pop. [illegible] Ung. Spice } Beech 12 N. 10. E. 9. Do 6. S. 40. W. 12.
[illegible]	Pot. Secs 24 & 25 on Random
40.00.	Temp. Cor. Sec. Post.
80.47.	Int. E. Boundy. 135 Rs. of Post.
	Land level [illegible] Rate
West.	Corrected.
40.23.	Cor. Sec. Cor. Beech 18. S. 59. W. 18 Do 5. N. 14. W. 20
80.47.	Sec. Cor.
North	Bet. Secs 23 & 24.
26.80.	an Ash 10 ins diam.
40.00.	Cor. Sec. Cor. Sugar 30. S. 69. W. 32.
	[illegible] 1. [illegible] 1. E. 10.
58.45.	a Ash 15 ins [illegible]

40. T. N° 13. N. R. N° 4 E. 2d M. Ind.

80.00.	Set P. Cor. to Secs 11. 14. 13. & 24.
	S. level 2d R. Beech. Ash. Hickory. Pop. Hick. spike { Beech. 24. S. 31. W. 24. W. Oak. 10. N. 30. E. 25.
East.	Bet. Secs 12 & 24. on Random
40.00.	Temp. Qt. Sec. Post.
79.74.	Int. E. Bound. 74 lks. South of P. Land & tim. as before.
West.	Corrected.
30.87.	Qt. Sec. Cor. W. Oak 30. S. 75. W. 30. Ash 8. East. 32.
79.74.	Sec. Cor.
North	Bet. Secs 13 & 14.
13.60.	a Beech 12 ins. diam.
40.00.	Qt. Sec. Cor. Hickory 12. S. 25 E. 5. Beech 15. N. 55. E. 30.
51.40.	a Beech 12 ins. diam.
80.00.	Set P. Cor. of Secs 11. 12. 13 & 14.
	S. level 2d R. Beech. Ash. Hickory. &c. { Beech. 20. N. 29. W. 15 Do. 10. South 26.
East.	Bet. Secs 12 & 13. on Random

T. [illegible] B. [illegible] N. [illegible] 4 E. [illegible] 41.

23.15.	a Stream 6 lks. S. W. [illegible] as before
40.00.	Temp. Qt. Sec. Post.
79.84.	Int. E. Bound [illegible] 4 lks. S. of P.
West:	Corrected Bet. Secs. 12 & 13.
39.92.	Qt. Sec. Cor. { Beech 24. N. 49. E. 17.
	{ " 18. S. 86. W. 6.
79.84.	Sec. Cor.
North.	Set Secs. 11 & 12.
13.30.	a Stream 12 lks. West.
25.15.	a W. Oak 36 in's diam.
40.00	Qt. Sec. Post { Sug. 12. S. 68. W. 22
	{ Beech 14 N. 32. E. 44
44.65.	a Beech 20 in's diam.
80.00.	Set P. Cor. of Secs. 1. 2. 11 & 12.
	S. level 2d. R. { Sugar. 30. S. 76. E. 19.
	Beech Ash. W. Oak { Ground 6. N. 81. W. 22
	Ung. Spice Sept. 29th. 1820.
East.	Bet. Secs. 1 & 12. on Random.
40.00.	Temp. Qt. Sec. Post.
41.30.	a small Stream, course [illegible]
79.96.	[illegible] Bound 25 lks. [illegible] Post.
	[illegible] level, [illegible] 2d [illegible]

West.	Corrected.
29.98.	Qt. Sec. Cor. { Beech 18. S. 55. W. 26.
29.96.	Sec. Cor. { " 8. N. 29. E. 17.
North	Bet. Secs. 1 & 2.
32.80.	a Beech 10 in's diam.
40.00.	Qt. Sec. Cor. { Beech 30. N. 62. E. 8
	{ Do. 5. S. 73. W. 19.
45.40.	a Beech 20 in's diam.
55.12.	a Stream 6 lks. S. W.
7[illegible].35	Int. [illegible] Bound. 19 lks. W. of Post.
	L. rolling 2d R. (Beech 15. N. 45. W. 5.
	Beech Ash. Pop. & Sug. Spice (Do. 10. S. 55. E. 8.
North	Bet. Secs. 34 & 35.
27.90	a Hickory 12 in's diam.
40.00	Qt. Sec. Cor. { Elm 15. N. 54. E. 18.
	{ Hickory 7. S. 39. W. 9.
56.36.	a Sugar 12 ins. diam.
80.00.	Sel. P. Cor. of Secs. 26. 27. 34 & 35.
	Beech 22. N. 75. E. 11.
	Sug. 6. N. 64. W. 31.
	L. level 2d Rate, Beech Ash.

East:	Bet: Secs 26 & 35 on Random
40.00.	Temp. Cor. Sec. Post.
79.81.	Int. E. Line 131 lks. S. of P.
West:	Corrected
39.90	Cor. Sec. Cor. { W. Oak. 28. N. 48. E. 17. Lynn 10. N. 77. W. 31.
79.81.	Sec. Cor.
North	Bet: Secs 26 & 27.
10.90.	a Beech 24 ins. diam.
40.00.	Cor. Sec. Cor. { Ash. 20. N. 3. W. 31. Beech. 5. S. 55. E. 9.
67.40	a W. Oak. 20 ins. diam.
80.00.	Set. P. Cor. of Secs 22. 23. 26 & 27.
	L. bed 2 R. Beech Ash. W. Oak. Hick. Ingth Spice { Beech 15. N. 24. W. 37. Do 11. S. 46. E. 22.
East.	Bet. Secs 23 & 26. on Random
40.00	Temp. Cor. Sec. Post
79.70.	Int. E. line 208 lks. S. of West.
	Land & Timber as before

West.	Corrected { W. Oak 24 S. 32 W. 17. Hickory. 7. N. 11. E. 17.
30.85.	Qt. Sec. Cor.
79.70	Sec. Cor.
Norm.	Set Secs. 22 & 23.
15.30.	a W. Oak 36. in's. diam.
40.00.	Qt. Sec. Post. Sug. 12. S. 34. W. 34. Beech 15. N. 52. E. 12
70.65.	a W. Oak 20 in's diam.
80.00.	Set P. Cor. of Secs. 14. 15. 22 & 23.
	L. level 2d R. Beech. Ash. Sug { Elm 20. N. 75. W. 14. Beech 8. N. 67. E. 9. Sep. 30. 1820.
East.	Bet. Secs. 14 & 23 on Random.
40.00.	Temp. Qt. Sec. Post. Land & lim. as before
79.97.	Intd. E. L. 183 lks. S. of P.
West.	Corrected
30.98.	Qt. Sec. Cor. { Beech 22. N. 70. E. 40. Do. 20. S. 74. W. 29.
79.97.	[illegible]

T. No. 15. N. R. No. 4. E. 2nd M. Ind. 45.

North	Bet. Secs. 14 & 15.
1.92.	a Beech 24 ins. diam.
16.60.	a Stream 5 lks. N. W.
40.00.	Qt. Sec. Cor. { Beech 15. N. 81. W. 32 / Hemlock 6. S. 24. E. 35
47.50.	a Stream 20. do. S. W.
55.58.	a Beech 20 ins. diam.
60.00.	Set Pr. Cor. of Secs. 10. 11. 14 & 15.
	T. level 2d R. Beech. Ash. Hick. W. Oak. Spice { Hickory 22. N. 86. E. 10. / Beech. 15. N. 65. W. 19.
East.	Bet. Secs. 11 & 14. on Kindom
40.00.	Temp. Qt. Sec. Post.
42.25.	a Stream 15 lks. S. W.
79.70	Int. E. L. 244. lks. S. of P.
West.	Corrected { Beech. 20. S. 38. W. 11. / Do. 12 N. 6. E. 9.
39.85.	Qt. Sec. Cor.
79.70.	Sec. Cor.
North	Bet. Secs. 10 & 11.
21.30	a Sugar 15 ins. diam.
40.00.	Qt. Sec. Cor. { Sy. N. 24, No. 5

	{Beech 5. N. 26. E. 2.1.
43.66.	a Beech 24 in's diam.
80.00.	Set. P. Cor. of Secs 2.3.10 & 11.
	L. level 2d. Rate. {Beech 15. N. 68. E. 42.
	D° 12. N. 89. W. 34.
East.	Bet. Secs 2 & 11. on Random.
40.00.	Temp Qt. Sec. Post.
79.54.	Int. E. L. 209 lks. S. of Post
	L. & Timber same
West.	Corrected Bet. Secs 2 & 11.
39.77.	Qt. Sec. Cor. {Beech 15. N. 56. W. 29.
	D° 12. S. 57. E. 10.
79.54.	Sec. Cor.
North	Bet. Secs 2 & 3
15.29.	a Sugar 10 in's diam.
40.00.	Qt. Sec. Cor. {Beech 20. N. 86. E. 36.
	D° 18. S. 77. W. 20.
45.12.	a Stream 12 lks. N. W.
61.50.	a Sugar 15 in's. dia.
73.30	Int. Boundy. 18 lks. E. of Post.
	Beech 36. N. 36. W. 25 & Beech 24. S. 15. E. 42

	S. Rolling 2d R. Beech. Ash. Sug. Ung.th Spice.
North.	Bet. Secs. 33 & 34.
35.40.	a Beech 20 in's diam.
40.00.	Qt. Sec. Cor. { Hickory 7. S. 77. E. 15 / W. Oak. 6. N. 62. W. 10.
42.03.	a Poplar 12 in's dia.
80.00.	Set P. Cor. to Secs. 27. 28. 33 & 34.
	S. level 2d Rate Beech. Ash. & c. { Beech 20. S. 52. W. 30 / Ash. 18. N. 44. E. 36.
East.	Bet. Secs. 27 & 34. on Random
40.00.	Temp. Qt. Sec. Post.
80.52.	Int. E. line 100 lks. S. of Post.
	S. rolling 2d R. Beech. Ash. Pop. W. Oak. Sugar. Ung.th Spice. Oct. 20th 1820.
West.	Corrected
40.26.	Qt. Sec. Cor. { Beech 10. S. 41. E. 8. / Ash 12. N. 35. W. 28.
80.52.	Sec. Cor.
North.	Bet. Secs. 27 & 35
1.60	a Beech 24 in's diam.

22.10	a Stream 12 lks. West.
40.00.	Qt. Sec. Cor. { Pop. 12. S. 13. E. 22. / Walnut 11. N. 38. W. 12.
42.10	a Beech 26 in's. diam.
80.00.	Set. Pt. Cor. to Secs. 21. 22. 27 & 28.
	L. level & good 2d R. Beech. Ash Sug. Poplar { Beech. 12. S. 45. E. 30 / Sugar 15. N. 83. W. 22.
East:	Bet. Secs. 22 & 27. on Random L. 2d Rate.
40.00.	Temp. Qt. Sec. Post
80.54.	Inv. L. 177 lks. S. of Post.
West:	Corrected.
40.27.	Qt. Sec. Cor. { Beech 24. S. 68. E. 27. / Hickory 20. S. 78. W. 11.
80.54.	Sec. Cor.
North	Bet. Secs. 21 & 22.
14.12.	a Sugar 10 in's diam.
40.00.	Qt. Sec. Cor. { Beech 15. N. 67. E. 18. / Sugar 18. S. 54. W. 8.
63.50	a Stream 20 lks. S. W.
66.[illegible]	a Sugar 14 in's diam.

80.00.	Set P. Cor. to Secs. 15. 16. 21. & 22.
	L. level & good 2d Rate { Beech 24. S. 14. E. 13. / Do. 18. N. 7. E. 24.
East.	Bet. Secs. 15 & 22. on Random
10.00.	a Stream 18 lks. S. W.
40.00.	Temp. Qt. Sec. Post.
79.94.	Inst. E. L. 226. lks. S. of Post.
West.	Corrected Bet. Secs. 15 & 22.
39.97.	Qt. Sec. Cor. { Beech 24. N. 19. W. 29. / Do. 20. S. 55. E. 28.
79.94.	Sec. Cor.
North.	Bet. Secs. 15 & 16.
25.00.	a Stream 8 lks. S. W.
32.75.	a Sugar 12. in's. diam.
40.00	Qt. Sec. Cor. { Beech. 15. S. 83. E. 18. / Do. 18. N. 35. W. 17.
63.08.	a Beech 12 in's. diam.
80.00.	Set P. Cor. to Secs. 9. 10. 15 & 16.
	L. level 2d R. [illegible] { [illegible] 4. [illegible] 62. [illegible] / [illegible] 68. [illegible]

Land level 2d Rate.

East.	Bet. Secs. 10 & 15 on Random
40.00	Temp. Qt. Sec. Post.
80.21.	Int. E. Bound. 165 lks. S. of P.
West.	Corrected
40.10	Qt. Sec. Cor. { Beech 15. N. 36. E. 37. / Buckeye 6. S. 30. W. 25.
80.21.	Sec. Cor.
North	Bet. Secs. 9 & 10
3.00.	a R. Oak 20 in's. diam.
40.00.	Qt. Sec. Cor. { Sugar 8. N. 64. W. 21. / Hickory 19. S. 52. E. 37.
59.25.	a Beech 20 in's. diam. E. 37.
80.00	Set P. Cor. to Secs. 3. 4. 9 & 10.
East.	1st M. level & last ½ m. 2 R. Rolling land. { Sugar 15. N. 64. W. 21. / Sec. Post 10. S. 52. E. 37.
40.00	
East.	Bet. Secs. 3 & 10 on Random
40.00	Temp. Qt. Sec. Post.
80.18.	Int. E. Bound. 200 lks. S. of Post.
West.	Corrected { Beech 12. N. 83. W. 21 / Sug. 8. N. 63. E. [illegible]

40.09.	See wit 1 page back Ang^th [illegible]
	L. Rolling 2^d Rate, Beech. Ash. Sug.
80.18.	Sec Cor.
North	Bet. Sec^s 3 & 4
21.00.	a Stream 20 lks. S. W.
40.00.	Q^t Sec. Post. { Beech. 14. N. 67. E. 25.
	D^o 15. S. 64. W. 24.
46.94.	a Sugar 12 in^s. diam.
76.23.	Int^r N. Bound^y 29 lks E. of Post.
	L. level. 2^d R. Beech. Ash. Sug. Price. Ung^th Dogwood Pr. Ash. { Beech. 30. N. 74. E. 29.
	D^o 20. S. 83. W. 25.
	Oct. 5^d 1820.
North.	Bet. Sec^s 32 & 33
9.50.	a Stream 6 lks. West.
11.75	a Beech 20 in^s diam.
40.00.	Q^t Sec. Post { Beech 24. S. 42. W. 28.
	Ash. 18. N. 73. E. 35.
54.10.	a Beech 20 in^s diam.
65.00.	a Stream 30 lks. West.
80.00.	Sect. P. Cor. to Sec^s 28. 29. 32 & 33.
	L. Rolling 2^d Rate { Beech 20. N. 61. W. 20.
	" 8. S. 32. E. 38.
East.	Bet. Sec^s 28 & 33 on [illegible]

12.60.	a Stream 25 lks. South
40.00.	Temp. Qt. Sec. Post
62.70.	a Stream 12 lks. S. W.
70.08.	Int. E. L. 109 lks. S. of Post
West.	Corrected Bet. Secs. 28 & 33.
40.04.	Qt. Sec. Cor. { Beech 15. N. 56. E. 16.
80.08.	Sec. Cor. { Do. 15. S. 48. W. 8.
North	Bet. Secs. 28 & 29.
19.30.	a Beech 12 ins. diam.
40.00.	Qt. Sec. Post { Beech 16. S. 10. W. 25
	{ Do. 12. N. 81. E. 20.
48.50.	a Beech 20 ins. diam.
80.00.	Set. P. Cor. to Secs. 20. 21. 28 & 29.
	Crossing L. R. Beech. Ash. Sug. Pop. Spices { Beech 18. N. 31. W. 23.
	{ Do. 10. S. 60. E. 28.
East.	Bet. Secs. 21 & 28 on Random.
28.25	a Stream 20 lks. South
40.00.	Temp. Qt. Sec. Post
80.11.	Int. E. L. 81 lks. S. of P.
West.	Corrected Bet. Secs. 21 & 28.
40.05.	Qt. Sec. Cor. { Pop. 30. W. 24
80.11	Sec. Cor. { Tremocrit 6. N. 45. E. 38.

1st ½ on rolling last ½ in L. R. Beech, Ash & c.

North	Bet. Secs. 20 & 21.
7.40.	a Pop. 12. ins. dia.
40.00.	Qt. Sec. Cor. { Beech 20. N. 44. E. 26. / Do. 15. S. 42. W. 44.
44.65.	a Beech 24 ins. dia.
66.60.	a Stream 16 lks. West.
80.00.	Set P. Cor. to Secs. 16. 17. 20 & 21.
	L. Rolling. poor Ld. R. Beech. Ash. Pop. W. Oak. Ungth. Spice. Ash. Dogwood. { Beech 22. N. 29. E. 10. / Do. 24. S. 74. W. 16.
East	Bet. Secs. 16 & 21. on Random
18.25.	a Stream 10 lks. South.
40.00	Temp. Qt. Sec. Post
80.33.	Int. P. E. line 66 lks. S. of P. Land level. good Ld. R. Him. as before
West.	Corrected
40.16.	Qt. Sec. Cor. { Beech 18. N. 48. W. 36. / Do. 10. S. 20. E. 32.
80.33.	Sec. Cor.
[illegible]	Bet. Secs. 16 & 17.
24.6[illegible]	a Hickory 20 ins. diam.
40.[illegible]	Qt. Sec. Cor. { Beech 23. N. 56. W. 32. / Do. 18. S. 18. E. 8.
68.6[illegible]	a Ash 20 ins. dia.

80.00	Set P. Cor. of Secs. 8. 9. 16 & 17.
	Beech 16. S. 48 E. 10 & Beech 24. N. 27. W. 20.
	L. level. 2 R. Beech. Ash. Hick. Ungts. Spice. Dog wood.
East.	Bet. Secs. 9 & 16. on Random.
10.00.	Temp. Qt. Sec. Post
80.28	Int. E. line 33 lks. S. of Post.
West.	Corrected
40.14.	Qt. Sec. Cor. { Beech. 15. N. 34. E. 25 / Do. 10. S. 74. W. 18.
80.28.	Sec. Cor. October 4th 1820.
North	Bet. Secs. 8 & 9.
8.00.	a Sugar 20 ins. diam.
40.00	Qt. Sec. Cor { Beech 18. N. 26. E. 8 / Do. 8. N. 88. W. 32.
50.15.	a Beech 20 ins. diam.
53.25.	a Stream 15 lks. West
80.00.	Set P. Cor. to Secs. 4. 5. 8 & 9.
	L. level, rich Beech. Ash. Pop. Hick. Spice { Beech 36. S. 34. W. 17. / Do. 12. N. 39. E. 37.
East.	Bet. Secs. 4 & 9 on Random.
36.10.	a Stream 25 lks. S. W.
40.00.	Temp. Qt. Sec. [illegible]

So & tim as before

80.11.	Int. E. Line. 72 lks. S. of P. Ungth. Spice. S. Holling. 2 Rate. Beech. Ash. Pop. Hick.
West.	Corrected
40.05.	Qt. Sec. Cor. { Ash. 20. N. 72. E. 15. Do. 18. N. 67. W. 18.
80.11.	Sec. Cor.
North.	Bet. Secs. 4 & 5.
13.63.	a Sug. 12 ins. diam.
40.00.	Qt. Sec. Cor. { Beech 18. N. 48. E. 10. Hick. 6. S. 41. W. 28
63.16.	a Hickory 24 ins. dia.
77.03	Int. N. Bound. 66 lks. W. of Post.
	E. Level & rich Beech. Ash. Hick. Ungth. Spice { Ash 24. S. 39. W. 15. Beech 22. N. 6. W. 20
[illegible]	Bet. Secs. 31 & 32.
[illegible].25.	a Stream 10 lks. West.
16.60.	a Beech 24 ins. diam.
40.[illegible]	Qt. Sec. Cor. { Beech 15. N. 10. E. 41. Do. 12. [illegible]
44.60.	a Beech 20 ins. dia.
53.75.	a Stream 25 lks. [illegible]
70.[illegible]	a [illegible] Draft. [illegible]
[illegible]	[illegible] Secs. 29. 30. 31 [illegible]

	Crossing 2d R. Beech, Ash. Pop. Sug. Wd B. Oak &c. { Beech 24. N. 86. E. 13. Do 12. S. 79. W. 24.
East.	Bet. Secs 29 & 32 on Random
26.25.	a Stream 5 lks. South.
40.00.	Temp. Qt. Sec. Post.
80.33.	Intd. S. line 34 lks. S. of Post. Land & time omitted
West.	Corrected
40.16.	Qt. Sec. Cor. Beech 18. N. 15. E 28. Do 11. S. 64. W. 8
80.33.	Sec. Cor.
West.	Bet. Secs 30 & 31.
20.75.	a Beech 15 ins diam.
40.00.	Qt. Sec. Cor. { Beech 20. N. 32. W. 35. Do 10. S. 31. E. 14.
70.50.	an Ash. 20. ins diam.
79.02.	Intd. W. Bound. 99 [illegible] of Post. Beech 18. [illegible] 10. W. 7. [illegible] 8. E 40.

T. N° 15. N. R. N° 4. E. [illegible] Ind. 57.

	L. rolling 2d R. Beech. Ash. [illegible] Spin. Oct. 6. 1820.
North.	Bet. Secs 29 & 30.
40.00.	Qt. Sec. Cor. { Hickory 15. N. 75. W. 15 / Beech 7. S. 70. E. 35.
44.00.	a W. Oak, 36 ins dia.
80.00.	Set P. Cor. to Secs 19. 20. 29 & 30.
	L. & T. is before { Beech 26. S. 28. E. 25. / D° 20. N. 7. W. 34.
East.	Bet. Secs 20 & 29 on Random
40.00.	Temp. Qt. Sec. Post.
80.08.	Int. E. line 25 lks. S. of Post. L. Rolling 2d R.
West.	Corrected
40.04	Qt. Se. Post. Hick. 20. N. 78. E. 8. Beech 12. S. 72. W. 25.
80.08.	Sec. Cor.
West.	Bet. Secs 19. & 30.
[illegible]	a Beech. 20. ins diam.
40.00.	Qt. Sec. Cor. Beech 20. S. 60. E. [illegible] Water Beech 4. [illegible] 05. W. [illegible]
44.10.	a [illegible] 14 [illegible] dia.

58. T. N° 15 N. R. N° 4. E. 2d [illegible]

79.40.	Int. the W. Boundy. 118 lks. N. of P.
	L. Rotting 2d R. Beech Ash. Ung.th Spice } Beech 12. N. 11. E. 26. Elm 7. S. 36. E. 45.
[illegible]	Bet. Sec.s 19 & 20
27.50.	an Ash 24 in.s diam.
31.60.	a Stream 15 lks. S. W.
40.00.	Qt. Sec. Cor. Elm 18. S. 26. W. 3.
	Beech 15. N. 21....
48.12	an Ash 24 in.s diam.
80.00	Set P. Cor. to Sec.s 17. 18. 19 & 20
	Level 2d R. Beech Ash. Sng. W. Oak Pop. Ung.th Spice } Ash. 26. S. 71. W. 24. D° 8. East 12.
East.	Bet. Sec.s 17 & 20 on Random
40.00.	Temp. Qt. Sec. Post.
80.46.	Int. E. line 36 lks. S. of P. Spice, Hazel. Same land. – Beech. Ash. Hick. Ung.th
West.	Corrected.
40.23.	Qt. Sec. Cor. Beech. 18. N. 72. W. 6. D° 16. S. 87. E. 31.
80.46	Sec. [illegible]

T. N° 15. N. R. N° 4. E. 2d W. Ind. 59.

West:	Bet. Sec. 18 & 19
7.00.	a Beech 15 in. dia.
40.00.	Qt. Sec. Cor. Beech 15. N. 18. E. 9.
	Buckeye 7 S. 61. E. 13.
53.75.	a R. Oak. 36. ins. diam.
79.54.	Sol. the W. Bound. 157 lks. N. of Post.
	L. level 2d R. Sim as before { Beech: 20. S. 39. E. 33
	{ Do. 16. N. 32. W. 12.
North.	Bet. Secs. 17 & 18.
25.15.	a Beech 15 ins. diam.
40.01.	Qt. Sec. Cor. Beech. 15. S. 76. W. 34.
	10. N. 56. E. 35.
50.36.	a Beech 24 ins. dia.
54.25.	a Stream 6. lks. West.
70.00	a Stream 20 lks. S. W.
80.00	Set P. Cor. of Secs. 7. 8. 17 & 18.
	L. Rolling 2d R.
	Beech. Ash. Sug: Hick. Spice — { Sug. 24. S. 3. W. 41.
	{ Elm 8. N. 11. E. 15
West.	Bet. Secs. 7 & 18
19.10.	an Elm. 12 ins. dia.
40.00.	Qt. Sec. Cor. Sug. 18. N. 57. W. 37.

60. T. N.° 15. N. R. N.° 4 E. 2.d M. Ind.

	Beech 8. S. 71. E. 5.
44.00	a Beech 30 in.s dia.
78.47.	Int.d W. Bound. 193 lks. N. of P.
	L. level & rich. Beech. Ash. Sug. Walnut. Ung.m Spice } Sug. 24. N. 31. W. 21. Beech 20. S. 71. E. 6.
East.	Bet. Sec.s 8 & 17 on Random.
15.50.	a Stream 25 lks. S. W.
40.00.	Temp. Q.t Sec. Post.
80.87.	Int.d E. line. 67 lks. S. of Post.
	L. level 2.d R. Beech. Ash. Sug. Oct. 6.th 1820.
west.	Corrected.
40.43.	Q.t Sec. Cor. { Beech 18. S. 20. E. 21. " 22. North 28.
80.87.	Sec. Cor.
North.	Bet. Sec.s 7 & 8.
40.00.	Q.t Sec. Cor. Beech 15. N. 46. E. 5 " 7. S. 61. W. 13.
53.00.	an Elm 18 in.s diam.
80.00.	Set P. Cor. to Sec.s 5. 6. 7 & 8. Ash. 30. N. 8 & 6. E. 26.

T. N° 15. N. R. N° 4. 6. 2m. 6. Ind. 61.

	Beech. 16. S. 87. W. 24. L. level & rich. Beech. Ash. Sug. Wal. Ung^th Spice & c.
East:	Bet. Sec^s 5 & 8 on Random.
40.00.	Temp. Q^t Sec. Post.
80.57.	Int^d E. line 52 lks. S. of P. L. level & rich. Beech. Ash. Sug. Walnut. Ung^th Spice & c.
West:	Corrected.
40.28.	Q^t Sec. Cor. { Beech: 16. N. 4. W. 33. " 8. S. 33. E. 20.
80.57.	Sec. Cor.
West.	Bet. Sec^s 6 & 7.
24.75.	a Hickory 14 in^s dia.
40.00.	Q^t Sec. Cor. Buckeye 8. N. 80 W. 20. Beech 7. S. 62. E. 14.
40.00.	a Hickory 16 in^s diam.
78.48.	Int^d W. Bound. 196 N. of P. L. & tim same with Hick. { Hick. 20. S. 44. E. 17. Sug. 10. N. 25. W. 18.
North	Bet. Sec^s 5 & 6.
5.40.	a Hickory 28 in^s dia.

62. [illegible] 15. [illegible] K. [illegible] 4. [illegible]

[illegible]	a [illegible] 10 [illegible]
40. [illegible]	[illegible] Sec. [illegible] Beach 24. [illegible] 48. E. 13.
	16. N. 34. W. 9.
[illegible]	a Beach 14 [illegible] dia.
[illegible]	[illegible] Bound. 92 [illegible] W. of [illegible]
	[illegible] 28. N. 32. E. 16.
	Beach 8. S. 54. W. 37.
	[illegible] level 2 [illegible] K. Beach. Sug. Ash. Hick.
	Oct. 7th 1820

Surveyed by

John Hendricks [illegible]