Descriptive Notes of T.15.N._R.5.E. 2nd. Mer.

Exterior Section Corners

Posts	Bearing Trees.	inches diam.	Course they Bear.	links dist.
A.	Ash	8	S 84° E	4
	Do.	18	S 56 W	2
B.	Mulberry	8	S 69 E	19
	Beech	7	N 83 W	16
C.	Ash	8	N 33 W	4
	Do.	3	S 4 E	26
D.	Beech	24	S 57 E	8
	Sugar	5	N 84 W	14
E.	Beech	15	S 32 E	24
	Do.	8	N 88 W	27
P.	Beech	14	S 83 E	21
	Do.	9	N 85 W	16
p.	Beech	15	N 16 W	27
	Do.	14	S 45 W	13
Q.	Beech	30	N 80 E	40
	Sycamore	13	N 60 W	11
q.	Ash	9	S 84 E	35
	Beech	7	N 20 W	15
R.	Oak	7	N 7 E	12
	Lynn	14	S 10 W	5
r.	Oak	28	N 75 W	16
	Ash	17	N 37 E	16
S.	Hickory	8	N 71 E	17
	Do.	6	N 75 W	12
s.	Beech	22	N 52 E	30
	W. Oak	12	S 28 W	6
T.	Beech	18	S 85 E	35
	Lynn	20	S 67 W	12
U.	Beech	70	S 24 E	20
	Do.	3	S 23 W	27
V.	Ash	9	S 12 W	23
	Do.	6	N 63 E	3
W.	Beech	18	N 80 E	22
	Poplar	18	N 73 W	8
X.	Ash	8	N 7 W	18
	Do.	7	S 61 E	17
Y.	Walnut	12	N 45 E	11
	Do.	12	S 40 W	6

Interior Section Corners.

Section Corners.	Bearing Trees.	inches diam.	Course they Bear.	links dist.
2.3.10.11.	Beech	18	S 8° E	20
	Ash	6	N 39 E	12
3.4.9.10.	Sugar	12	S 30 E	21
	Beech	15	N 20 E	21
4.5.8.9.	Beech	20	S 46 W	3
	Do.	14	N 40 E	3
5.6.7.8.	W. Oak	12	South	7
	Ash	10	N 54 E	5
7.8.17.18.	Ash	10	S 42 W	7
	Elm	48	N 43 E	14
8.9.16.17.	Ash	24	S 30 W	14
	Beech	12	N 35 E	26
9.10.15.16.	Beech	14	S 30 E	11
	Do.	10	N 54 W	21
10.11.14.15.	Beech	6	N 68 W	4
	Elm	14	S 9 E	22
14.15.22.23.	Locust	12	N 67 W	21
	Buckeye	10	East	22
15.16.21.22.	Beech	20	N 40 W	18
	Do.	2	S 22 E	17
16.17.20.21.	Beech	12	S 53 E	10
	Do.	28	N 46 W	21
17.18.19.20.	Beech	14	S 54 W	18
	Ash	30	N 75 E	7
19.20.29.30.	Beech	14	North	3
	Do.	24	S 42 E	11
20.21.28.29.	Dogwood	4	S 41 E	13
	Beech	5	N 57 W	8
21.22.27.28.	Sugar	15	S 73 W	8
	Do.	5	N 30 E	20
22.23.26.27.	Elm	14	N 81 W	11
	Beech	6	S 22 E	10
26.27.34.35.	Beech	11	S 16 E	18
	Do.	14	N 80 W	17
27.28.33.34.	Sugar	6	West	5
	Beech	4	S 6 E	4
28.29.32.33.	Beech	30	S 11 E	17
	W. Beech	6	S 88 W	8
29.30.31.32.	Elm	20	North	11
	Ash	12	S 24 W	29

Quarter Section Corners.

Between Sections	Bearing Trees.	inches diam.	Course they Bear.	links dist.
H to Y at 3.	Beech	15	S 22 E	8
	Walnut	12	N 1 E	34
" " " " 4.	Lynn	8	S 80 E	3
	Do	14	N 76 W	18
" " " " 5.	W. Oak	7	S 81 W	3
	Ash	9	N 82 E	11
" " " " 6.	W. Oak	15	N 11 E	8
	Sugar	7	S 24 W	17
I to X at 3.	W. Oak	20	N 9 E	45
	Walnut	18	S 3 E	54
" " " " 4.	Sugar	20	S 30 E	9
	Buckeye	10	S 47 W	15
" " " " 5.	Sugar	18	S 47 W	15
	Beech	24	N 36 E	30
" " " " 6.	Ash	15	S 74 E	11
	Beech	6	S 80 W	26
K to W at 3.	Ash	30	N 61 W	19
	Beech	10	S 66 E	14
" " " " 4.	W. Oak	20	N 36 W	44
	Do.	12	S 35 E	35
" " " " 5.	W. Beech	5	N 11 E	2
	Beech	7	S 2 W	30
" " " " 6.	W. Oak	36	S 58 E	10
	Ash	4	S 8 W	21
L to V at 3.	Beech	6	N 18 E	12
	Sugar	5	S 30 W	6
" " " " 4.	Beech	10	N 61 E	15
	Do.	15	S 88 W	17
" " " " 5.	Beech	5	N 16 E	9
	Sugar	12	S 35 E	23
" " " " 6.	W. Oak	30	S 45 E	38
	Ash	12	N 64 W	9

Quarter Sections Corners.

Between Sections	Bearing Trees.	inches diam.	Course they Bear.	links dist.
M to U at 3.	Hackberry	5	N 84 E	19
	Do.	24	S 70 W	29
" " " " 4.	Lynn	20	N 11 E	11
	W. Oak	33	S 3 W	18
" " " " 5.	Beech	20	S 10 W	28
	Do.	7	N 22 W	13
" " " " 6.	Beech	5	N 84 E	12
	Ironwood	5	N 59 W	20
P to E at 1.	Beech	10	S 1 E	39
	Do.	12	N 58 W	44
" " " " 2.	Beech	11	S 25 E	11
	Do.	14	N 15 W	29
" " " " 3	Beech	12	S 2 W	26
	Do.	15	N 32 E	25
" " " " 4.	Ash	12	S 8 W	33
	Do.	11	N 13 W	23
" " " " 5.	Beech	6	N 89 W	6
	Do.	24	S 32 E	29
" " " " 6.	Beech	15	N 54 E	6
	Do.	11	South	16
Q to D at 1	Beech	14	N 48 W	21
	Do.	12	N 24 E	22
" " " " 2.	Sugar	11	N 91 E	17
	Poplar	36	S 68 W	26
" " " " 3.	Beech	12	S 37 E	14
	Elm	46	N 15 E	23
" " " " 4.	Beech	18	S 11 W	35
	Do.	12	N 77 E	10
" " " " 5.	Buckeye	12	S 44 W	14
	Sugar	7	S 52 E	28
" " " " 6.	Beech	18	N 40 E	32
	Do.	15	S 44 E	24

Quarter Section Corners

Between Sections	Bearing Trees.	inches diam.	Course they Bear.	links dist.
R to C at 1	Beech	14	N 17 W	10
	Do.	6	S 52 W	12
" " " " 2	Beech	~~~	S 6 E	8
	Do	12	N 72 W	20
" " " " 3.	Beech	22	S 20 E	23
	Do.	18	N 27 W	11
" " " " 4.	Beech	24	S 15 E	5
	W. Beech	7	N 9 W	32
" " " " 5.	Beech	20	N 62 E	18
	Poplar	12	S 51 E	21
" " " " 6.	Beech	20	S 1 E	52
	Do	8	N 18 E	10
S to B at 1.	Ash	7	N 13 E	17
	Sugar	4	S 16 E	13
" " " " 2.	Beech	30	N 17 W	21
	Do.	18	S 14 E	17
" " " " 3.	Beech	5	S 10 E	19
	Hickory	28	N 78 W	3
" " " " 4.	Sugar	6	S 26 E	24
	Beech	8	N 53 E	15
" " " " 5.	Beech	22	N 5 E	33
	Do.	12	S 22 W	12
" " " " 6.	Beech	15	S 6 W	21
	Ash	12	North	22

From P. to E., the Section and Quarter section corners, are on the County line.

320

Township No. 15 North, Range No. 5 East 2nd. Mer:



Meanders of

Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s

Total number of Acres.

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed	When p.d for and ch.d in the Sur. Gen.l's acc.t
			M. Ch.s Lks.		
Township lines					
Subdivisions	John Hendricks.			1820.	

The above Map of Township No. 15 North, of Range No. 5 East of the 2nd. Principal Meridian Indiana is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office,

Edward Tiffin
Sur. Genl.

2.70

[illegible] 140

	182	94	182	105	181	21	181	70		0.4
35	6	174	5	166	4	160	3	155	2	1
	174		175		167		160			
?246 (266) 34	7	173	8	166	9	160	10	155	11	12
	173		174		165		159			
188 34	18	174	17	164	16	159	15	154	14	13
	173		173		163		158			
250 34	19	173	20	163	21	158	22	154	23	24
	172		172		162		157			
257 33	30	171	29	162	28	157	27	153	26	25
	171		171		161		156			
159 33	31	168	32	161	33	156	34	153	35	36
	152		152		151		151			
		193		94		98		58		175

Chs. Lks.	Fractional.
	Township Line.
West.	Bet. [illegible] N.° 14 & 15. N. R. 5 E
	from Cor. bet. Sec.s 34. & 35.
	— a Beech 14. S. 83. E. 21.
	9. N. 85. W. 16.
	On the S. Side of Sec. 34.
40.00.	Q.t Sec. Cor. Beech 15. N. 16. W. 24.
	D.o 14. S. 45. W. 13.
61.64.	a Sycamore 40 in.s dia.
63.00.	a Creek. 70. lks. South.
80.00.	Set P. Cor. to Sec.s 33 & 34.
	Beech 10. N. 80. E. 40.
	Sycamore 13. N. 60. W. 11.
	L. level. Beech. Oak. Uno.th Spice & [illegible]
	July 31st 1819.
West.	On the S. Side of Sec. 33.
22.80.	a Beech 15 in.s dia.
40.00.	Q.t Sec. Cor. Ash. 9. S. 64. E. 35.
	Beech 7. N. 20. W. 15.
56.1[illegible].	[illegible] 1[illegible] in.s dia.

152 T. N° 15. N. R. N° 5. E. 2d M. Ind.

80.00.	~~Set P. Cor. to Secs. 32 & 33.~~
	S. level { Oak. 7. N. 7. E. 12.
	Beech. Elm } Lynn 14. S. 10. W. 5.
	Ash. Ungth. Spice. & — c.
West.	On the S. Side of Sec. 32.
3[illegible].48.	a Hickory 14 ins. dia.
40.00.	Qt. Sec. Cor. Oak. 28. N. 75. W. 16.
	Ash. 17. N. 37. E. 16.
49.48.	a Beech 18 ins. dia.
80.00.	Set P. Cor. to Secs. 31 & 32.
	Hick. 8. N. 71. E. 17.
	" 6. N. 75. W. 12.
	Level. wet S. Beech. Elm.
	Oak. Ungth. Spice.
West.	On the S. Side of Sec. 31.
1[illegible].61.	an Oak. 40. ins. dia.
40.00	Qt. Sec. Cor. { Beech 22. N. 52. E. 30.
	{ W. Oak 12. S. 28. W. 6.
52.18	a Beech 16 ins. dia.
4[illegible].0[illegible].	Set Post. for Cor. of Ranges 4 & 5.

	Ts. 14 & 15. N. S.s 1. 6. 31 & 36.
	E. & Tim. as above { Beech 18. S. 85. E. 35. Lynn 20. S. 67. W. 12.
	Aug. 1st 1819.
	Surveyed by John M.d Donald. D. S.
	Subdivisions.
North	Bet. Sec.s 34 & 35.
15.85	a Beech 20 in.s dia.
40.00	Q.t Sec. Cor. Beech 10 S. 1. E. 39.
	D.° 12. N. 56. W. 44.
55.55	a Beech 18 in.s dia.
80.00	Set P. Cor. to Sect.s 26. 27. 34 & 35.
	Beech 17 S. 16. E. 11.
	D.° 14. N. 80. W. 17.
	L. Rolling 2.d R. Beech. Ash. W. Oak. Ung.th Spice.
North	Bet. Sec.s 26. & 27.
23.50	a Stream 15 Ks. S. W.
28.00	an Ash 30. in.s dia.

40.00.	Qr. Sec. Post: Beech 11. S. 25. E. 11.
	" 14. N. 15. W. 29.
71.60.	a Hickory 10 in. dia.
80.00.	Set P. bor. to Sec. 22. 23. 26. & 27.
	Part 1st & 2d H. Beech Ash. Pop. } Elm 14. N. 81. W. 11.
	Beech 6. S. 32. E. 10.
	Hick. W. Oak. & Spice.
40 in.	Set. Sec. 22 & 23.
30.63.	a Beech 18 in. dia.
40.00.	Qr. Sec. P. Beech 12. S. 2. W. 10.
	" 15. N. 32. E. 25.
55.33.	an Ash 10 in. dia.
78.00.	a beautiful Sycam 20 Ks. S. W.
80.00.	Set P. bor. to Sec. 15. 14. 23 & 22.
	Part 1st & Part 2d R. Kolling } Locust 12. N. 69. W. 21.
	Buckeye 10. East. 22.
	Beech. Ash, Wal. — Spice & c.
40.00	Set. Sec. 14 & 15.
24.12.	an Ash 15 in. diam.
40.00.	Qr. Sec. Cor. Ash. 12. S. 8. W. 23.
	" 11. S. 14. W. 1.

T. N° 15. R. K. N° 5. E. 2d M. Ind. 155.

56.54.	a Beech 8 in.s dia.
80.00.	Sel. P. for. of Sec.s 10. 11. 14 & 15.
	L. level 1st. Yr. m. rich { Beech 6. N. 68. W. 4. Elm 16. S. 9. E. 22.
	Beech. Ash. W. Oak. Pop. Ung.th. Spice
North	Bet. Sec.s 10 & 11.
13.65.	an Elm 15 in.s dia.
40.00.	Q.r Sec. for. Beech 6. N. 89. W. 6.
	" 20. S. 32. E. 29.
80.00.	Sel. P. for. to Sec.s 2. 3. 10 & 11.
	Beech 18. S. 8. E. 20. &
	an Ash 6. N. 39. E. 12.
	L. Rolling, good 2d R. Beech. Ash. Pop. Ung.th. Spice
North.	Bet. Sec.s 2 & 3.
9.00.	a Stream 40 lks. S. W.
14.10.	an Elm 10 in.s diam.
30.50.	a Dry Branch
40.00.	Q.r Sec. for. Beech. 18. N. 24. E. 6.
	" 11. South 1.
41.00.	[illegible]

156. T. N.° 15. N. R. N.° 5. E. 2.d M. Ind.

40.80.	a Sug. 10 in.s dia.
68.00.	Ind.s N. Bound.s East of Post.
-	Rolling & good L. Beech. Ash R. Oak. { Beech 15. S. 32. E. 24. D.o 8. N. 88. W. 27. H. M. Pap. July 23. 1820.
North	Bet. Sec.s 33 & 34.
26.00.	a Stream 20 lks. S. E.
29.40.	a Beech 10. in.s dia
40.00.	Q.t Sec. Cor. Beech. 14. N. 48. W. 21. 12. N. 24. E. 22.
67.88.	a Beech 36. in.s dia
80.00.	Set. P. Cor. to Sec.s 27 & 34 on Random.
	L. Rolling 2.d R. { Sug. 6. West. 5. Beech 4. S. 6. E. 4. Tim. as above.
East.	Bet. Sec.s 27 & 34. on Random.
40.00.	Temp. Q.t Sec. Post.
44.50.	a Stream 50 lks. South.
77.72.	Int.d E. line 110 lks. S. of Post. L. level. Part 2.d R. Part rach. Beech. Sug. Ash. [illegible]

West.	Corrected.
39.86.	Qt. Sec. Cor. { Hackby. 5. N. 84. E. 9.
	" 24. S. 70. W. 2
79.72.	Sec. Cor.
North	Bet. Secs. 27 & 28.
34.72.	a Pop. 18 ins. dia.
40.00.	Qt. Sec. Cor. { Sug. 11. N. 31. E. 17.
	Pop. 36. S. 68. W. 26.
67.50.	a Spring Draft. S. E. good Water.
72.00.	a Stream 40 lks. S. E.
74.00.	a Wal. - 24 ins. diam.
80.00.	Set P. Cor. to Secs. 21. 22. 27. & 28.
	S. Rolling { Sug. 15. S. 73. W. 8.
	very rich { " 5. N. 30. E. 20.
	Sug. Wal. Hackby. & C.
East.	Bet. Secs. 22 & 27. on Random.
40.00.	Temp. Qt. Sec. Post.
79.70.	Int. E. line 75 lks. S. of Post.
	S. Rolling 1st ½ M. 1st R. last ½ M. 2d R.
	Beech, Ash. W. Oak, Some Walnut.
	Ung. Spices
West.	Corrected.
39.85.	~~[illegible]~~ Hackby. 6. N. 18. E. 12.
	[illegible] Sug. 5. S. 30. W. [illegible]
[illegible]	[illegible]

158. T. N° 15. N. R. N° 5. E. 2d Mo. Int.

North	Bet. Sec. 21 & 22.
21.00.	a Stream 45 lks. S. W.
40.00.	Qr. Sec. Cor. { Beech 12. S. 37. E. 14. Elm 46. N. 15. E. 23.
50.00.	a Stream 30 lks. S. E.
60.00.	an Elm 15 in. diam.
80.00.	Set Q. Cor. of Sec. 15. 16. 21 & 22. Beech 20. N. 40. W. 18. " 22. S. 22. E. 17.
	S. level 1st R. Beech. Ash. some Wal. Mag. Spice & Papaw.
East.	Bet. Sec. 15 & 22. on Random.
16.00.	a Stream 30 lks. South.
34.00.	a Spring. Draft South.
40.00.	Time Qr. Sec. Post
79.16.	Cor. E. line 113 lks. S. of Post.
	S. Rolling good 2d R. Tim. as above.
West.	corrected.
39.58.	Qr. Sec. Cor. { Ash. 30. N. 61. W. 19. Beech 10. S. 66. E. 14.
79.16.	Sec. Corner.

T. No. 15. N. R. No. 5. E. 2d. [illegible] Ind. 159

North.	Bet. Secs. 15 & 16.
20.90.	a Ing. 30. ins. dia.
40.00.	Qt. Sec. Cor. Beech 18. S. 11. W. 35.
	" 12. N. 77. E. 10.
69.54.	a Beech 15 ins. dia.
80.00.	Set P. Cor. of Secs. 9. 10. 15 & 16.
	L. level good Beech. Ash Ing. W. Oak } Beech 14. S. 30. E. 11.
	D. 10. N. 54. W. 31.
	Pop. Hick. & Spice.
East.	Bet. Secs. 10 & 15 on Random.
40.00.	Temp. Qt. Sec. Post.
40.50.	a Stream 45 lks. South.
43.00.	a Spring Draft. N. W.
48.00.	a Spring Course S. E.
66.50.	a Stream 10 lks. S. W. No Water
79.40.	Intd. E. line, 47. lks. S. of Post.
	L. Rolling. Soil thin. Tim. as before.
West.	Corrected. Bet. Secs. 10 & 15.
39.70.	Qt. Sec. Cor. W. Oak 20. N. 9. E. 75.
	Walnut 18. S. 3. E. 54.
79.40.	Sec. Cor. July 24th 18[illegible]

North	Bet. Sec.s 9 & 10.
14.55.	a Beech 14 in.s dia.
40.00.	Q.t Sec. Cor. Buckeye. 12. S. 44. W. 14.
	Sug. 7. N. 2. E. 28
43.75.	an Elm 30 in.s diam.
80.00	Set. P. Cor. of Sec.s 3. 4. 9 & 10.
	L. level 2.d R. { Sug. 11. S. 30. E. 21.
	Beech 15. N. 20. E. 21.
	Beech. Ash. & c.
East	Bet. Sec.s 3 & 10 on Random.
40.00.	Temp. Q.t Sec. Post.
62.50.	a Stream 35 lks. South
79.58.	Int.d E. line 145 lks. S. of Post,
	L. & Timber as before.
West	corrected
39.79	Q.t Sec. Post { Beech. 15 S. 22. E. 8.
	Wal. 12. N. 1. E. 34.
79.58.	Sec. Cor.
North	Bet. Sec.s 3 & 4.
13.00.	a Buckeye 8 in.s diam.
40.00.	Q.t Sec. Cor.

T. N° 15. N. R. N° 5. E. 2d M. Ind 161.

	Beech 18. N. 40. E. 32.
	" 15. S. 44. E. 24.
50.39.	an Ash. 10 in^s dia.
68.39.	Int^d N. Bound. 21 lks. W. of l^d
	set Post from which
	Beech 24. S. 57. E. 8.
	Sug. 5. N. 84. W. 14.
	L. good 2^d R. Beech, Ash. Hick. W.
	Oak. Pop. Spice. Dogwood.
North	Bet. Sec^s 32 & 33.
9.50.	a Stream 25 lks. East.
40.00	Q^t Sec. Cor. Beech 10. N. 17. W. 10.
	" 6. S. 52. W. 12.
46.70	an Ash 20 in^s dia.
80.00.	Set P. Cor. of Sec^s 28. 29. 32 & 33.
	Beech 30. S. 71. E. 17.
	Water Beech 6. S. 88. W. 8.
	L. same Beech. Ash. Sug. Ung^m Spice
East	Bet. Sec^s 28 & 33. on Random.
40.00.	Q^t S^d. Post. [illegible]

80.14.	Int^d. E. line 119 lks. S. of P.
	L. & Timber as before. July 25th 1820.
West.	Corrected
40.07.	Q^t. Sec. Post { Elm 20. N. 11. E. 11.
	W. Oak. 33. S. 3. W. 18.
80.14.	Sec. Cor.
North	Bet. Sec^s. 28 & 29.
24.90.	a Beech 15 in^s. diam.
40.00.	Q^t. Sec. Cor. Beech 7. S. 6. E. 8.
	" 12. N. 72. W. 20.
70.15.	a Beech 12 in^s. dia.
79.00.	a Stream 15 lks. N. E.
80.00.	Set P. Cor. to Sec^s. 20. 21. 28 & 29.
	L. level 1st R. { Dogwood 4. S. 41. E. 13
	Beech. Ash. { Beech. 5. N. 57. W. 8.
	Sug. Ung^th. Spice. Papaw.
East.	Bet. Sec^s. 21 & 28 on Random.
1.00.	a Stream 15 lks. N. E.
40.00	Temp. Q^t. Sec. Post.
69.50.	a Stream 50. lks. S. E.
74.00.	a Stream 40. " S. E.

T. N° 15 N. R. N° 5 E. 2d M. Ind. 163

80.24	Int. E. line 126 lks. S. of Post. S. Rolling 1st R. Timb. as before.
West.	Corrected.
40.12.	Qt. Sec. Cor. { Beech 10. N. 61. E. 15.
80.24.	Sec. Cor. { D° 15. S. 88. W. 17.
North	Bet. Secs. 20 & 21.
20.56.	an Ash. 20 ins. dia.
40.00.	Qt. Sec. Cor. Beech. 22. S. 20. E. 23.
	" 18. N. 27. W. 11.
72.00.	a wet Weather Stream. 10 lks. East.
74.50.	a Beech 20 ins. dia.
80.00	Set P. Cor. to Secs. 16. 17. 20 & 21.
	S. level & rich Beech. Ash. Pop. Sug. W. Oak. { Beech 12. S. 53. E. 10.
	" 28. N. 46. W. 21.
	Ung. Spice
East.	Bet. Secs. 16. & 21. on Random.
13.00.	a Stream 15 lks. N. E.
15.00.	a Stream 15 lks. S. E.
23.00.	a Stream 15 " N. E.
40.00	Temp. Qt. Sec. Post.

30.00.	a Stream 40. lks. S. E.
80.57.	Int^d. E. line 67 lks. S. of Post.
	Rolling rich, Beech. Ash. Pop. Sug.
	W. Oak. Undt^h. Spice & — &c.
West.	Correctco. Bet. Sec^s. 16 & 21.
40.28.	Q^t. Sec. Post { W. Oak. 20. N. 36. W. 44.
	" 12. S. 35. E. 35.
North.	Bet. Sec^s. 16 & 17.
3.02.	a Hickory 18 in^s. diam.
9.00.	a dry Branch S. E.
19.50.	a Stream 15 lks. S. E.
40.00.	Q^t. Sec. for. Beech. 20. S. 15. E. 5.
	Water Beech 7. N. 9. W. 32.
74.75.	an Ash. 20 in^s. dia.
[illegible]	Set P. for. to Sec^s. 8. 9. 16. & 17.
	S. 1st. R. Beech. { Ash. 24. S. 30. W. 14.
	Ash. W. Oak. { Beech 12. N. 35. E. 26.
East.	Bet. Sec^s. 9 & 16 on Random.
40.[illegible]	Temp. Q^t. Sec. Post.
55.[illegible]	a [illegible]

80.06.	Int^d E. line 38 lks. S. of P.
	S. & temp as before.
West.	Corrected.
40.03.	Q^t Sec. Cor. Sug. 20. S. 36. E. 9. Buckeye 10. N. 11. E. 15.
80.06.	Sec. Cor.
North.	Bet. Sec^s 8 & 9.
37.56.	a Beech 12 in^s dia.
40.00.	Q^t Sec. Cor. Beech 20. N. 62. E. 18.
	Popl. 12. S. 51. E. 21.
67.12.	an Elm 8 in^s diam.
72.15.	a Stream 20 lks. S. E.
80.00.	Set P. Cor. to Sec^s 4. 5. 8 & 9.
	Beech 20. S. 46. W. 3. &
	Beech 14. N. 46. E. 3.
	1st ½ M. level 2^d R. last ½ Rolling
	— 1st R. Beech. Ash. Sug. Wal. Spice
East	Bet. Sec^s 4 & 9 on Random.
30.50.	a Stream 15 lks. S. W.
40.00.	Temp. Q^t Sec. Post.
80.24.	Int^d E. line 35 lks. S. of P.
	1. Rolling 1st R. Tim. as before.

166. T. N° 15. N. R. N° 5. E. 2d M. Ind.

West.	Corrected.
40.12.	Qt. Sec. P. Lynn 8. N. 80. E. 3.
	" 14 N. 76. W. 18.
80.24.	Sec. Cor.
North.	Bet. Secs. 4 & 5.
4.67.	~~Qt. Sec. P. Bee.~~ Beech 20. ins. dia.
40.00.	Qt. Sec. P. Beech. 20. S. 1. E. 52.
	" 8 N. 18. E. 10.
47.50.	a Stream 10 lks. N. E.
47.75.	an Ash. 12 ins. diam.
67.55.	Ind. N. Bound. 105 lks. W. of Post.
	S. level 1st R. Beech. Ash. W. Oak. Pop. { Ash. 8. N. 33. W. 4.
	" 30. S. 4. E. 26.
	Ungth. Spice.
North.	Bet. Secs. 31 & 32.
20.05.	an Ash. 8 ins. diam.
32.00.	a Stream 12 lks. S. E.
40.00.	Qt. Sec. Cor. Ash. 7. N. 13. E. 17.
	Sug. 4. S. 16. E. 13.
80.00.	Set P. Cor. to Secs. 29. 30. 31 & 32.
	S. level soil rich. Beech Ash. Sug. Ungth. Spice { Elm 20. North 11.
	Ash. 12. S. 24. W. 29.

T. N° 15. N. R. N° 5. E. 2d M. Ind. 169

East.	Bet. Secs 29 & 32 on Random
40.00.	Temp. Qt. Sec. Post.
42.00.	Intd. E. line S. of Post.
	L. level. good 2d R. [illegible] before.
West.	Corrected.
59.50.	Qt. Sec. Cor. Beech 20. S. 10. W. 2[illegible]
	Do. 7. N. 22. W. 13.
79.00.	Sec. Cor.
West.	Bet. Secs 30 & 31.
13.10.	an Ash 28 ins. diam.
40.00.	Qt. Sec. Cor. Beech 5. N. 84. E. 12.
	Ironwood 5. N. 59. W. 20.
48.07.	a W. Oak 50 ins. dia.
43.12.	Intd. W. Bound 159 lks. N. of Cor.
	L. level & rich Beech. Ash. W. Oak. part inclining to wet. { Beech 7. S. 24. E. 20.
	" 30. N. 23. W. 2[illegible]
North	Bet. Sec. 29 & 30.
35.00.	a Beech 15 ins. diam.
40.00.	Qt. Sec. Cor. Beech 30. N. 17. W. 21.
	" 18. S. 14. E. 1[illegible]

80.00.	Set. P. for to Secs. 19. 20. 29 & 30.
	L. level 2d R. { Beech 10. North 3.
	Beech. Ash. Ung.th Spice { Ash. 24. S. 42. E. 11.
East.	Bet. Secs. 20 & 29 on Random
40.00.	Temp. Qt. Sec. Post.
79.25.	Intd. E. Bound. 48 lks. S. of Post.
	L. good 2d R. Tim same as above.
West.	Corrected Bet. Secs. 20 & 29.
39.62.	Qt. Sec. Cor. Beech. 8. N. 16. E. 9.
	Sug. 12. S. 35. E. 23.
79.25.	Sec. Cor.
West.	Bet. Secs. 19 & 30.
32.75.	a Beech 20. ins. diam.
40.00.	Qt. Sec. Cor. W. Oak. 30. S. 45. E. 38.
	Ash. 12. N. 64. W. 9.
72.15.	Intd. W. Bound. 259 lks. N. of P.
	Ash. 9. S. 12. W. 23.
	6. N. 62. E. 2.
	L. level 2d R. Beech, Ash & Spice.

T. No. 15. N. R. No. 5. E. 2d. M. Ind. 171.

North	Bet. Secs. 19 & 20.
17.16.	a Beech 11 ins. diam.
40.00.	Qr. Sec. Cor. Beech 5. S. 10. E. 14. Hick. 28. N. 70. W. 3.
63.80.	an Ash 8 ins. dia.
80.00.	Set P. Cor. to Secs. 17. 18. 19 & 20.
	L. rich, rather wet. Ash. W. Oak. Ungth. Spice. Pr. Ash. { Beech 14. S. 84. W. 18. Ash. 30. N. 75. E. 4.
East.	Bet. Secs. 17 & 20 on Random.
40.00.	Temp. Qr. Sec. Post.
47.50.	a Dry Stream 10 lks. N. E.
80.00.	Intd. E. line 50. lks. S. of Post.
	L. level good 2d R. Beech. Ash. Pop. W. Oak. Ungth. Spice.
West.	Corrected
40.00.	Set. Qr. Sec. P. Water Beech 5. N. 11. E. 2. Beech 7. S. 2. W. 30.
80.00.	Sec. Cor.
West.	Bet. Secs. 18 & 19.
1.14	a Beech 20 ins. dia.
40.00.	Qr. Sec. Cor. { W. Oak. 36. S. 58. E. 10. Ash 4. N. 8. W.

172. Ft. No. 15. N. R. No. 5. E. 2d M. Ind.

63.25.	an Ash 18 ins. diam.
72.50.	Intd. W. Bound. 250 lks. N. of P.
	L. level 2d R. part. wet. Tim. Beech 〃 〃 { Beech 18. N. 80. E. 22. Poplar 18. N. 73. W. 8.
North	Bet. Secs. 17 & 18
19.78.	a Beech. 6. ins. dia.
40.00.	Qt. Sec. Cor. Sug. 6. S. 20. E. 24. Beech 8. N. 53. E. 15.
67.46.	a Beech 20. ins. dia.
80.00.	Set. P. Cor. to Secs. 7. 8. 17. & 18.
	L. level good. 2d R. Beech Ash. Sug. Ung. Spice { Ash 10. S. 42. W. 7. Elm 48. N. 43. W. 14.
East.	Bet. Secs. 8 & 17 on Random.
40.00.	Temp. Qt. Sec. Post.
64.00.	a Dry Branch 10 lks. S. E.
70.50.	a dry Branch 15 " South.
79.46.	Intd. E. line 80 lks. S. of Post. L. level 2d R.
West.	Bet. Secs. { Sug. 18. S. 47. W. 15.
39.73.	Qt. Sec. Cor. { Beech 24. N. 36. E. 3.

T. N° 15. N. R. N° 5 E. 2d M. Ind. 173.

79.46.	Sec. Cor.
West.	Bet. Secs 7 & 18.
11.50.	a Beech 20 ins dia.
40.00.	Qt Sec. Cor. Ash. 15. S. 74. E. 11.
	Beech 6. S. 80. W. 26.
59.47.	an Ash. 7 ins dia.
72.58.	Intd W. Bound. 185 lks. N. of P.
	L. same { Ash. 8. N. 7. W. 18.
	{ Do 7. S. 61. E. 17.
North.	Bet. Secs 7 & 8.
0.08.	a Beech 18 ins dia.
40.00.	Qt Sec. Cor. Beech. 22. N. 5. E. 33.
	" 12. S. 22. W. 12.
47.17.	an Ash 17 ins dia.
80.00.	Set P. Cor. to Secs 5. 6. 7 & 8.
	L. level Soil rich. Beech. Ash. W. Oak. Sug. Pop. Ungth Spice { W. Oak. 12. South 7. Ash. 10. N. 54. E. 5. no water.
East.	Bet. Secs 5 & 8 on Random.
40.00.	Temp. Qt Sec. Post.
44.00.	[illegible]

79.46.	Int^d. E. line 10 lks. N. of Post: L. rolling & rich. Tim. mostly: Ash.
West.	Corrected.
39.73.	Q^t. Sec. Cor. { W. Oak. S. 81. W. 3. Ash 9. N. 82. E. 11.
79.46.	Sec. Cor.
West.	Bet. Sec^s. 6 & 7.
28.15.	a Beech 20 in^s. dia.
40.00.	Q^t. Sec. Cor. { W. Oak. 15. N. 11. E. 8. Sug. 7. S. 24. W. 17.
51.85.	a Sug. 9 in^s. diam.
71.69.	Int^d. W. Bound. 246. lks. N. of P. L. level 2^d. R. { Wal. 12. N. 45. E. 11. Beech. Ash &c. This corner is in very rich land { D^o. 12. S. 40. W. 6.
North	Bet. Sec^s. 5 & 6.
7.50.	an Ash. 8 in^s. diam.
40.00.	Q^t. Sec. Cor. Beech 15. S. 6. W. 21. Ash. 12. North 22.
43.42.	a Beech. 18 in^s. dia.
68.63.	Int^d. North Bound^y. 94 lks. W. of Post { Mulberry 5. S. 69. E. 19. Beech. 7. N. 3. W. 11.

T. N° 15. N. R. N° 5. E. 2d M. Ind. 175

L. Cwel. good 2d R. Buch. Ash.
W. Oak. Hick. Pop. Ung.
Spice &c.

Surveyed by.
John Hendricks.
D. S.