Descriptive Notes of T.16N.R4E. 2nd. Mer.

Exterior Section Corners.

Corner Posts.	Bearing trees.	Inches Diam.	Course they Bear	Links Dist.
A.	Beech	8	S30°W	5
	Hackberry	30	N82°E	11
B.	Hickory	8	N38°W	24
	Elm	14	S35°E	37
C.	Beech	20	N43°W	34
	Do.	14	S31°E	13
D.	Hickory	32	N52°W	31
	Do.	18	S45°E	48
E.	Beech	16	N77°E	11
	Sugar	12	S71°W	25
F.	Sugar	24	N28°W	11
	Do.	12	S28°E	41
G.	Beech	30	N16°E	19
	Do.	16	S80°E	12
g.	Beech	18	N73°E	22
	Ironwood	6	N82°W	3
H.	Beech	10	S15°E	12
	Do.	16	N15°W	22
h.	Lynn	16	N40°E	16
	W. Ash	14	N71°W	15
I.	Ash	16	N74°W	2
	Ash	20	N30°E	11
i.	Beech	20	West	11
	Do.	24	East	12
K.	Beech	9	S78°W	21
	Elm	18	N51°E	33
k.	W. Ash	21	N45°E	35
	Beech	18	S48°W	24
L.	Beech	8	S45°W	4
	Hickory	7	N50°E	14
l.	Elm	36	S45°E	8
	Beech	12	N57°E	8
M.	Beech	20	S83°W	22
	Do.	24	S25°E	20
m.	W. Oak	15	N31°E	13
	Do.	13	N55°W	34
N.	Ash	8	N56°E	4
	Do.	13	S56°W	2
n.	Sugar	6	S52°E	12
	Beech	12	S63°W	13
O.	Beech	18	N82°E	9
	Do.	12	S59°W	13
o.	Beech	7	S78°E	14
	Sugar	18	S82°W	23
P.	Beech	36	N10°E	18
	Do.	14	S30°E	15
p.	Sugar	10	N34°E	5
	Poplar	7	S13°E	14
Q.	Beech	18	S59°E	3
	Hickory	20	N44°W	49
q.	Beech	20	S54°E	19
	Do.	10	N35°W	25
R.	Beech	15	N30°E	24
	Do.	10	S50°W	18
r	Beech	18	S10°E	31
	Sugar	20	N71°E	16
S	Sugar	12	S20°W	18
	Beech	9	S45°W	24

Interior Section Corners.

Section Corner	Bearing trees	Inches diam	Course they Bear	Links dist
1.2.11.12.	Beech	36	N9°W	24
	Do.	36	S22°E	38
2.3.10.11.	Beech	24	S25°E	40
	Do.	15	N10°W	44
3.4.9.10.	Hickory	8	S67°W	18
	W. Oak	30	S88°E	26
4.5.8.9.	W. Beech	7	N19°E	21
	Elm	20	S2°E	12
5.6.7.8.	Walnut	19	N74°E	17
	Elm	8	S48°W	21
7.8.17.18.	Beech	9	N52°W	17
	Elm	20	S69°E	15
8.9.16.17.	Ash	18	N53°W	36
	Beech	10	S48°E	15
9.10.15.16	Beech	22	S61°E	34
	Do.	22	N66°W	5
10.11.14.15	Sugar	14	N14°E	33
	Elm	12	S21°W	33
11.12.13.14	Beech	30	S73°E	16
	Do.	16	N11°W	33
13.14.23.24	Beech	22	S49°W	24
	R. Oak	10	N53°E	9
14.15.22.23	Ash	30	S75°W	8
	Elm	40	N52°E	37
15.16.21.22	Beech	14	S39°W	5
	Sugar	11	N29°E	22
16.17.20.21	Beech	22	East	10
	Do.	14	S77°W	9
17.18.19.20	Sugar	11	S74°W	21
	Do.	22	S82°E	36
19.20.29.30	Elm	11	S39°E	17
	Beech	11	N64°W	25
20.21.28.29	Elm	20	S66°W	16
	Sugar	5	N29°E	17
21.22.27.28	Beech	22	N43°E	16
	Do.	20	S53°W	31
22.23.26.27	Elm	22	N20°E	12
	Ash	8	S29°W	13
23.24.25.26	Beech	14	S4°E	29
	B. Oak	15	N21°W	20
25.26.35.36	Beech	36	N41°E	34
	Do.	15	S63°W	39
26.27.34.35	Beech	22	S54°W	28
	Ash	12	N45°E	37
27.28.33.34	Beech	20	S65°E	30
	Do.	10	N62°W	16
28.29.32.33	Beech	18	S85°W	33
	Do.	11	N80°E	34
29.30.31.32	R. Oak	33	N26°W	17
	Beech	8	S57°E	13

Exterior Section Corners, Continued

	Bearing trees	Inches diam	Course they Bear	Links dist
S.	Beech	6	N77°E	22
	Hickory	24	S71°W	32
T.	Beech	27	S50°W	18
	Hackberry	10	N29°E	12
U.	Beech	20	S27°W	41
	Buckeye	12	N22°E	6
V.	Beech	28	S6°E	13
	Do.	12	S8°E	32
W.	Sugar	16	S22°E	6
	Do.	15	N26°W	7
X.	Elm	11	S42°W	30
	Sugar	26	N30°E	31
Y.	Beech	16	N63°E	15
	Do.	12	S54°W	24

Quarter Section Corners.

Between Sections	Bearing trees	Inches diam	Bearing Course	Links dist
H to Y at 1.	Beech	14	N82°W	45
	Do.	10	S38°E	12
" " " 2.	W. Oak	40	S82°W	11
	Beech	7	S71°E	13
" " " 3.	Sugar	7	S21°E	31
	Ironwood	6	N21°W	17
" " " 4.	Beech	5	N61°E	49
	Buckeye	7	S53°W	7
" " " 5.	Beech	24	S28°E	15
	Do.	8	N20°E	26
" " " 6.	W. Oak	14	N70°E	30
	Beech	12	N76°W	43
I to X at 1.	Beech	20	S75°E	37
	Ash	22	N79°W	16
" " " 2.	Ash	20	S9°E	22
	Beech	15	N53°W	11
" " " 3.	Sugar	30	N12°W	39
	Beech	18	S13°E	15
" " " 4.	Beech	16	N32°W	30
	Do.	22	S43°E	52
" " " 5.	Walnut	33	S73°W	18
	Buckeye	12	N11°E	29
" " " 6.	Beech	23	S35°E	31
	Do.	20	N18°E	3
K to W at 1.	Beech	12	S83°W	19
	W. Oak	22	S62°E	13
" " " 2.	Hickory	24	N74°W	16
	Do.	11	S85°E	4
3.	Beech	18	S56°E	49
	Do.	15	N56°W	7
" " " 4.	Beech	18	N20°E	29
	Do.	16	S77°W	16
" " " 5.	Sugar	36	S78°E	9
	Do.	14	N67°W	4
" " " 6.	Buckeye	7	N27°W	10
	Do.	12	S52°E	40
L to V at 1.	W. Oak	10	N9°E	4
	Poplar	12	S21°E	29
" " " 2.	R. Oak	9	S21°E	11
	W. Oak	6	N5°W	12
" " " 3.	Sugar	22	N79°W	34
	Beech	13	N83°E	22
" " " 4.	Sugar	14	N83°E	22
	Do.	8	N51°W	12
" " " 5.	Beech	26	S65°W	29
	Do.	14	N60°E	20
" " " 6.	Ash	24	S85°W	34
	Do.	28	N45°E	4

Quarter Section Corners.

Between Sections	Bearing trees	Inches diam	Course they Bear	Links dist
M to U at 1.	Beech	18	N83°E	24
	Do.	16	S86°W	20
" " " 2.	Ash	10	S72°E	19
	W. Oak	8	S86°W	11
" " " 3.	Beech	16	S84°E	32
	Do.	24	S71°W	17
" " " 4.	Beech	30	S75°W	19
	Do.	28	S70°E	41
" " " 5.	Beech	30	S22°E	15
	Do.	12	N24°E	12
" " " 6.	Ash	10	N60°E	17
	Do.	13	S41°W	16
O to F at 1.	Beech	20	S11°W	14
	Do.	14	N41°W	28
" " " 2.	Ash	24	S14°E	28
	R. Oak	15	N42°W	13
" " " 3.	Beech	24	S47°E	29
	Poplar	36	N43°W	24
" " " 4.	Beech	15	S41°W	24
	Sugar	22	N35°E	18
" " " 5.	Ironwood	10	N10°E	18
	Do.	6	S22°W	12
" " " 6.	Lynn	24	West	19
	Beech	8	S82°E	29
P to E at 1.	Beech	11	N67°W	14
	Do.	8	S61°E	29
" " " 2.	Beech	18	S59°W	20
	Do.	12	N60°E	20
" " " 3.	Beech	26	S22°W	30
	Do.	12	N16°E	7
" " " 4.	Beech	10	N68°W	15
	Do.	6	S65°E	14
" " " 5.	Beech	7	S19°E	25
	Dogwood	5	S16°E	12
" " " 6.	Beech	8	N45°W	37
	Do.	6	S79°E	6

Quarter Section Corners.

Between Sections	Bearing trees	Inches diam	Course they Bear	Links dist
Q to D at 1.	Beech	18	N47°W	32
	Do.	14	S42°W	16
" " " 2.	Beech	20	N40°W	13
	Do.	18	S22°E	37
" " " 3.	Ash	30	N86°E	7
	Beech	16	S34°W	33
" " " 4.	Sugar	17	N67°W	13
	Do.	22	S65°E	26
" " " 5	Beech	30	N35°W	32
	Do.	12	S37°E	37
" " " 6.	Hickory	6	S20°E	4
	Hackberry	20	N27°W	42
R to C at 1.	Beech	16	N20°E	41
	Do.	14	S53°W	2
" " " 2.	Ash	7	N16°E	29
	Beech	12	S15°W	32
" " " 3.	Beech	28	N72°E	30
	Do.	16	S65°W	26
" " " 4.	Beech	18	S49°W	29
	Do.	15	N47°W	32
" " " 5.	Beech	22	N84°E	8
	Elm	6	S75°W	28
" " " 6	Sugar	18	S64°E	23
	W. Beech	5	N61°W	18
S to B at 1.	Beech	18	N42°W	30
	Do.	22	S44°E	20
" " " 2.	Beech	20	S17°W	25
	Elm	24	S45°E	11
" " " 3.	Buckeye	10	S62°W	22
	Ash	18	N20°E	37
" " " 4.	Walnut	12	N66°E	32
	Ash	11	S70°W	16
" " " 5.	Maple	8	N48°W	39
	Elm	12	S32°E	13
" " " 6.	Hickory	8	S62°E	15
	W. Oak	10	N53°W	31

11.

Township No. 16 North, Range No. 4 East 2nd. Mer.



Total number of Acres.

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed	When p.d for and ch.d in the Sur.r Gen.ls acc.t
			M. Ch.s Lks.		
Township lines					
Subdivisions	John Hendricks.			1820	

The above Map of Township No. 16 North, of Range No. 4 East of the 2nd. Principal Meridian Indiana, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office.

Edward Tiffin
Sur.r Gen.l

Meanders of								
Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s

2.30

T. N° 16. N. R. N° 4. E. 2nd M. Ind. 63



[illegible]

[illegible]

[illegible] 143 to 166.

[illegible]

T. N° 16. N. R. N° 4. E. 2d M. Ind. 65

Chs. Lks.	Range Line Var 6° 15' E.
North	Bet. Ranges N° 4 & 5 E. Township N° 16. N. On the E. Side of Sec. 36.
33. 10.	a Sugar 16 in^{s}.
40. 00.	Qt. Sec. Cor. W. Ash. 15. S. 31. E. 13. & 13. N. 55. W. 34.
67. 23.	a Beech 36 in^{s} diam.
80. 00.	Set P. Cor. of Sec^{s} 25 & 36. Beech 20 S. 85 W. 22. & 24 S. 25. E. 20.
	L. level 3^{d} R. Beech. Sug. Elm. W. Oak W. Ash. Hick. Ung^{t}. Spice. Ash. & c.
North.	On the E. Side of Sec. 25.
23. 82.	a Sug. 30 in^{s} diam.
40. 00.	Qt. Sec. Cor. Elm 36. S. 45. E. 8. Beech 12. N. 57. E. 8.
62. 50.	a Branch 15 lks. W.
80. 00.	Set P. Cor. of Sec^{s} 24 & 25 Beech 8. S. 45. W. 4. Hickory 7. N. 50. E. 14.

	Good farm land. Beech. Sug. Elm. Lynn. W. Ash. W. Oak. Hick. thick Ung.th of Same
North	On the E. Side of Sec. 24.
14.48.	a Beech 18 in.s diam.
40.00.	Qt. Sec. cor. { W. Ash. 21. N. 45. E. 35. Beech 18. S. 48. W. 24.
70.04	a Beech 18 in.s diam.
80.00.	Set P. cor. of Sec.s 13 & 24.
	Beech 9. S. 78. W. 21.
	Elm 18. N. 57. E. 33.
	good farm l. Beech. Sug. W. Ash. Lynn W. Oak. Hick. Ung.th Spice. papaw.
North	On the E. Side of Sec. 13.
30.99.	a Beech 20. in.s diam.
40.00.	Qt. Sec. cor. Beech. 20. West. 11
	" 24. East. 12.
49.79.	an Ash 22 in.s diam.
80.00	Set P. cor. of Sec.s 12 & 13.
	Ash. 16. N. 74. W. 2.
	" 20 N. 30. E. 11.
	good farm land. Beech. Sug. W. Ash. Lynn W. Oak. Hick. Ung.th Spice. papaw.

T. N° 16 N. R. N° 4 E. 2d M. Ind. 67.

North	On the E. Side of Sec. 12.
10.90.	a W. Ash. 18 in. diam.
40.00.	Qr. Sec. Cor. Lynn 16 N. 40 E. 16.
	W. Ash. 14. N. 71. W. 15.
51.38.	a Beech 24 in. diam.
65.00.	a Branch 15 lks. N. W.
77.00	" 20. " N. E.
80.00.	Set P. Cor. of Secs. 1 & 12.
	Beech 10. S. 15. E. 12.
	16. N. 15 W. 22.
	good for. l. Beech. Sug. Ash. Elm. Lynn &c.
North	On the E. Bounds. of Sec. 1.
3.00.	a Brook 25 lks. N. W.
32.69.	a Beech 24 in. diam.
35.00.	a Brook 40 lks. N. E.
40.00	Qr. Sec. Cor. Beech 18. N. 73. E. 22.
	Witness 6 N. 82. W. 3.
77.90.	Int. the line of Correction 2350 lks.
	E. of a Post Cor. of Secs. 35 & 36 of
	Township N° 17. N. R. N° 4. E. & Set
	Post at intersection Cor. of T. 3 N° 16.
	N. R. N° 4 & 5 E. Secs. 1 & 6.

Beech 30. N. 16. E. 19.
" 16. S. 80 E. 12.
L. hilly 2.d R. Beech. Sug. Ash. Pop. Elm. Lynn Hick, thick Ung.th of the same.
Aug. 3.d 1819, Surveyed by
John M.c Donald. D. S.

Township Line. Var. 6° 15' E

West. Bet. Sec.s 15 & 16. N. R. 4. E. on the South Side of Sec. 36.
17.16. a Beech 24 in.s dia.
40.00. Q.t Sec. Cor. Sug. 6. S. 52. E. 12.
Beech 12 S. 63. W. 13.
42.42. a Beech 12 in.s diam.
80.00. Set P. Cor. of Sec.s 35 & 36.
L. level 2.d R. Beech. Sug. W. Oak. Hick Ung.th Spice.
Beech 18. N. 52. E. 9.
" 12. S. 69 W. 13.

West On the South Side of Sec. 35.
25.28. a Sug. 24. in.s diam.
40.00. Q.t Sec. P. Beech 7. S. 78. E. 14.
Sug. 18. S. 82. W. 23.
42.00. a brook 30 lks. S. W.

T. N°. 16. N. R. N°. 4. E. 2nd M. Ind. 71.

75.64.	a Hickory 21 in^s. diam.
80.00	Set P. Cor. of Sec^s. 34 & 35 fr. which
	L^s. Timber as before Beech 36. N. 10. E. 18.
	" 14 S. 30. E. 15.
West.	on the South Side of Sec. 34.
32.54.	a Beech 24 in^s. diam.
40.00.	Q^t. Sec. Cor. Sug. 10. N. 34. E. 5.
	Popl. 7. S. 13. E. 14.
40.50.	a Branch 20 lks. S. W. L^s. Tim. as before
46.47.	a W. Ash. 36. in^s. diam.
80.00.	Set P. Cor. of Sec^s. 33 & 34.
	Beech 18. S. 59. E. 3.
	Hickory 20. N. 44. W. 49.
West.	On the S. Side of Sec. 33.
20.80.	a W. Oak. 42 in^s. diam.
40.00.	Q^t. Sec. Cor. Beech 20. S. 54. E. 19.
	" 10. N. 35. W. 25.
49.70.	a W. Ash 24 in^s. diam.
60.00.	Indian Road N. & S.
72.00.	a Branch 12 lks. South
80.00	Set P. Cor. of Sec^s. 32 & 33.

72. T. N.° 16. N. R. N.° 4 E. 2.nd M. Ind.

Good farm land. Beech 15. N. 30. E. 24. Ung.th Spice Papaw.
10. S. 50. W. 18.
Beech. Sug. Elm. Ash. W. Oak. Hick. &c.

West. On the S. Side of Sec. 32.
31.46. a W. Oak. 48 in.s diam.
40.00. Q.t Sec. Cor. Beech 18. S. 10. E. 31.
Sug. 20. N. 71. E. 16.
80.00 Set P. Cor. of Sec.s 31 & 32.
L. & tim Same Sug. 12. N. 20. W. 18.
Beech. 9. S. 45. W. 24.

West. On the South Side of Sec. 31.
27.42. a Beech 15 in.s diam.
40.00. Q.t Sec. Cor. Beech 6. N. 77. E. 22.
Hick. 24. S. 71. W. 24.
53.33. a Cottonwood 48 in.s diam.
53.50. a Creek 50 lks. South
80.00 Int.d N. of S. line at P. Cor. of T.s N.° 15 & 16. N. R.s N.° 3 & 4. E. Sec.s 1. 6. 31 & 36. Good far. L. Beech. Sug. Elm. Wal. Oak. Hick. Hack by. Buckeye. & Same. gord bottom on Creek. Ung.th Spice, papaw.
Aug. 15. 1819 Surveyed by John, M.° Donald. D.S.

T. N.° 16. N. R. N.° 4. E. 2.nd M. Ind. 73.

	Subdivision. Var. 6° 15' E.
North	Bet. 35 & 36.
22. 65.	a Beech 12 in.s diam.
35. 10.	a Stream 10 lks. West.
40. 00.	Q.t Sec. Cor. Beech 20. S. 11. W. 14.
	14. N. 41. W. 28.
42. 30.	a Sug. 14. in.s diam.
66. 50.	a Stream 12 lks. S. W.
80. 00	Set. P. Cor. of Sec.s 25. 26. 35 & 36.
	Beech 36. N. 41. E. 34.
	15. S. 63. W. 39.
	L. level. good q.d R. W. Oak. Wing.th Ash. Spice
East.	Bet. Sec.s 25 & 36 on Random
10. 74.	a Stream 12 lks. South.
40. 00.	Temp. Q.t Sec. Post.

74. T. N° 16. N. R. N° 4. E. 2nd M. Prin.

80.01.	Int. E. Bound. 64 lks. N. of P. L. & Tim. as before.
West.	Corrected bet. Sec. 25 & 36.
40.00.	Qr. Sec. Cor. Beech 18. N. 83. E. 24.
80.01.	Do. 16. S. 86. W. 20.
North.	Bet. Sec. 25 & 26.
29.00	a Beech 15 in. diam.
40.00.	Qr. Sec. Cor. Ash. 24. S. 14. E. 28. R. Oak. 15. N. 42. W. 13.
65.15	a Poplar 13 in. diam.
80.00.	Set P. Cor. of Sec. 23. 24. 25 & 26. L. level good. P. R. Beech. Ash. Pop. Sug. Spice. Beech 14. S. 4. E. 29. R. Oak. 15. N. 21. E. 20.
East.	Bet. Sec. 24 & 25.
36.50.	a Stream 6 lks. N. E.
40.00.	Temp. Qr. Sec. Post
79.75	Int. E. Bound. 20 lks. N. of P. L. level & rich. Tim. of small growth.
West.	Corrected
39.87.	Qr. Sec. Cor. W. Oak. 10 N. of P. Pop. 12. S. 21. E. 29.
79.75.	Sec. Cor.

T. No. 16. N. R. No. 4. E. 2nd M. Ind. 75

North	Bet. Secs. 23 & 24.
3.70.	an Ash 20. ins. diam.
40.00	Qt. Sec. Cor. { Beech 24. S. 47. E. 29. Popl. 36. N. 43. W. 24.
44.35.	a Beech 18 ins. diam.
80.00.	Set P. Cor. to Secs. 13. 14. 23 & 24.
	L. Rolling 2d R. Beech. Ash. Sug { Beech 22. S. 49. W. 24. R. Oak 10. N. 53. E. 9.
East.	Bet. Secs. 13 & 24 on Random
40.00.	Temp. Qt. Sec. Post. L. level 2nd R.
79.70.	Int. E. Bound. 162 lks. N. of Bo
West.	Corrected { Beech. 12. S. 83. W. 19.
39.85.	Qt. Sec. Cor. { W. Oak 22. S. 62. E. 13.
79.70.	Sec. Cor.
North	Bet. Secs. 13 & 14.
8.64.	a Hick. 22 ins. diam.
40.00.	Qt. Sec. Cor. Beech 15. S. 41. W. 24 Sug. 22. N. 55. E. 18.
66.25.	a Hick. 30 ins. diam.
80.00.	Set P. Cor. of Secs. 11. 12. 13 & 14.

	L. level 2d R. Ash. Beech. Hick. Mag. Spice { Beech 30. S. 73. E. 16. " 16. N. 11. W. 33.
East.	Bet. Sec. 12 & 13 on Random
40.00.	Temp. Qt. Sec. Post
79.83.	Int. E. Bound. 104 lks. N. of P. L. level 2d Rate.
West.	Corrected { Beech 20. S. 75. E. 37.
39.91.	Qt. Sec. Cor { Ash 22. N. 79. W. 16.
79.83.	Sec. Cor.
North	Bet. Sec. 11 & 12
15.40.	a Beech 24 in. diam.
40.00.	Qt. Sec. Post. Ironwood 10. N. 10. E. 18. Do. 6. S. 22. W. 12.
53.15.	a Beech 12 in. diam.
64.40.	a W. Oak 20 in. diam.
80.00.	Set P. Cor. to Sec. 1. 2. 11 & 12.
	L. Rolling Soil Hem. Beech. Ash. { Beech 36. N. 9. W. 24. " 36. S. 22. E. 38.
East.	Bet. Sec. 1 & 12 on Random.

40.00.	Temp. Q.t Sec. Post.
75.00	a Small Stream 4 lks. North
79.50.	Int.d E. Bound. 150 lks. N. of P. L. thin. Tim as before.
West.	Corrected
39.75.	Q.t Sec. Cor. { Beech 14. N. 82. W. 47. " 10. S. 38. E. 12.
79.50.	Sec. Cor.
North	Bet. Sec.s 1 & 2.
21.06.	a Beech 14 in.s diam.
27.25.	a D.to 20.
40.00.	Q.t Sec. Cor. { Lynn 24. West. 19. Beech 8. S. 82. E. 29.
54.25.	Fall Creek 100 lks. West.
57.40.	a S.d Camore 36 in.s diam.
75.63.	Int.d line of Correction when set a Post
	fr. which L. broken poor. 2 R. Beech. Ash. Sug. Pop. Hick. { Sug. 24. N. 28. W. 11. D.o 12. S. 28. E. 41. Ung.th Spice. Oct. 9.th 1820.
North.	Bet. Sec.s 34 & 35.
25.80.	a Beech 15 in.s diam.
40.00.	Q.t Sec. Cor. { Beech 11. N. 67. W. 14. D.o 8. S. 61. E. 20.
60.95.	a Beech 22. in.s diam.

78. T. N°. 16. N. R. N°. 4. E. 2nd M. Ind.

80.00.	Set P. Cor. to Secs. 26. 27. 34 & 35.
	L. level 2d R. Beech. Ash { Beech, 22. S. 54. W. 28
	D°. 12. N. 45. E. 37.
East.	On Random Bet. Secs. 26 & 35.
40.00.	Temp. Qt. Sec. Post. L. 2d R. Tim as above
61.25.	a Stream 5 lks. South
79.50.	Sec. Cor.
West.	Corrected { Ash. 10. S. 72. E. 19.
39.75.	Qt. Sec. Cor. { W. Oak. 8. S. 86. W. 11
79.50.	Sec. Cor.
North	Bet. Secs. 26 & 27.
9.85.	a W. Oak. 48 ins. diam.
25.00.	a Beech 16. " "
40.00.	Qt. Sec. Cor. { Beech 18. S. 59. W. 20.
	" 12 N. 60. E. 20.
66.23.	a Beech 12 ins. diam.
80.00.	Set P. Cor. to Secs. 22. 23. 26 & 27.
	Elm 22. N. 20. E. 12 & Ash 8. S. 29. W. 13.
	Level good 2d R. Land. Beech. Ash. Sug. Elm &c.
East.	Bet. Secs. 23 & 26. on Random.

T. N°. 16. N. R. N°. 4. E. Mo. Ind. 79.

40.00.	Temp. Qt. Sec. Post. Land level poor 2d. Rate.
80.14.	Int. E. line 43 lks. N. of P.
West.	Corrected
40.07.	Qt. Sec. cor. { R. Oak. 9. S. 21. E. 11. W. Oak 6. N. 5. W. 14.
80.14.	Sec. cor.
North.	Bet. Secs. 22 & 23.
2.70	an Elm 80 in. diam.
22.40	a Beech 15 in. diam.
40.00.	Qt. Sec. cor. { Beech 26. S. 22. W. 30. 12 N. 16. E. 7.
43.25.	a Poplar. 36 in. diam.
52.90.	Cat Stream 8 lks. West 22 & 23.
60.25.	a Beech 22 in. diam.
80.00.	Sec. P. cor. to Secs. 14. 15. 22. & 23 L. level 2d. R. Beech. Ash. Hog. { Ash. 30. S. 75. W. 8. Elm 40. N. 52. E. 37. Spice & papaw.
East.	Bet. Secs. 14 & 23 on Random
40.00.	Temp. Qt. Sec. Post.
79.47.	Int. E. line 102 lks. N. of Post. Land level poor 2d. R. Timb. as before.

80 T. No. 16. N. R. No. 4. E. 2nd M. Ind.

West.	Corrected { Hick. 24. N. 74. W. 16.
39.73.	Qt. Sec. Cor. { " 11. N. 85. E. 4.
79.47.	Sec. Cor.
North	Bet. Secs. 14 & 15.
0.50.	a Stream 5 lks. West.
23.30.	a W. Oak. 40. ins. diam.
40.00.	Qt. Sec. Cor. { Beech. 10. N. 68. W. 15
	" 6. S. 65. E. 14.
46.50.	an Ash 18 ins. dia.
70.06.	a Sugar 15 ins. dia.
80.00	Set. P. Cor. to Secs. 10. 11. 14 & 15.
	L. level 2d R. Beech. Ash Sug. Elm. Ung. Spice & c. { Sug. 14. N. 14. E. 33. Elm 12. S. 21. W. 38.
East.	Bet. Secs. 11 & 14 on Random
24.75.	a Stream 10 lks. North.
40.00.	Temp. Qt. Sec. Post.
79.48.	Int. E. line 88 lks. N. of P.
West.	Corrected { Ash. 20. S. 9. E. 22.
39.74.	Qt. Sec. Cor. { Beech 15. N. 53. W. 11.
79.48.	Sec. Cor

L. level good 2d R. Th. sand

T. N°. 16. N. R. N°. 4. E. 2nd. M. Ind. 81.

North	Bet. Secs. 10. & 11.
11.40.	an Ash. 24. ins. diam.
34.25.	a Stream 12 lks. West.
40.00.	Qt. Sec. Cor. { Beech 7. N. 19 E. 25. Dogwood 5. S. 16. E. 12.
42.75	a Stream 10 lks. S. W.
44.50.	a Beech 20 ins. diam.
55.00.	a D°. 28. " "
80.00.	Set. P. Cor. to Secs. 2. 3. 10 & 11. L. Rolling 2d. R. Beech. Ash &c. { Beech 24 S. 25. E. 40. D°. 15 N. 10. W. 44.
East.	Bet. Secs. 2 & 11 on Random
40.00.	Temp. Qt. Sec. Post. L. & Tim as above
79.80.	Intd. E. line 97 lks. N. of P.
West.	Corrected
39.90.	Qt. Sec. Cor. { W. Oak 40. S. 82. W. 11. Beech 7. S. 71. E. 13.
79.80.	Sec. Cor.
North	Bet. Secs. 2 & 3.
2.70.	a Beech 12 ins. diam.
40.00	Qt. Sec. Cor Beech. 8. N. 45. W. 37. D°. 6 S 79 E 6.

82. T. No. 16. N. R. No. 14 E. 2nd M. Ind.

41.70.	a Hickory 13. ins. diam.
50.50.	Fall Creek 150 lks. N. W.
53.24.	an Elm 12 ins. dia.
75.44.	Int. Correction line where set Post.
	L. broken Part 2. R. & part rich Beech. Ash. Sug. Hick. Ungth. Spice & papaw { Beech 16. N. 77. E. 11. Sug. 12. S. 71. W. 25.
North.	Bet. Secs. 33 & 34. Octb. 11th 1820.
17.44	a Beech 16 ins. diam.
40.00.	Qt. Sec. Post { Beech 18. N. 47. E. 32. Do. 14. S. 42. W. 16.
60.68.	a Hick. 22 ins. diam.
73.62.	a Stream 8 lks. West.
80.00.	Set P. Cor. to Secs. 27. 28. 33 & 34.
	L. level 2. R. Beech. Ash. Hick. Ungth. Spice { Beech. 20. S. 68. E. 30. Do. 10. N. 62. W. 16.
East.	Bet. Secs. 27 & 34 on Random
22.80	a Stream 6 lks. South
40.00.	Temp. Qt. Sec. Post.
79.23.	Int. E. line 62 lks. N. of Post.
West.	Corrected.

L. & Tim. as before

T. N°. 16. N. R. N°. 4. E. 2nd M. Ind. 83

39.61.	Qt. Sec. Cor. { Beech. 16. S. 84. E. 32
79.23.	Sec. Cor. { " 14 S. 71. W. 17.
North.	Bet. Secs. 27 & 28.
14.10.	a Beech 24 ins. dia.
40.00.	Qt. Sec. Cor { Beech 20. N. 40. W. 13.
42.10.	an Elm 20 ins. dia. { " 18. S. 22. E. 37.
54.75.	a Sug. 16 " "
58.00.	a Stream 12 lks. S. W.
60.80.	a Stream 10 lks. S. E.
62.00.	a Stream 11 lks. S. W.
80.00.	Set. P. Cor. to Secs. 21. 22. 27 & 28.
	level good 2d. R. land. Beech Ash. Sug. Ungth. Spice { Beech 22. N. 43. E. 16. D°. 20. S. 53. W. 31.
East.	Bet. Secs. 22 & 27 on Random.
12.50.	a Stream 15 lks. S. W.
40.00.	Temp. Qt. Sec. Post.
79.49.	Int. E. line 124 lks. N. of P. last. ½ m. Rich. Beech. Ash. Sug. Ungth. Spice
West.	Corrected
39.74.	Qt. Sec. Cor. { Sug. 22. N. 79. W. 34. Beech 13. N. 83. E. 22.

84. T. N° 16. N. R. N° 4. E. 2nd M. Ind.

79.49.	Sec. Cor.
North.	Bet. Secs. 21 & 22.
40.00.	Qt. Sec. Cor. Ash. 30. N. 86. E. 7.
	Beech 16. S. 64. W. 33.
41.95.	a Sugar 24 ins. diam.
52.25.	an Ash. 22. ins. diam.
80.00.	Set. P. Cor. to Secs. 15. 16. 21 & 22.
	L. level good 2d. Rate { Beech 14. S. 39. W. 5. Sug. 11. N. 29. E. 22.
East.	Bet. Secs. 15 & 22 on Random
40.00.	Temp. Qt. Sec. Post L. level 2d. Rate
76.73.	a Stream 8 lks. S. W.
79.73.	Sec. Cor.
West.	Cor. Sec. 15 & 16.
39.86.	Qt. Sec. Cor. { Beech. 18. S. 56. E. 49. Do. 15. N. 56. W. 7.
79.73.	Sec. Cor.
North	Bet. Sec. 15 & 16.
12,80.	a Beech 18. ins. diam.

T. N. 16. N. R. N° 4. E. 2nd M. Ind. 85

40.00.	Qr. Sec. Cor. { Sug. 17. N. 67. W. 13. / Do. 22 S. 65. E. 26.
42.10.	an Elm 22 in. diam.
49.75.	a Stream 7 lks. West.
54.50.	a Beech 15 in. diam.
72.30.	a Stream 20 lks West.
80.00.	Set. P. Cor. of Sec. 9. 10. 15 & 16.
	L. level 2 R. Beech. Ash. { Beech. 28. S. 61. E. 34. / Do. 22. N. 66. W. 5.
East.	Bet. Sec. 10 & 15 on Random
23.10.	a Stream 20 lks. S. W.
40.00.	Temp. Qr. Sec. Post.
79.21.	Int. E. line 58 lks. N. of Post 1st ½ M. beech, last ½ level R. Beech Ash. Sug. &
West.	Corrected { Sug. 30. N. 12. W. 39. / Beech. 18. S. 13. E. 15.
39.60.	Qr. Sec. Cor.
79.21.	Sec. Cor.
	Oct. 18. 1820.
North	Bet. Sec. 9 & 10.
16.25	a Beech 15 in. diam.
40.00.	Qr. Sec. Cor. { Beech 30. N. 35. W. 32 / Do. 12. S. 37. E. 37.
63.64.	Fall Creek 140 lks. S. W.
65.15.	an Elm 24 in. diam.

80.00.	Set P. Cor. to Sec.s 3. 4. 9 & 10.
	L. level except at the Creek as before { Hick. 8. S. 67. W. 18. W. Oak 30. S. 88. E. 26.
East.	Bet. Sec.s 3 & 10. on Random
6.50.	Fall Creek. 75 lks. S. W.
40.00.	Temp. Q.t Sec. Post.
79.64.	Int.d E. line 92 lks. N. of P.
West.	Corrected
39.82.	Q.t Sec. Cor. Sug. 7. S. 21. E. 31. Ironwood 6. N. 21. W. 17.
79.64.	Sec. Cor.
North	Bet. Sec.s 3 & 4.
6.30.	a W. Oak. 48 in.s diam.
18.75.	a Walnut. 40 in.s diam.
40.00.	Q.t Sec. Cor. { Hick. 6. S. 20. E. 4. Hackby 20. N. 27. W. 42.
53.00.	an Ash 15 in.s diam.
74.71.	Int.d line of Correction
	1st ½ M. level 1st rate, last ½ rolling 2d R. Beech Ash. { Hick. 32. N. 52. W. 31. D.o 18. S. 45. E. 48.
	Sug. Wal. Ung.th Spice, Sug. &c.

L. much bro. kin, being very hilly

T. N° 16. N. R. N° 4. E. 2nd M. Ind. 87.

North	Bet. Secs. 32 & 33.
13.78.	a Beech 16. ins. diam.
35.40.	an Elm 36. ins.
40.00.	Qt. Sec. Cor { Beech 16. N. 20. E. 41 / D° 14. S. 53. W. 2.
54.25.	a Stream 20 lks. West.
57.75	a W. Oak. 36 ins. diam.
80.00.	Set P. Cor. to Secs. 28. 29. 32. & 33.
	Level land 2d R. Beech Ash. Hick. W. Oak. Spice { Beech 18. S. 85. W. 33. / D° 11. N. 80. E. 34.
East.	Bet. Secs. 28. & 33. on Random.
17.50.	a Stream 15 lks. South.
40.00.	Temp. Qt. Sec. Post.
80.02.	Int. E. line, 13 lks. N. of P.
	L. & tim as before.
West.	Corrected
40.01.	Qt. Sec. Cor { Beech 30. S. 75. W. 12. / d° 28 S. 70. E. 41.
80.02.	Sec. Cor.
North	Bet. Secs. 28 & 29.
2.50.	an Ash. 24 ins. diam.
23.30.	a Hickory 15. ins. diam.

88. T. No. 16. N. R. No. 4. E. 2nd M. Ind.

40.00.	Qt. Sec. Cor. { Ash 17. N. 16. E. 29. Beech 12. S. 15. W. 32.
66.12.	a Beech 20 ins. diam.
69.25.	an Ash 24 ins.
80.00.	Set P. Cor. to Secs. 20. 21. 28 & 29.
	L. level good 2d R. Beech, Ash Sug. Elm Ungth Spice & c. { Elm 20. S. 66. W. 16. Sug. 5. N. 29. E. 17.
East.	Bet. Secs. 21 & 28. on Random
40.00.	Temp. Qt. Sec. Post.
79.76	Int. E. line 12 lks. South of P. L. & tim. same.
West.	Corrected { Sug. 14. N. 85. E. 22.
39.88.	Qt. Sec. Cor. { Do. 8. N. 51. W. 12.
79.76.	Sec. Cor.
North.	Bet. Secs. 20 & 21.
17.45.	a Sugar 16. ins. dia.
17.60.	a Stream 10 lks. N. W.
40.00.	Qt. Sec. Cor. { Beech 20. N. 72. E. 30. Do. 16. S. 65. W. 26.
44.36.	a Beech 22 in's diam.
49.25.	a Stream 6. lks. West.
64.85.	a Beech. 12. ins. diam.

T. N° 16. N. R. N° 4. E. 2nd Mer. Ind. 89.

80.00.	Set. P. Cor. of Secs. 16. 17. 20 & 21.
	L. level 2d R. Tim. as before { Beech 22. East 10. D° 14. S. 77. W. 9.
East.	Bet. Secs. 16 & 21 on Random
40.00.	Temp. Qt. Sec. Post.
44.80.	a Stream 8 lks. N. W.
79.57.	Int. E. line 69 lks. S. of P. Spice
	L. level 2d R. Beech. Ash. Sug. Ungth.
West	Corrected Bet. Secs. 16 & 21.
39.78.	Qt. Sec. Cor. Beech 18. N. 20. E. 29. D° 16. S. 77. W. 16.
79.57.	Sec. Cor.
North	Bet. Secs. 16 & 17.
12.08.	a Sugar 22 ins. dia.
18.25.	a Stream 8 lks. N. W.
40.00.	Qt. Sec. Cor. { Beech. 18. S. 49. E. 29. D° 15. N. 47. W. 32
80.00.	Set P. Cor. to Secs. 8. 9. 16 & 17.
	1st ½ level last ½ broken 2d R. Beech Ash. Sug. W. Oak. Spice { Ash 8. N. 53. W. 36. Beech 10. S. 48. E. 15.
East.	Bet. Secs. 9 & 16 on Random.

90 T. N° 16. N. R. N° 4 E. 2nd M. Ind

14.00.	a Stream 15 lks. N. W.
40.00.	Temp. Qt. Sec. Post
79.88.	Cor. to 8. line 22 lks. S. of Post. 1st ½ m. broken 3d R. last ½ Rolling. 2d R. Beech. Ash. W. Oak. Hick. Ung.th Spice.
West.	Corrected.
39.94.	Qt. Sec Post { Beech. 16. N. 32. W. 30 D° 22. S. 43. E. 52.
79.88.	Sec. Cor.
North	Bet. Sec. 8 & 9.
3.90	a Beech 20 in.s dia.
6.50.	a Stream 20 lks. West.
28.85.	a Hackberry 24 in.s dia.
36.00.	Fall Creek. 165 lks. S. W.
40.00.	Qt. Sec. Cor. Beech. 22. N. 84. E. 8. Elm 6. S. 75. W. 28.
60.68.	an Elm 22 in.s diam.
80.00.	Set P. Cor. to Sec.s. 4. 5. 8 & 9. L. level, last ½ m. rich, Beech Ash. Elm. Walk. Hick. Ung.th Spice Pr. Ash. { Water Beech 7. N. 19. E. 21. Elm 20. S. 2. E. 12.
East.	Bet. Sec.s 4 & 9 on Random.

[illegible] 16. [illegible] 4 E. [illegible] 91

40.00	[illegible]
[illegible] 54.	[illegible]
[illegible]	Correction.
39.77	Qt. Sec. Cor. { Beech 5. N. 61. E. 49. [illegible] S. 53. [illegible]
79.54	Sec. Cor.
North	Bet. Secs. 4 & 5
40.00	Qt. Sec. Cor. Sug. 18. S. 64. E. 23. Water Beech 5. N. 61. W. 18.
46.96.	an Elm 8 ins. diam.
74.62.	[illegible] line of Correction, where set [illegible] [illegible] 2d R. Ash. Beech Sug. Ung. Spice [illegible] { Beech 20. N. 43. W. 34. Do. 14. S. 31. E. 13.
North	Bet. Secs. 31 & 32.
28.75	a Stream 20 lks. West.
35.65.	a Beech 18 ins. diam.
40.00	Qt. Sec. Cor. Beech 18. N. 42. W. 31. Do. 22. S. 44. E. 20.
60.30.	a Beech 18 ins. [illegible]
[illegible]	a [illegible] 17.

92. T. N° 16. N. R. N° 4. E. 2d M. T.

80.00.	Set P. Cor. to Secs. 29. 30. 31 & 32.
	S. level 2d Rate Beech. Ash. & { R. Oak 33. N. 26. W. 17. Beech 8. S. 59. E. 13.
East.	Bet. Secs. 29 & 32 on Random
40.00.	Temp. Qt. Sec. Post
79.89.	Intd. E. line. 94 lks. N. of Post. S. level 2d R. Beech & c.
West.	Corrected.
30.94.	Set Qt. Sec. Post { Beech 30. S. 22. E. 15
79.89.	Sec. Cor. { Do. 12. N. 24. E. 12
West.	Bet. Secs. 30 & 31.
2.90.	a Beech. 18 ins. diam.
23.05.	a Do. 12 " "
27.00.	Entered Swampy Land
40.00	Qt. Sec. Cor. Ash. 10. N. 60. E. 17. Do. 13. S. 41. W. 16.
53.00.	Land dry & rich
58.20.	an Ash 24. ins. diam.
79.18.	Intd. W. Bound. 96 lks. N. of Pt. Beech 20. N. 27. W. 41.

T. N° 16. R. N° 4. E. 2nd M. Ind. 93.

	Buckeye 12. N. 22. E. 6 L. poor 2d R. part swampy, part 1st R. Buch. Ash, Elm. Hick. Ung. Spice, Tr. Ash
North	Bet. Secs. 29 & 30
23.50.	a Stream 10 lks. West.
28.30.	a Buch. 15 ins. dia.
40.00	Qt. sec. Cor. Buch. 20. N. 17. W. 25. Elm. 24. S. 45. E. 11.
44.28	a Buch. 15 ins. diam.
68.53.	a Hickory. 23 ins. "
80.00.	Set P. Cor. to Secs. 19. 20. 29. & 30 S. 1st ½ m. 2d R. last ½ in clining to wet, part swampy 3d R. { Elm. 11. S. 39. E. 17. Buch. 11. N. 64. W. 25. Ash. Buch. Elm. Hick. Ung. Spice
East.	Bet. Secs. 20 & 29 on Random.
40.00.	Temp. Qt. Sec. Post.
80.13	Intd. Eline 90 lks. N. of Post. L. Knotty. 2d R. Tim. as before.
[illegible]	Corrected.
40.00.	Qt. Sec. Cor. { Buch. 26. S. 65. W. 29. Do. 14. N. 64. E. 20
80.13.	Sec. Cor.
[illegible]	[illegible] Secs. 19 & 30.

94. T. N° 16. N. R. N° 4. E. 2nd M. Ind.

6.40.	W. Oak 24 ins. Diam.
23.00.	a Beech 80.
40.00.	Qt. Sec. Cor. Ash 24. S. 85 W. 7. 35. D° 28 N. 45. E. 4.
52.42.	an Ironwood 18 ins. dia.
77.83.	Intd. W. Bound. 114 lks. N. of Post.
	S. level rich inclining to wet some swampy places. Beech. { Beech 28. N 6. E. 13. D° 12. S. 8. E. 32. Ash. Sug. Wal. Hick. Ung. Spice. Pr. Ash. & "
[illegible]	Bet. Secs. 19 & 20.
8.00.	a Beech 18 ins. diam.
40.00.	Qt. Sec. Cor. { Buckeye 12. S. 62. W. 22. Ash. 18. N. 20. E. 37.
60.03.	a Wal. 24 ins. dia.
73.95.	a Buckeye 14 ins. dia.
80.00.	Set P. Cor. of Secs. 17. 18. 19 & 20.
	part 1st & part 2nd R. Beech, Ash. Sug. Wal. Hick. Ung. Spice & papaw. { Sug. 11. S. 74. W. 21. D° 22. S. 82. E. 36.
East.	Bet. Secs. 17 & 20 on Random
40.00.	~~Temp. Qt. Sec. Post~~
77.79.	Intd. E. line 73. lks. N. of Post. 1st ½ M. level 1st R. last ½ rolling

T. No. 16. N. R. No. 4. E. 2d in. Ind. 93

	good 2d K. Beech. Ash. Sug. Wal. Hick. Ung. Spice
West.	Corrected.
39.89.	Qt. Sec. Cor. { Sug. 36. S. 78. E. 9.
79.79.	Sec. Cor. { " 14. N. 64. W. 4. Oct. 16th 1820.
West.	Bet. Secs. 18 & 19.
37.00.	Fall Creek. 156 lks. S. W.
40.00.	Qt. Sec. Cor. Buckeye. 7. N. 24. W. 10.
	" 12. S. 52. E. 10.
55.62.	a Hackberry 22 ins. dia.
68.45.	a Buckeye. 14 ins. dia.
78.25.	Int. W. Bound. 152 lks. N. of P.
	L. level very rich 1st K. { Sug. 16. S. 22. E. 16. " 15. N. 26. W. 7. Much. Sug. tree.
North	Bet. Secs. 17 & 18.
20.18.	a Buckeye. 15 ins. diam.
40.00.	Qt. Sec. Cor. { Wal. 12. N. 66. E. 32. Ash. 11. S. 70. W. 16.
47.50.	Fall Creek. 2 Chs. course S. W. a beautiful stream indeed.
72.15.	Sec. P. Cor. to Secs. 17 & 18
80.00.	L. level 1st K. Ash. Sug. Wal. W. Oak Hick. Spice. { Beech 9. N. 52. W. 17. Elm 20. S. 89. E. 16.

96. T. N° 16 N. R. N° 4 E. 2nd M. Ind.

East	Bet. Secs 8 & 17 on Random
40.00.	Temp. Qt Sec. Post.
56.12.	Fall Creek 170 lks. S.W. Rocky bottom with good fall, perhaps a Mill Seat
80.25	Intd E. line 135 lks. N. of Post. L. level & rich. Tim. as before.
West.	Corrected { Wall. 33. S. 73. W. 18 Buckeye 12. N. 11. E. 29.
40.12.	Qt Sec. Cor.
80.25.	Sec. Cor.
West:	Bet. Secs 7 & 18.
1.08.	a Hackberry 26. ins diam.
13.27.	a Buckeye 16. " "
40.00.	Qt Sec. P. Beech 23. S. 35. E. 31.
	" 20. N. 18. E. 81.
64.45	an Elm 15 ins diam.
77.58.	Intd W. Bound. 255 lks. N. of P. L. level. 1st R. Sug. Wal. Ash. Ungth Spice { Elm 11. S. 42. W. 30. Sug. 26. N. 30. E. 31.
North	Bet. Secs 7 & 8.
27.35.	a ~~Wal. 14 ins dia.~~

T. N° 16. N. R. N° 4 E. 2d Ins. Ind. 97.

40.00.	Qt. Sec. Cor. { Maple 8. N. 48. W. 39. Elm 12. S. 32. E. 13.
50.00.	Bet. P. Cor. to Secs. 5. 6. 7 & 8.
	A level 1st R. Ash. Wal. Sng. Ungth. Spice { Wal. 19. N. 74. E. 17. Elm 8. S. 84. W. 21.
East.	Bet. Secs. 5 & 8. on Random.
40.00.	Temp. Qt. Sec. Post.
50.07.	a Small Bane 4 Chs. 50 lks. wide a considerable distance S. W.
80.25.	Intd. E. line 5 lks. N. of Post L. Rolling 1st R. Tim. [illegible] with Hack. Hick. & [illegible]
West.	Corrected.
40.12.	Qt. Sec. Cor. { Beech 24. S. 28. E. 15. 8. N. 20. E. 26.
80.25.	Sec. Cor. Oct. 17. 1820.
West.	Bet. Secs. 6 & 7.
16.00.	Enter. small Prairie
29.00.	Timbered Land
40.00.	Qt. Sec. Cor. { W. Oak. 14. S. 70. E. 30. Beech. 12. N. 76. W. 43.
41.50.	a W. Oak. 24 ins. dia.
54.50.	a Buckeye 8 ins. dia.
77.50	[illegible]

98. T. No. 16. N. R. No. 4. E. 2nd M. Ind.

	L. level good 2d R. Beech Ash. Sug. Wal. &c. { Beech 16. N. 63. E. 15. D° 12. S. 54. W. 24.
North	Bet. Secs. 5 & 6.
4.95.	a Hackberry 12 ins. dia.
2.96	a " 8 "
40.00.	Ot. Sec. Cor. { Hick. 8. S. 62. E. 15. W. Oak. 10. N. 53. W. 31
41.00.	a Sug. 22 ins dia.
69.64.	a Cherry 22 "
44.30.	Ind. line of Correction
	L. level 1st R. Ash. Sug. Wal. Ung. Spice &c. { Hick. 8. N. 35. W. 24 Elm 14. S. 35. E. 37.