Descriptive Notes of T.16.N._R.5.E. 2nd. Mer.

Exterior Section Corners.					Interior Section Corners				
Posts	Bearing Trees.	inches diam.	Course they Bear	links dist.	Section Corners.	Bearing Trees.	inches diam.	Course they Bear	links dist.
A.	Beech	30	N16E	19	2.3.10.11.	Ash	24	S50E	13
	Do.	16	S80E	12		Do.	12	N79W	19
B.	Sugar	10	S70E	8	3.4.9.10.	Beech	20	N36W	25
	Do.	10	N82W	16		Do.	23	S56E	16
C.	Hickory	8	S81E	2	4.5.8.9.	Beech	16	S19W	32
	Do.	28	N14W	9		Do.	20	S61E	32
D.	Beech	16	S85W	24	5.6.7.8.	Beech	12	S29E	28
	Buckeye	9	S58E	41		Do.	10	S43E	4
E.	Beech	11	N12E	16	7.8.17.18.	Beech	16	S27E	8
	Do.	12	S57W	14		Do.	12	N15W	46
P.	Beech	6	S11E	15	8.9.16.17.	Hickory	18	S50E	16
	Hickory	21	N32W	22		Elm	12	N55W	41
p.	Sugar	16	N75W	15	9.10.15.16.	Ash	7	N23W	16
	Elm	30	S46E	23		Buckeye	6	S83E	8
Q.	Beech	27	S2W	8	10.11.14.15.	Sugar	15	S61W	6
	Do.	25	N78W	14		Beech	11	N89E	32
q.	Beech	10	S16W	26	14.15.22.23.	Sugar	12	S47W	22
	Do.	18	N21E	20		Beech	11	N76E	15
R.	Beech	14	N5E	25	15.16.21.22.	Beech	20	S50E	13
	Do.	14	S33W	18		Do.	16	N81W	25
r.	Ash	7	S8E	2	16.17.20.21.	Beech	18	S10W	26
	Hickory	16	N55E	8		Do.	15	N47E	7
S.	W. Ash	18	N62W	18	17.18.19.20.	Beech	12	N57W	23
	Do.	14	S28W	19		Do.	8	S43E	30
s.	Sugar	20	N39W	42	19.20.29.30.	R. Oak	18	S88W	10
	Do.	18	S38W	34	*	Ash.	10	S26E	26
T.	Ash	8	N56E	4	29.30.31.32.	Elm	16	S69W	13
	Do.	12	S56W	2		Beech	12	N47E	4
U.	Beech	18	N78E	19	28.29.32.33.	Elm	24	S23E	13
	Do	16	N21E	28		Beech	15	N6E	23
V.	W. Oak	15	S23W	11	27.28.33.34.	Lynn	12	N78W	8
	Ash	11	N86E	11		Ash	9	N37E	7
W.	Elm	30	S31E	16	26.27.34.35.	Beech	9	N20W	8
	Maple	23	N12W	22		Do	16	S47E	19
X.	Beech	16	N86W	43	*20.21.28.29.	Beech	20	S4E	25
	Do.	12	S51E	25		Do.	18	N85W	16
Y.	Beech	15	S30E	32	21.22.27.28.	Elm	8	S33E	8
	Do.	10	N61W	27		Beech	7	N4W	12
					22.23.26.27.	Beech	18	S27E	7
						Do.	6	N36W	29

Quarter Section Corners.					Quarter Section Corners.				
Between Sections	Bearing Trees.	inches diam.	Course they Bear	links dist.	Between Sections	Bearing Trees.	inches diam.	Course they Bear	links dist.
H to Y at 3.	Beech	8	N20W	25	M to U at 3.	Red Oak	30	N39E	10
	Do.	5	S47E	25		Sugar	18	S30W	16
" " " " 4.	R. Oak	24	S50E	20	" " " " 4.	Ash	18	N62E	14
	Hickory	7	N29W	20		Do.	16	S54W	33
" " " " 5.	Beech	24	N51W	30	" " " " 5.	Sugar	28	N49W	17
	Do.	16	S42E	38		Walnut	10	S21W	20
" " " " 6.	Beech	12	N12W	24	" " " " 6.	Beech	18	S70E	25
	Do.	8	S18E	11		Do.	15	N80W	25
I to X at 3.	Beech	20	N26W	25	P to E at 1.	Beech	16	S17W	22
	Do.	16	N58W	13		Do	~	N2E	21
" " " " 4.	Beech	20	N28E	10	" " " " 2.	Maple	22	S59W	11
	Do.	16	S61W	15		Elm	10	N68E	20
" " " " 5.	Ash	38	N57W	33	" " " " 3.	Ash	15	N11E	30
	Beech	11	S81W	29		Do.	6	S47W	9
" " " " 6.	Beech	15	N2W	24	" " " " 4.	Beech	11	S4W	36
	Dogwood	4	S28E	4		Do.	5	S45E	13
K to W at 3.	Beech	8	N61W	22	" " " " 5.	Sugar	12	N41E	32
	Do.	7	N89E	19		Beech	7	S21W	6
" " " " 4.	Beech	11	S12W	8	" " " " 6.	Ash	40	N2W	9
	Do.	10	N15E	15		Beech	6	S14W	24
" " " " 5.	Beech	10	S5E	17	Q to D at 1.	Beech	30	S61W	26
	Dogwood	5	S25W	26		Do	8	N50E	22
" " " " 6.	Elm	10	N35W	17	" " " " 2.	Ash	7	N59E	11
	Do.	8	S22E	21		Sugar	5	S30W	5
L to V at 3.	Beech	10	S37E	18	" " " " 3.	Beech.	22	N42E	13
	Do.	8	N31W	5		Sugar	12	S26E	27
" " " " 4.	Ash	20	S78E	28	" " " " 4.	Sugar	16	N11W	22
	Beech	16	N50W	9		Do.	10	S39W	13
" " " " 5.	Hickory	18	N15E	9	" " " " 5.	Beech	22	S51W	13
	Do.	16	S8W	23		Do.	16	S85E	14
" " " " 6.	Elm	28	S32E	9	" " " " 6.	Sugar	24	S74E	27
	Beech	17	N88W	30		Ash	30	N33W	22

Quarter Section Corners.				
Between Sections	Bearing Trees.	inches diam.	Course they Bear.	links dist
R to C at 1.	Beech	20	S83W	19
	Do.	18	N28E	41
" " " " 2.	Ash	8	N66E	5
	Do	6	South	14
" " " " 3.	Sugar	12	N13W	12
	Beech	15	S48W	12
" " " " 4.	R. Oak	18	S42W	14
	Hickory	6	S27E	14
" " " " 5.	Beech	15	N58E	25
	Hickory	10	S67W	16
" " " " 6.	Beech	18	N74W	22
	Do	13	S89E.	30
S to B at 1.	Beech	18	S27E	12
	Do	16	N29W	26
" " " " 2.	W. Oak	7	S45W	24
	Do.	8	N4E	11
" " " " 3.	Beech	18	S67E	30
	Do.	14	N43W	29
" " " " 4.	Beech	18	N88W	17
	Do	8	N63E	10
" " " " 5	Ash	17	S26E	16
	Beech	8	N22W	7
" " " " 6.	Beech	12	N65E	12
	Poplar	6	S13W	9

From P, to E, the Section and Quarter section corners, are on the County line.

15.

Township No. 16 North, Range No. 5 East 2nd. Mer.



Total number of Acres.

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed	When p.d for and ch.d in the Sur.r Gen.ls acc.t
			M. Ch.s Lks.		
Township lines					
Subdivisions	John Hendricks			1820.	

The above Map of Township No. 16 North, of Range No. 5 East of the 2nd. Principal Meridian Indiana, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office.

Edward Tiffin
Sur.r Gen.l

Meanders of

Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s
Sec. 3, Contents.								
N. E. 151.37 Acres								
S. W. 142.33 Acres								
Sec. 4 Contents								
N. W. [illegible]								
S. W. 133.78								

T. No. 16. N. R. 5. E. 2d. M. Ind. 179.

	207		207		208		208.			
67	6	202	5	195	4	190	3	185	2	1.
	202		201		195		189			
1.00 67	7	201	8	194	9	189	10	185	11	12.
1.20 66	18	200	17	193	16	188	15	184	14	13.
	199		199		193		188			
1.00 65	19	198	20	192	21	187	22	184	23	24
							187			
.25 65.	30	197	29	191	28	186	27	183	26	25.
	196		196		191		186.			
.31.	31	196	32	190	33	186	34	183	35	36
	182		182		181		181			
		.94		.05		.21.		.70		.04



T. N.° 16. N. R. N.° 5. E. 2nd M. Ind. 181.

(Fractional)
Township Line
Var. 6° 30. E.
From Cor. of Secs. 34 & 35.
a Beech 6. S. 11. E. 15 &
Hick. 21. N. 32. W. 22.

West. Bet. Townships 15 & 16. N. R. 5. E.
on the S. Side of Sec. 34.
15.76. a Hickory 21 ins. dia.
80.00. Set P. Cor. to Secs. 33 & 34.
L. level 2d R. Beech Sug. Ash Elm } Beech 27. S. 2. W. 8.
" 25. N. 78. W. 14.
Oak. Hick & Ungth Spice.

West On the S. Side of Sec. 33.
26.30 an Ash 25 ins. diam.
40.00. Qt. Sec. Cor. Beech 10. S. 16. W. 26.
" 18. N. 21. E. 20
53.79. an Elm 60 ins. diam.
80.00. Set P. Cor. of Secs. 32 & 33.
L. level 2d R. Beech. Sug. Ash. Elm } Beech 14. N. 5. E. 25.
" 14. S. 33. W. 18.
Oak. Hick, Ungth Spice.

182. T. N° 16. N. R. N° 5. E. 2d M. Ind.

West.	On the South Side of Sec. 32.
10.46.	a Beech 20 ins diam.
40.00.	Qt. Sec. Cor. Ash. 7. S. 8. E. 2.
	Hick. 16. N. 55. E. 8.
56.80	a W. Ash 20 ins dia.
80.00.	Set P. Cor. to Secs. 31 & 32.
	Level with L. Beech. Elm Lynn. W. Oak } W. Ash. 18. N. 62. W. 18.
	" 14. S. 28. W. 19.
	W. Ash. Hick. Ungth same Tim.
West.	On the S. Side of Sec. 31.
1.63.	a Beech 24 ins dia.
40.00.	Qt. Sec. Cor. Sug. 20. N. 39. W. 42.
	" 18. S. 38. W. 34.
47.50.	a Branch 15 lks. S. W.
48.70.	a Walnut 24 ins dia.
72.40.	Set P. Cor. of Ts. 15 & 16. N. Ranges 4 & 5. E. Secs. 16. 31 & 36.
	Ash. 8. N. 56. E. 14.
	" 13. S. 56. W. 2.

T. N° 16. N. R. N° 5. E. 2d M. Ind. 183

Land level, good. 2d Rate
Beech Ash. W. Oak, Hick. Pipl.
Ung^th Spice &
Surveyed by
John Hendricks
D.S.

Subdivisions. Var. 6° 15' E.

North	Bet. Sec^s 34 & 35.
16.20	a Beech 14 in^s dia.
40.00.	Q^t Sec. Cor. Beech 16. S. 17. W. 32.
	" — N. 2. E. 21.
41.65.	a Beech 12 in^s dia.
70.58.	a Beech 13. " "
80.00.	Set P. Cor. to Sec^s 26. 27. 34. & 35.
	L. level 2d R. { Beech 9. N. 20. W. 8.
	Beech. Ash { " 6. S. 47. E. 19.
	Sug. Ung^th Spice & c.
North	Bet. Sec^s 26 & 27.
12.75.	a W. Oak. 16 in^s dia.
40.00	Q^t Sec. Cor. { Maple 22. S. 59. W. 11.
	{ Elm 10. W. 68. E. 21

56.32.	an Ash 16. in^{s} dia.
12.99.	an Elm 24 in^{s} dia.
80.00	Sel. P. for. to Sec^{s}. 22.23.26 & 27.
	S. level inclining to west 2^{d} R. } Beech 18. S. 47. E. 7.
	6. N. 36. W. 29.
	Ash. Elm, Beech. Sug. Pr. Ash. Spice.
North	Sel. Sec^{s} 22 & 23.
17.75.	a Beech 12. in^{s} dia.
30.68.	an Elm 15. " "
40.00.	Q^{r}. Sec. for. Ash 15. N. 11. E. 30.
	" 6. S. 47. W. 9.
67.40	an Ash 24 in^{s} diam.
80.00.	Sel. P. for. of Sec^{s}. 14. 15. 22. & 23.
	S. level inclining to west 2^{d} R. } Sug. 12. S. 47. W. 22.
	Beech. Ash. Hill Spice &c } Beech N. 76. E. 15
North	Sel. Sec^{s}. 14 & 15.
1.08	an Ash. 24 in^{s} dia.
40.10.	Q^{r}. Sec. for. Beech 11. S. 4. W. 36.
	~~" 5. N. 45.~~ 6. 13.
62.30.	an Ash. 16 in^{s} dia.
80.00.	Sel. P. for. to Sec^{s}. 10. 11. 14 &

	Level 2d R. Beech. Ash. Elm. Hick. W. Oak. { Sug. 15. S. 61. W. 6. Beech 11. N. 39. E. 32. Pr. Ash. Spice
North	Bet. Secs. 10 & 11.
40.00.	Qt. Sec. Cor. Sug. 12. N. 41. E. 32. Beech 7. S. 21. W. 6.
65.25.	an Ash. 24. ins. dia.
80.00.	Set P. Cor. to Secs. 2. 3. 10 & 11.
	S. level 2d R. Beech. Ash. Sug. Ungm. { Ash. 24. S. 50. E. 13. " 12. N. 79. W. 19. Spice. Pr Ash
North.	Bet. Secs. 2 & 3.
40.00.	Qt. Sec. Cor. Ash 40. N. 2. W. 9. Beech. 6. S. 14. W. 24.
48.15.	an Ash. 16. ins. dia
73.97.	Intd. line of correction. Set. P. Cor. of Secs. 2 & 3. { Beech 11. N. 12. E. 16. " 12. S. 57. W. 10.
	S. & Limb. as before, with Hickory & Sugar.
	6 A 26 P.

North.	Bet. Secs. 33 & 34.
4.75.	a Beech 20 ins. dia.
20.95.	a Beech 18. " "
40.00.	Qt. Sec. Cor. Beech 20. S. 61. W. 26.
	" 8. N. 50. E. 22.
65.63.	a Beech 15 ins. dia.
80.00.	Set P. Cor. to Secs. 27. 28. 33 & 34.
	L. Rolling 3d R. { Lynn 12. N. 78. W. 8.
	Beech. Oak. } Ash. 9. N. 37. E. 7.
	Hickory. Ungth. Spice.
East.	Bet. Secs. 27 & 34 on Random.
40.00.	Qt. Sec. P. Temp.
78.96.	Intd. E. line 48 lks. N. of Post.
	L. level. 2d Rate. Beech. Ash.
	Sug. Ungth. Spice.
West.	Corrected Bet. Secs. 27 & 34.
39.48.	Qt. Sec. Cor. R. Oak. 30. N. 29. E. 10
	Sug. 18. S. 30. W. 16.
78.96.	Sec. Cor.
North	Bet. Secs. 27 & 28.
30 60	an Elm 7 ins. diam

40.00.	Qt. Sec. Cor. Ash 7. N. 59. E. 11. Sug. 5. S. 30. W. 5.
63.15.	an Ash. 13 in. diam.
73.00.	a Beech 20. " "
80.00.	Set P. Cor. to Sec. 21. 22. 27. & 28.
	L. level. good { Elm 8. S. 33. E. 8.
	2. R. Beech, Ash. { Beech 7. N. 4. W. 12.
	Elm. Sug. Mag. Spice.
East.	Bet. Sec. 22 & 27 on Random.
40.00.	Temp. Qr. Sec. Post.
79.86.	On Bd. E. line 17. lks. N. of P.
	L. same, part wet. Beech. Ash. Elm.
West.	Corrected.
39.93.	Qt. Sec. Cor. { Beech. 10. S. 37. E. 18
	" 8. N. 31. W. 5.
79.86.	Sec. Cor.
North	Bet. Sec. 21 & 22.
19.34	an Elm 15 in. dia.
34.10.	a Beech 16. " "
40.00.	Qt. Sec. Cor. { Beech 22. N. 42. E. 13.
	Sug. 12. S. 26. E. 27.
58.60	an Elm 24 in. dia.

77.50.	~~a Branch 8 Ws. N. W.~~
80.00.	Set P. Cor. to Secs. 15. 16. 21. & 22.
	a Beech 20. S. 80. E. 13 & Beech 16. N. 81. W. 25
	G. level 2d R. Beech. Ash. Sug. Elm
	Ung.th Spice
East.	Bet. Secs. 15 & 22. on Random.
40.00.	Temp. Qt. Sec. Post.
79.48	Intd. E. line 13 Ks. S. of P.
	S. & tim. as before.
West.	Corrected
39.74.	Qt. Sec. Cor { Beech 8. N. 61. W. 22.
79.48	Sec. Cor { " 7. N. 89. E. 19.
North.	Bet. Secs. 15 & 16.
5.52.	an Ash 22 ins. dia.
40.00.	Qt. Sec. Cor. Sug. 16. N. 11. W. 12.
	" 10. S. 39 W. 13.
38.80.	a Beech 16 ins. diam.
80.00.	Set P. Cor. of Secs. 9. 10. 15 & 16.
	G. level 2d R. Ash N. 23, W. 16.
	Inclined 6. S. 53. E. 8.
	[illegible] Ung.th Spice

T. No. 16. S. R. No. 5. E. 2d M. Ind. 189.

East	Bet Secs. 10 & 15 on Random.
40.00.	Tem. Qt. Sec. Post.
79.79.	Intd. E. line 43 lks. S. of P.
	L. level 3d R. Buch. Ash. Ungth. Spice
West	Corrected
39.89.	Qt. Sec. Cor. { Buch 20. S. 26. W. 15
79.79.	Sec. Cor. { " 16. N. 25. W. 13.
North.	Bet. Secs. 9 & 10.
23.35.	a W. Oak. 30 ins. dia.
40.00.	Qt. Sec. Cor. Buch 22. S. 51. W. 13.
	" 16. S. 85. E. 14.
41.70.	an Ash. 22 ins. dia.
50.30.	a Buch 14. ins. dia.
71.50.	a Stream 20 lks. N. E.
80.00.	Set P. Cor. of Secs. 3. 4. 9 & 10.
	L. level { Buch 30. N. 36. W. 25.
	2d R. { " 23. S. 56. E. 16.
East.	Bet. Secs. 3 & 10 on Random
10.50.	a Stream 2[illegible] lks. North

190. Tel. 16. N. 4. N. 5. E. 2d M. Ind.

40.00.	Qt. Sec. P. [illegible]
80.00.	Ind. E. line 105 lks. S. of P.
	L. level 2d R. Beech, Ash. Elm
	W. Oak. Water Beech. Spice.
West.	Corrected.
40.00.	Qt. Sec. Cor. { Beech 8. N. 20. W. 25.
	" 5. S. 47. E. 25.
80.00.	Sec. Cor.
North.	Bet. Secs. 3 & 4.
15.12.	a Beech 11 ins. dia.
40.00	Qt. Sec. Cor. Sug. 24. S. 47. E. 27.
	Ash. N. 30. N. 23. W. 22.
51.80	a W. Oak. 48 ins. dia.
63.70.	a Beech 11 " "
74.46.	Ind. N. Bound. (Correction Line)
	Cor. to Secs. 3 & 4.
	Beech 16. S. 85. W. 24.
	Buckeye 9. S. 58. E. 41.
	L. level 1st half 2d R. last ½ 1st R.
	Beech. Ash. Elm. Sug. Wal. Ungth. Spice & Beech.
North.	Bet. Secs. 32 & 33.

T. N. 16. N. R. N° 5. E. 2d M. Ind. 191.

1.25.	a Stream 8 lks. wide S. E.
20.22.	a Beech. 15. in^s dia.
40.00.	Q^t Sec. Cor. Beech 20. S. 83. W. 19.
	" 18. N. 28. E. 41.
44.76.	a Beech 16. in^s dia.
55.45.	a Stream 12 lks. S. E.
80.00.	Set P. Cor. to Sec^s 28. 29. 32 & 33.
	S. Rolling 2^d R. Beech. Ash Sug. Ung^th Spice { Elm 24. S. 23. E. 13. Beech 15. N. 6. E. 23.
East.	Bet. Sec^s 28 & 33. on Random.
40.00.	Temp. Q^t Sec. Post.
80.15.	Ind^n E. line. 28 lks. S. of Post.
	1st 1/2 M. good 2^d R. last 1/2 M. inclining to wet. Beech. Ash. Sug. Wal. Elm. Ung^th Spice.
West	Corrected.
40.07.	Q^t Sec. Cor. { Ash. 18. N. 62 E. 14. " 16. S. 84 W. 33.
80.15.	Sec. Cor.
N. [illegible]	Bet. Sec^s 28. & 29
4.05.	an Ash. 36. in^s diam.

192. T. N° 16. N. R. N° 5. E. 2d M. Ind.

25.00.	a R. Oak. 25 ins diam.
40.00.	Qt. Sec. Cor. Ash. 8. N. 66. E. 5.
	" 6. South 14.
45.40	an Ash. 24 ins dia.
73.25.	an Ash. 12. " "
80.00.	Set P. Cor. to Secs. 20. 21. 28 & 29.
	S. rolling 2d R. Beech. Ash. Sug. Elm, Spice. Han. { Beech 20. S. 4. E. 25. " 18. N. 85. W. 16.
East.	Bet. Secs. 21 & 28 on Random.
40.00.	Temp. Qt. Sec. Post.
80.29	Intd. E. line 33 lks. S. of Post.
	L. 1st half 2d R. last ½ wet. Tim as above.
West.	Corrected. Oct. 22. 1820.
40.14.	Qt. Sec. Cor. Ash. 20. S. 78. E. 28.
	Beech. 16. N. 50. W. 9.
80.29.	Sec. Cor.
North	Bet. Secs. 20 & 21.
12.90.	" Beech 16. ins diam.
40.00.	Qt. Sec. Post. { Sug. 12. N. 13. W. 12. Beech 15. S. 48. W. 12.

T. N.° 16. N. R. N.° 5. E. 2.d M. Ind.° 193.

59.90.	a Beech 24 in.s diam.
80.00.	Set. P. for. to Sec.s 16. 17. 20 & 21.
	S. level 2.d R. Beech. Ash Sug. W. Oak. { Beech. 18. S. 10. W. 26. 15. N. 47. E. 7. Ung.th Spice &c.
East.	Bet. Sec.s 16. & 21. on Random.
40.00.	Temp. Q.t Sec. Post.
80.04	Int.d E. line 7 lks. S. of P.
	S. level 2.d R. B. Ash. Sug. W. Oak. Ung.th Spice
West.	Corrected.
40.02.	Q.t Sec. Cor. { Beech 11. S. 12. W. 8. " 10. N. 15. E. 15.
80.04.	Sec. Cor.
North.	Bet. Sec.s 16 & 17.
3.77.	a Beech 15 in.s diam.
11.65.	a Stream 10 lks. East.
18.28.	a Beech 24 in.s diam.
40.00.	Q.t Sec. Cor. R. Oak. 18. S. 42. W. 14. Hickory 6. N. 27. E. 14.
43.25.	a Beech 12 in.s dia.
48.05.	a Stream 15 lks. N. E.

194. T. N.° 16. N. R. N.° 5 E. 2.d Mo. Ind.

80.00.	Set. P. Cor. to Sec.s 8. 9. 16 & 17.
	L. & Tim. (Hick. 18. S. 50. E. 16.
	as above (" 12 N. 55. W. 41.
East	Bet. Sec.s 9 & 16. on Random.
40.00.	Temp. Q.t Sec. Post.
67.45.	a Stream 25 lk.s North.
79.57.	Int.d E. line 31. lks. N. of P.
	L. level 2.d R.
West.	Corrected. (Beech. 20. N. 28. E. 10.
39.78.	Q.t Sec. Cor. { D.o 16. S. 61. W. 55.
79.57.	Sec. Cor.
North.	Bet. Sec.s 8 & 9.
2.85.	an Ash 24 in.s diam.
25.15.	an Ash. 24. " "
40.00	Q.t Sec. Cor. Beech. 15. N. 58. E. 25.
	Hick. 10. S. 67. W. 16.
52.50.	a W. Oak. 72. in.s dia.
66.50.	a Beech. 15. " "
80.00.	Set. P. Cor. to Sec.s 4. 5. 8 & 9.
	Beech. 16. S. 19. W. 32. & Beech 20. S. 61. E. 32

T. No. 16. N. R. No. 5. E. 2d. M. Ind. 195.

	L. level. 2d. R. Beech. Ash. Sug. W. Oak. Ungth. Spice.
East.	Bet. Secs. 4 & 9. on Random.
40.00.	Qt. Sec. Post. Temp.
79.45.	Intd. E. line 121 lks. N. of P.
	L. level Soil thin. Beech Ash. Hick. Ungth. Spice.
West.	Corrected. { R. Oak. 24. S. 50. E. 20.
39.72.	Qt. Sec. Cor. { Hick. 7. N. 29. W. 20.
79.45.	Sec. Cor.
North.	Bet. Secs. 4 & 5.
4.25.	a Beech. 15 ins. diam.
13.23.	a W. Oak 30. " "
40.00.	Qt. Sec. Cor. { Beech 18. N. 74. W. 22.
	" 13. S. 89. E. 30.
57.90.	a Hickory 24 ins. dia.
73.56.	Intd. line of Correction Cor. to Secs. 4 & 5.
	Hickory 8. S. 81. E. 2.
	" 28. N. 14. W. 9.
	Level. 2d. R. L. Beech. Ash. W. Oak.
	Sug. Elm. Ungth. Spice

196. T. N.° 16. N. R. N.° 5. E. 2.d M. Ind.

North.	Bet. Sec.s 31 & 32.
4.5.	a Beech. 25 in.s dia.
14.65.	an Ash. 14. " "
40.00.	Q.t Sec. Cor. Beech. 18. S. 27. E. 12.
	" 16. N. 29. W. 26.
56.20	an Ash 16. in.s dia.
67.08.	a Beech. 8 " "
80.00.	Set. L.P. Cor. to Sec.s 29. 30. 31 & 32.
	L. same. Beech. Ash. Sug. W. Oak. } Elm 16. S. 69. W. 13. Beech 12. N. 47. E. 14.
	Ung.th Spice.
East.	Bet. Sec.s 29. & 32 on Random.
40.00.	Temp. Q.t Sec. Post.
79.58.	Ind.d E. line 9 lks. S. of P.
	L. level in dining to wet 2.d R.
	Beech. Ash. Elm. Hick. & c.
West.	Corrected.
39.79.	Q.t Sec. Cor. Sug. 22. N. 9. W. 19. Wal. 10. S. 21. W. 20.
79.50.	Sec. Cor.
West.	Bet. Sec.s 30 & 31.

T. No. 16. N. R. No. 5. E. 2d. Mo. Ind. 197.

13.65.	a Beech. 24 in. dia
40.00.	Qr. Sec. for. Beech 18. S. 70. E. 25.
	" 15. N. 80. W. 25.
48.78.	an Elm 30 in. dia.
51.75.	an Ash. 30. " "
71.64.	Pos. W. Bound. 31 lks. N. of Post.
	L. level 3 R. { Beech 18. S. 72. E. 19.
	Beech. Ash. { " 16. N. 21. E. 28.
	Elm. Ung. Spice.
North	Bet. Sec. 29 & 30.
25.08.	an Ash. 7 in. dia.
24.28.	a R. Oak. 14. " "
40.00.	Qr. Sec. for. W. Oak 7. S. 45. W. 24.
	" 8. N. 4. E. 11.
51.64.	an Ash. 10 in. dia.
80.00.	Set P. for to Secs. 19. 20. 29 & 30.
	L. level yard. { R. Oak. 18. S. 88. W. 10.
	L. R. Beech. { Ash. 11. S. 26. E. 26.
	Ash. W. Oak. Hick. Ung. Spice.
East.	Bet. Secs. 2 & 29 on Random.
40.00.	Temp. Qr. Sec. Post.
79.57.	Pos. E. line 16 lks. S. of Post.

	L. & Tim. as before.
West	Corrected.
39.78.	Qt. Sec. Cor. { Hick. 18. N. 15. E. 9. Beech. 16. S. 8. W. 23.
79.57.	Sec. Cor.
West.	Bet. Secs. 19 & 30.
4.10.	an Elm 48 ins. dia.
40.00.	Qt. Sec. Cor. { Elm 28. S. 32. E. 9. Beech 17. N. 88. W. 30.
53.94.	a Beech. 14 ins. dia.
71.32.	Int. W. Bound. 25 lks. N. of P.
	L. level 2d. R. { W. Oak. 15. S. 23. W. 19. Beech. Ash. Hick. W. Oak. Ungts. Spice. Ash. 11. N. 86. E. 11.
North.	Bet. Secs. 19 & 20.
27.25.	a Maple 20. ins. dia.
40.00.	Qt. Sec. Cor. Beech 18. S. 67. E. 30. 14. N. 43. W. 29.
56.70.	an Ash. 30 ins. dia.
5[illegible].00.	Set P. Cor. to. Secs. 17. 18. 19 & 20. Beech. 12. N. 57. W. 23

	Beech 8. S. 43. E. 30.
	S. level. 3d R. Beech. Ash. Hick.
East.	Bet. Secs. 17 & 20 on Random.
40.00.	Temp. Qr. Sec. Post.
79.86.	Int. E. line 6 lks. N. of P.
	S. rolling 2d R.
West.	Corrected. Bet. Secs. 17 & 20.
39.93.	Qr. Sec. Cor. Beech 10. N. 5. E. 17.
	Dogwood 5. S. 25. W. 26.
79.86.	Sec. Cor.
North.	Bet. Secs. 18 & 19.
5.65.	a Lynn 30 in. diam.
18.75.	a Beech. 14. " "
40.00	Qr. Sec. Cor. Elm 10. N. 35. W. 17.
	" 8. S. 22. E. 21.
53.35.	an Ash. 24 in. diam.
71.70	Int. W. Bound. 100 lks. N. of P.
	level. Elm 30. S. 31. E. 16.
	rather wet. Elm 23. N. 12. W. 22.
	Beech. Ash. Hick.
	3d Rate. Elm. Spices. Oct. 24. 1820

200. T. N° 16. N. R. N° 3. E. 2d M. Ind.

North.	Bet. Secs. 17 & 18.
26.54.	a Beech. 24 in. dia.
40.00.	Cor. Sec. Cor. Beech. 18. S. 88. W. 17.
	" 8. N. 63. E. 10.
55.08.	a Beech 20 in. dia.
74.00.	Set. 1/4 Cor. to Secs. 7. 8. 17 & 18.
	Found 3 R. { Beech. 6. S. 24. E. 8.
	Beech. Ash " 12. N. 15. W. 46.
	Hick.
East.	Bet. Secs. 8 & 17 on Random.
40.00.	Temp. Cor. Sec. Post.
79.82.	Int. E. line 87 lks. S. of Post.
	S. same, in doing to wet. Tim. as before.
West.	Corrected Ash. 33. N. 57. E. 33.
79.91.	Cor. Sec. Cor. Beech 11. S. 81. W. 29.
79.82.	Sec. Cor.
North.	Bet. Secs. 7 & 18.
13.90.	a Sycm 28 in. dia.
40.00.	Cor. Sec. Cor. Beech. 15. N. 2. W. 94.
	" Dogwood 4. S. 28. E. 4.

T. N° 16 N. R. N° 5 E. 2 [illegible] 201

45.65	An Ash 26 in.s diam.
71.58	[illegible] 126 lks. [illegible]
	L. level (Beech 16. N. 88. W. 43.
	Ash. Hick. (" 12. S. 51. E. 25.
	W. Oak. Ung.th Spice.
North.	Bet. Sec.s 7 & 8.
16.35	a Beech 22. in.s dia.
40.[illegible]	[illegible] Sec. Cor. Ash 17. N. 26. E. 16
	Beech 8. N. 22. W. 7.
68.28	an Ash 12 in.s dia.
80.00	Set P. Cor. to Sec.s 5. 6. 7 & 8.
	L. level 3.d R. (Beech 12. N. 29. E. 28.
	Beech. Ash. (D.o 13. S. 43. E. 4.
	Hick. Ung.th Spice
East.	Bet. Sec.s 5 & 8 on Random
40.00	Temp. Q.t Sec. Post.
79.17	Cent.l E. line 87 lks. S. of P.
	L. 3.d R. Beech. Hick. Ung.th Spice.
[illegible]	[illegible]
39.58	Q.t Sec. Cor. (Beech [illegible] N. 51. W. 30.
	" 16. S. 42. E. 38.
40.17	Sec. Cor.

202 T. N° 16. N. R. N° 5 E. 2° ch. ...

West.	Bet. Sec.s 6 & 7.
11.30.	a R. Oak. 42. in.s diam.
24.25.	a Poplar 48. in.s diam.
40.00.	Q.t Sec. Cor. Beech 12 N. 12. W. 24. 8. S. 18. E. 11.
52.90.	a Beech 12 in.s dia.
65.00.	a Spring Draft N. W.
71.50	a Stream 12 lks. North.
72.07.	Int.d W. Bound. 100 lks. N. of P. Beech. 15. S. 30. E. 32 10. N. 61. W. 27.
	S. Rolling 2.d R. Beech. Ash. Hick. Ung.th Spice.
North.	Bet. Sec.s 5 & 6.
9.95.	a Pop. 42 in.s dia.
21.00.	a Stream 6 lks. N. W.
32.~~40~~ 14 original	a Hickory 24 in.s diam.
40.00.	Q.t Sec. Cor. Beech 12. N. 65. E. 12. Pop. 6. S. 13. W. 9.
42.00	a Beech 13 in.s dia.
50.50.	an Ash. 15. " "

T. N° 16 N. R. N° 5. E. 2d M. Ind. 263.

74.50.	a Stream 15 Ks. N. W.
75.53.	Ind. line of Correction. Cor. to.
	Secs. 5 & 6. Sug. 10. S. 70. E. 8.
	10. N. 52. W. 16.
	L. Rolling 2d R. Beech. Ash. Hick. Pop.
	Ung. Spice.
	Oct. 25th 1825.
	Surveyed by
	John Hendricks.
	D. S.