Descriptive Notes of T.17.N._R.2.E 2nd. Mer.

Exterior Section Corners					Interior Section Corners.				
Posts	Bearing Trees.	inches diam.	Course they Bear	links dist	Section Corners.	Bearing Trees	inches diam.	Course they Bear	links dist.
I.	Beech	15	N18°E	51	11.12.13.14	Beech	12	N66°E	25
	Walnut	30	S10°W	16		Elm	12	S56°W	20
i.	W. Oak	14	N72°W	5	10.11.14.15	Elm	10	N25°E	5
	Beech	16	S79°E	22		Hackberry	8	S24°W	9
K.	Hornbeam	6	N22°E	21	9.10.15.16	Ironwood	8	N66°W	8
	Hickory	12	S21°W	12		Buckeye	7	S50°E	15
k.	Hornbeam	5	N88°W	15	8.9.16.17	Beech	8	N83°E	4
	Beech	10	S68°E	16		Do.	12	N80°W	28
L.	Beech	14	S56°E	12	16.17.20.21	Ash	10	N37°E	15
	Do.	6	N82°W	37		Hickory	4	S5°E.	10
l.	Beech	6	N70°W	7	15.16.21.22	Ash	18	S39°E	5
	Hickory	4	S65°E	11		Buckeye	14	N52°W	19
M.	Hickory	12	N25°E	16	14.15.22.23	Buckeye	16	N67°E	25
	Beech	10	S25°W	36		Sugar	20	S42°W	25
m.	Omitted	15	N13°E	11	13.14.23.24	Hickory	12	N82°W	11
	Do.	15	S20°W	10		W. Oak	10	N40°E	18
N.	Beech	14	N62°E	27	23.24.25.26	Beech	6	N43°W	20
	Do.	12	S47°E	22		Do.	12	S80°E	47
n.	Oak	16	N47°W	15	22.23.26.27	Beech	12	N27°W	22
	Sugar	10	S43°E	28		Sugar	8	S28°E	32
O.	Beech	14	S23°W	12	21.22.27.28	Buckeye	4	N16°E	10
	Sugar	10	N33°E	19		Do.	8	S19°E	22
o.	Sugar	8	S45°W	15	20.21.28.29	Beech	12	N51°E	17
	Do.	9	N59°E	11		W. Oak	14	S60°W	24
P	Elm	18	S77°W	16	28.29.32.33	Sugar	10	N85°W	4
	Do.	15	N60°E	27		Do.	10	East	17
p	Beech	13	N10°W	10	27.28.33.34	Sugar	18	N75°E	13
	Sugar	6	S26°W	33		Do.	20	S22°E	17
Q.	Buckeye	8	S35°W	13	26.27.34.35	Beech	14	N39°W	25
	Walnut	15	N19°W	8		Do.	18	S80°E	28
q.	Sugar	18	N72°W	27	25.26.35.36	Ash	14	N58°W	16
	Do.	18	S23°E	30		Beech	6	S61°E	40
R.	Beech	12	S45°E	3					
	Do.	8	N26°W	18					
r.	Sugar	7	S83°W	19					
	Beech	7	N62°E	12					

Quarter Section Corners.				
Between Sections	Bearing Trees	inches diam.	Course they Bear	links dist.
12.13.	Ash	12	S50°W	22
	Do.	14	N84°E	25
11.14.	Beech	12	N30°W	15
	Lynn	14	S27°E	21
10.15.	Buckeye	10	North	43
	Poplar	30	S35°W	6
9.16.	Beech	10	S20°E	20
	Sugar	18	S12°W	35
8.17.	Beech	14	S5°W	18
	Hornbeam	20	N39°E	42
16.17.	Ironwood	4	S49°W	3
	Dogwood	4	N10°E	5
15.16.	Beech	7	S1°E	43
	B. Oak	20	N7°W	24
14.15.	Willow	10	S1°E	28
	Do.	3	N1°E	16
13.14.	B. Walnut	20	N69°W	27
	Sugar	20	S67°E	11
13.24.	Beech	8	N39°E	18
	Do.	—	S17°W	22
14.23	Beech	12	N68°W	28
	Do.	10	S36°E	10
15.22	W. Walnut	20	N6°W	36
	Buckeye	4	S65°E	5

Quarter Section Corners.				
Between Sections	Bearing Trees	inches diam.	Course they Bear	links dist.
16.21.	Sugar	10	S6°E	8
	B. Oak	30	N16°W	9
17.20.	B. Oak	24	S22°E	49
	Beech	16	N22°W	7
20.21.	Ash	10	S9°E	41
	B. Walnut	4	N11°E	49
21.22.	Lynn	7	S83°W	9
	Hickory	7	S73°E	20
22.23.	Beech	8	N64°E	5
	Hickory	18	S26°W	24
23.24	Beech	6	S60°E	9
	Ash	18	S85°W	31
25.24.	Ash	7	S19°W	14
	Beech	4	N70°E	15
23.26.	Poplar	30	N35°W	24
	Beech	12	S35°E	9
22.27.	Buckeye	10	N39°E	15
	Hackberry	4	South	22
21.28.	B. Walnut	30	S62°E	22
	Buckeye	6	N27°W	25
20.29.	Beech	14	N38°W	10
	Sugar	12	S71°E	29
28.29.	Buckeye	18	S7°W	18
	Ash	10	N23°W	30
27.28	Beech	12	N16°E	13
	Do.	20	S40°E	10

Quarter Section Corners.				
Between Sections	Bearing Trees	inches diam.	Course they Bear.	links dist.
27.28.	Beech	12	N16°E	13
	Do.	20	S40°E	10
26.27.	Beech	15	N28°W	10
	Do.	12	S31°E	26
25.26.	Ironwood	8	N61°W	5
	Buckeye	6	S4°W	21
25.36.	Hornbeam	10	N60°E	18
	Do	3	S30°W	17
26.35.	Ash	18	S1°W	28
	Beech	10	N9°E	22
27.34.	Sugar	14	S23°E	27
	Do.	10	N17°W	17
28.33.	Buckeye	14	N74°E	20
	Sugar	12	N65°W	29
29.32.	Beech	10	N37°W	36
	Do.	12	S7°E	34
32.33.	Beech	14	S43°E	28
	Hickory	12	N30°E	18
33.34.	Ironwood	12	S10°W	36
	Cottonwood	18	S46°E	13
34.35.	Beech	10	N28°W	16
	Do	12	S14°E	12
35.36.	Elm	12	N41°E	41
	Beech	10	S16°W	23

From I, to X, the Section and Quarter section corners are on the County line.
The half section line though sections 17, 20, 29 and 32, is the County line.

4.

Township No. 17 North, Range No. 2 East 2nd. Mer:



Meanders of

Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s

Total number of Acres.

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys M. Chs. Lks.	When Surveyed	When p.d for and ch.d in the Sur. Gen.ls acc.t
Township lines Subdivisions	Wm. B. Laughlin.			1821.	

The above Map of Township No. 17 North, of Range No. 2 East of the 2nd. Principal Meridian Indiana, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office, Edward Tiffin Sur. Gen.l

1.42

T. No. 14. N. R. No. 2. E. 2d Mer. Ind 91.



T. No. 14. N. R. No. 2. E. 2nd Mer. Ind. 93.

Chs. lks.	(Fractional.) East Boundary. Var 5° 35' E.
North	Bet.: Ranges 2 & 3. T. 14. N. on E. side of Sec: 36.
14.48.	a Sug. 14. inches diam.
29.14.	Brook 10 lks wide S. W.
40.00	Set. Qtr. Sec. Post a..... 15 N. 13. E 11. " 15 S. 20. W. 10.
48.95	W. Oak 24 inches diam.
65.88	R. Oak 30 " "
80.00	Set. P. Cor. to Secs. 25 & 36. Hickory 12. N. 25. E. 16. Beech. 10. S. 25. W. 36.
North	On the E. Side of Sec. 25.
18.18.	W. Walnut 18 inches diam.
35.81.	Beech 12 " "
40.00	Qtr. Sec. Post. Beech 6. N. 70. W. 7. Hickory 4. S. 65. E. 11.
53.31.	Beech 4 inches diam.
42.45.	Brook 8 lks wide. S. W.
80.00	Set. P. Cor. to Secs. 24 & 25.

94. T. No. 17. N. R. No. 2. E. 2nd Mer. Ind.

	Beech 14. S. 56. E. 12.
	" 6. N. 82. W. 37.
North	On the East Side of Sec. 24.
12.49.	Beech 6. inches diam.
30.05	" 8. " "
40.00	Set. Qtr. Sec. Post Hornbeam 5. N. 88. W. 15.
	Beech. 10. S. 68. E. 16.
55.54.	Beech 10 inches diam.
80.00	Set. P. Cor. Secs. 13 & 24.
	Hornbeam 6. N. 22. E. 21.
	Hickory 12. S. 21. W. 12.
North.	On the East Side Sec. 13.
33.03	W. Oak 15 inches diam.
40.00	Set. Qtr. Sec. Post. W. Oak 14. N. 72. W. 5 lks
	Beech 16. S. 79. E. 22.
51.50.	an Ash 15 inches diam.
80.00	Set. P. Cor. to. Secs. 12 & 13.
	Beech 15 N. 18. E. 51.
	Walnut 30. S. 10. W. 16.
	Township Line.

East.	Bet. T. 16 & 17. R. 2. E. on South. Side Sec. 31.
12.00	a beech 30. lks. South
15,20	a Sycamore 4 incs. diam
40.00	Cor. Sec. Cor. Beech 4. S. 56. W. 14. Sug. 4. N. 38. E. 14.
40.30	Poplar. 18 incs. diam.
80.00	Set. P. Cor. to Secs. 31 & 32. Beech 12. N. 55. E. 33. Hickory 15. S. 25. W. 10.
	Land level. Beech. Oak. Undgth. Spice
East	On the South Side of Sec. 32.
10.00	W. Oak 18 incs. diam
40.00	Cor. Sec. Cor. Sug. 4. S. 83. W. 19. Beech 4. N. 62. E. 12.
52.00	an Ash. 20 incs. diam.
80.00	Set. P. Cor. of Secs. 32 & 33. Beech 12. S. 45. E. 3. " 8. N. 26. W. 18.
	Land & Timber same good soil 2d rate

East	On the S. Side of Sec. 33.
17.45	a Sugar 20 inches diam.
40.00	Qtr. Sec. Cor. Sug. 18. N. 72. W. 2 L.
	" 18. S. 23. E. 30
42.70	a Creek 100. lks South.
62.59	a Sycamore 40 inches diam.
80.00	Set. P. Cor. to Secs. 33 & 34.
	Buckeye 8. S. 35. W. 13.
	Walnut 15. N. 19. W. 8.
	Land level & rich. Walnut. Sug. & c
East	On the S. Side of Sec 34.
11.00	a Beech 12 inches diam.
40.00	Qtr. Sec. Cor. Beech 13. N. 10. W. 10
	Sug. 6. S. 26. W. 33.
44.00	a. W. Oak 30 inches diam.
80.00	Set. P. Cor. of Secs. 34 & 35.
	Elm 18. S. 44. W. 16.
	" 15. N. 60. E. 27.
	Land rich. Walnut Sugar &c.
East	On the S. Side of Sec. 35.

T. No. 14. N. R. No. 2 E. 2nd Mer. Ind. 97.

14.80	a W. Oak 60 inches diam.
40.00	Qtr. Sec. Cor. Sug. 8. S. 45. W. 15.
	" 9. N. 59. E. 11
58.40	a Walnut 24 inches diam.
80.00	Set. P. Cor. of Secs. 35 & 36.
	Beech 14. S. 23. W. 19.
	Sug. 10. N. 33. E. 19.
	Good For. Land. Oak. Sug. Undgth. Spice.
East	On the S. Side of Sec. 36.
26.00	a Beech. 14 inches diam.
40.00	Qtr. Sec. Cor. Oak 16. N. 47. W. 15.
	Sug. 10. S. 43. E. 28.
53.20	a Brook 10 lks. S. E.
64.00	a Creek 30 lks. South
80.00	Set. P. Cor. of Secs. 31 & 36 Ranges 2 & 3 E. T. 14. N.
	Beech 14. N. 62. E. 24.
	" 12. S. 47. E. 22.
	Land & Timber as above
	Surveyed by.
	John McDonald D. S.

	Subdivisions.
North	Bet. Secs. 35 & 36.
25.08	a Sugar 18 ins. diam
40.00	Atr. Sec. Cor. Elm 12. N. 41. E 41.
	Beech 10. S. 16. W. 23.
75.21	a Hickory, 12 ins. diam.
80.00	Set. P. Cor. to Secs. 25. 26. 35 & 36.
	Ash 14. N. 28. W. 14.
	Beech 6. S. 61. E. 40.
	Land 2d. rate Beech Oak Hick. & c.
East	Bet. Secs. 25 & 36 on Random
40.00	Tem. Atr. Sec. Post.
80.75	Intd. E. Line 35 lks. N. of Post.
West.	Corrected.
40.34½	Atr. Sec. Cor. Hornbeam 10. N. 60. E. 18.
	" 3. S. 30. W. 17.
80.45	Sec. Cor. Land level 2d. r. - Oak Ash & c
North	Bet. Secs. 25 & 26.
11.45	a B. Oak 30 ins. diam.

40.00	Atr. Sec. Cor. Ironwood 8. N. 61. W. 5.
	Buckeye 6. S. 4. W. 21
54.31	a Beech 24 ins. diam.
80.00	Set. P. Cor. of Secs. 23. 24. 25 & 26.
	Beech 16. N. 43. W. 20.
	" 24. S. 80. E. 44.
	Land 2d. r. Beech. Oak. Sug. Hick.
East.	Bet. Secs. 24 & 25 on Random.
40.00	Tem. Qr. Sec. Post.
68.40	a Stream 5 lks. S. E.
80.90	Intd. E. Line 30 lks. N. of. Post.
West.	Corrected
40.45	Atr. Sec. Cor. Ash. 4. S. 19. W. 14.
	Beech. 4. N. 70. E. 15.
80.90.	Sec. Cor. Land & Timber Same.
North	Bet: Secs. 23. & 24.
8.50	a Poplar 36 ins. dia.
40.00	Atr. Sec. Cor. Beech. 16. S. 60. E. 9 lks
	Ash 18. S. 85. W. 31.

100. T. No. 14. N. R. No. 2. E. 2d Mer. Bnd.

53.50.	a B. Walnut 18 inches dia.
80.00	Set. P. Cor. of Secs. 13. 14. 23. & 24.
	W. Oak 10. N. 40. E. 18.
	Hickory 12. N. 52. W. 11.
	Land 2d rate. Timber as before.
East	Bet. Secs. 13 & 24 on Random.
40.00	Tem. Atr. Sec. Post.
80.95.	Intd. E. Line 5 lks. S. of Post.
West.	Corrected.
40.47½	Atr. Sec. Cor. Beech 8. N. 39. E. 18.
	S. 17. W. 22.
80.95.	Sec. Cor. Land level 2d r. - Timb as before
North	Bet. Secs. 13 & 14.
13.26.	a Beech 14 inches diam.
40.00	Atr. Sec. Cor. B. Wal. 20. N. 69. W. 27.
	Sug. 20. S. 69. E. 11.
58.40	a Beech 14 inches diam.
80.00	Set. P. Cor. to Secs. 11. 12. 13. & 14.
	Beech. 12. N. 66. E. 25

T. No. 17. N. R. No. 2. E. 2nd. Mer. Bnd. 101.

	Clm 12. S. 56. W. 10.
	Land and Timber same June 20th 1821.
East	Bet: Secs. 12 & 13 on Random.
40.00	Tem. Qtr. Sec. Post.
81.00	Intd. E. Line 5 lks S. of P.
West.	Corrected.
40.50	Qtr Sec. Cor. Ash 12. S. 50. W. 22.
	" 14. N. 84. E. 25.
81.00	Sec. Cor. Land level and 2d. rate.
North	Bet: Secs. 34 & 35.
23.08	a Beech 12 ins. diam.
40.00	Qtr. Sec. Cor. Beech 10. N. 28. W. 16.
	" 12. S. 14. E. 12.
65.70	a Sugar 12 ins. diam.
80.00	Set. P. Cor. of Secs. 26. 27. 34 & 35.
	Beech 14. N. 39. W. 25.
	" 18. S. 80. E. 28.
	Land 2d. rate. Beech. Oak etc.

East	Bet. Secs. 26 & 35 on Random
40.00	Tem. Qtr. Sec. Post.
80.60.	Intd. Line 90. lks S. of Post.
West.	Corrected.
40.30.	Qtr. Sec. Cor. Ash 18. S. 1. W. 28.
	Beech 10. N. 9. E. 22.
80.60.	Sec. Cor. Land 2nd rate.
North	Bet. Secs. 26 & 27.
14.00	a Stream 10 lks. S. W.
30.10	a Sugar 10 incs. diam.
40.00	Qtr. Sec. Cor. Beech 15. N. 28. W. 10.
	" 12. S. 31. E. 26.
51.90	an Elm 36 incs. diam.
80.00	Set. P. Cor. of Secs. 22. 23. 26 & 27.
	Beech 12. N. 27. W. 22 lks.
	Sug. 8. S. 28. E. 32.
	Land 2d rate Beech. Oak & c.
East.	Bet: Secs. 23. & 26 on Random.
40.00	Tem. Qtr. Sec. Post.

T. No. 14. N. R. No. 2. E. 2d Mer. Ind 103.

80.60.	Intd. E. L. at Post.
West	Corrected.
40.30	Atr. Sec. Cor. Poplar 30. N. 35. W. 24. Beech. 12. S. 35. E. 9.
80.60	Sec. Cor. Land 2d rate. Beech & c.
North	Bet. Secs. 22 & 23. June 29th 1821.
5.50	a Stream 5. lks. S. W.
14.00	a Hickory 14 ins. diam.
40.00	Atr. Sec. Cor. Beech 8. N. 64. E. 5. Hickory 18. S. 26. W. 24.
49.26	An Ash 12 ins. diam.
80.00	Set. P. Cor. to Secs. 14. 15. 22 & 23. Buckeye 10. N. 67. E. 25 Sugar 20. S. 42. W. 25. Land level. 2d rate.
East.	Bet. Secs. 14 & 23 on Random
40.00	Tem. Atr. Sec. Post.
80.25	Intd. E. line 8 lks N. of Post.

West.	Corrected.
40.12½.	Qtr. Sec. Cor. Beech 12. N. 68. W. 28.
	10. S. 36. E. 10.
80.25.	Sec. Cor. Land 2d rate.
North.	Bet. Secs. 14 & 15.
12.61.	a Beech 30 ins. diam.
34.50	Eagle creek. 50 lks. S. W.
40.00	Qtr. Sec. Cor. Willow 10. S. 1. E. 28.
	3. N. 1. E. 16.
43.00	Same stream S. E.
60.00	Same stream S. W.
68.50	Same stream S. E.
80.00	Set. P. Cor. of Secs. 10. 11. 14. & 15.
	Elm. 10. N. 25. E. 5.
	Hackberry 8. S. 24. W. 9.
	Land 1st rate. Beech. Sug. & c
East.	Bet. Secs. 11 & 14 on Random.
40.00	Tem. Qtr. Sec. Post.
80.50	Int. E. L. 10 lks. South of Post.

T No. 17. N. R. No. 2. E. 2nd Mer. Ind 149 105.

West.	Corrected.
40.25	Qtr. Sec. Cor. Beech 12. N. 30. W. 15.
	Lynn 10. S. 27. E. 21.
80.50.	Sec. Cor. Land 2nd Rate -
North.	Bet: Secs. 33 X 34.
6.95	a Beech 12 incs. diam.
40.00	qtr. Sec. Cor. & Crossed Eagle Creek S. W.
	Sycomore 12. S. 10. W. 36.
	Cotton wood 18. S. 46. E. 13.
51.00	Same Stream S. E.
72.60	a Stream 10. lks West.
73.00	an Elm 20 incs. diam.
80.00	Set. P. Cor. to Secs. 27. 28. 33 X 34.
	Sugar 18. N. 75. E. 13.
	" 20. S. 22. E. 14.
	Last half mile land 1st rate.
East	Bet: Secs. 27 & 34 on Random.
34.50.	a stream 10. lks S. W.
40.00	Tem. Qtr. Sec. Post.
80.80.	Intd. E. Line 30 lks. S. of Post.

West.	Corrected.
40.40.	Qtr. Sec. Cor. Sug. 14. S. 23. E. 2¼.
	" 10. N. 1¼. W. 1¼.
80.80.	Sec. Cor. Land 1st rate.
North.	Bet: Secs. 24 & 28.
15.60.	a Beech 12 ins. diam.
40.00	Qtr. Sec. Cor. Beech 12. N. 16. E. 13.
	" 20. S. 40. E. 10.
59.20.	a Sycamore 24 ins. diam.
61.00	Eagle Creek. S. W.
80.00.	Set. P. Cor. to Secs. 21. 22. 27 & 28.
	Buckeye 4. N. 16. E. 10.
	" 8. S. 19. E. 22.
	Land 1st Rate –
East.	Bet: Secs. 22 & 27. on Random
26.50	a stream 50 lks. South.
40.00	Tem. Qtr. Sec. Post.
80.81.	Intd. E. Line 32. lks. N. of Post.
West.	Corrected. Bet: Secs. 22 & 27.

40.40½	Qtr. Sec. Cor. Buckeye 10. N. 39. E. 15.
	Hackberry 4. S. 15.
80.81.	Sec. Cor. Land 1st rate.
North.	Bet. Secs. 21 & 22.
10.55	a Beech. 10 ins. diam.
40.00	Qtr. Sec. Cor. Lynn 4. S. 83. W. 90.
	Hickory 4. S. 73. E. 20.
51.95.	a W. Oak 36 ins. diam.
60.00	a Stream 5 lks. East.
80.00	Set. P. Cor. to Secs. 15. 16. 21 & 22.
	Ash 18. S. 39. E. 5.
	Buckeye 10. N. 52. W. 19.
	Description of Land & Timber omitted.
East.	Bet. Secs. 15 & 22 on Random.
40.00	Tem. Qtr. Sec. Post.
56.00	a Stream 50 lks. South.
80.80	Intd. E. Line 40 lks N. of Post.
West.	Corrected.
40.40.	Qtr. Sec. Cor. W. Wal. 20. N. 6. W. 35.
	Buckeye 4. S. 65. E. 5.

108. T. No. 14. N. R. No. 2. E 2nd Mer. Ind.

80.80.	Sec. Cor. Land 1st rate-
North	Bet. Secs. 15 & 16.
8.00	a Stream 5 lks. East.
19.45.	a. W. Oak 30. incs. diam.
40.00	Qtr. Sec. Cor. Beech 7. S. 1. E. 43.
	B. Oak 20. N. 7. W. 24.
50.90.	an Elm. 20 incs. diam.
51.00	a Stream 10 lks. S. E.
80.00	Set. P. Cor. of Secs. 9. 10. 15 & 16.
	Ironwood 8. N. 66. W. 8
	Buckeye 4. S. 50. E. 15.
	Land. 2d. rate. Hilly, & full of brush.
East.	Bet: Secs. 10 & 15 on Random.
46.50.	a Stream 5 lks. S. E
69.50.	a. Stream 50 " S.
81.00	Intd. E. Line 40 lks. North.
West.	Corrected.
40.50.	Qtr. Sec. Cor. Buckeye 10. N. 43.
	Poplar 30. S. 35. W. 6.

81.00	Sec. Cor. Land 2d. rate -
North.	Bet. Secs. 32 & 33.
7.00.	an Ash. 24 ins. diam.
31.50.	a Stream. 5 lks. South.
40.00	Qtr. Sec. Cor. Beech 14. S.43. E.28.
	Hickory 12. N.30. E.18.
61.50	a W. Oak 24 ins. diam.
80.00	Set. P. Cor. to Secs. 28.29.32 & 33.
	a Sugar 10. N.85. W.4.
	" " 16. E.17.
	Land Hilly 2d. rate - Ash. Oak. Sug. &c.
East.	Bet: Secs. 28 & 33 on Random.
40.00	Tem. Qtr. Sec. Post.
43.50	a Stream 50 lks South.
80.50.	Intd. E. line 35 lks. N. of Post.
West.	Corrected.
40.00	Qtr. Sec. Cor. Buckeye 14. N.74 E.20.
	Sugar 12. N.65. W.29.
	Land 1st half 1st rate. last half 2d. rate

112. T. No. 17. N. R. No. 2. E. 2d Mer. Ind.

North.	Bet. Secs. 28 & 29.
20.50.	a Stream 15 lks East.
24.40.	a W. Oak. 30 ins. diam.
40.00	Qtr. Sec. Cor. Buckeye 5. S. 4. W. 18.
	Ash. 18. N. 23. W. 30
65.22	a Beech 12 ins. diam.
80.00	Set. Post. Cor. to Secs. 20. 21. 28 & 29.
	Beech. 12. N. 51. E. 14.
	W. Oak 14. S. 60. W. 24.
	Land Hilly, 2d rate - Oak. Beech &c
East.	Bet: Secs. 21 & 28 on Random.
40.00	Tem. Qtr. Sec. Post.
41.00	a stream 5 lks. S. E.
52.50.	a stream 10 lks. N. W.
80.00	Intd. E. Line 20 lks S. of. Post.
West.	Corrected.
40.00	Qtr. Sec. Cor. B. Wal. 30. S. 62. E. 22
	Buckeye 6. N. 24. W. 25.
80.00	Sec. Cor. Land. Hilly, 2d rate -

T. No. 17. N. R. No. 2. E. 2d. Mer. Ind. 113.

North.	Bet. Secs. 20 & 21.
20.10.	a W. Oak 20 ~~inches diam.~~
25.00	a Stream 15 lks S. W.
35.00	same Stream S. E.
40.00	Qtr. Sec. Cor. Ash. 10. S. 9. E. 41.
	B. Wal. 4. N. 11. E. 49.
68.50.	Same stream S. W.
80.00	Set. P. Cor. of Secs. 16. 17. 20 & 21.
	Ash. 10. N. 34. E. 15.
	Hickory 4. S. 5. E. 10.
	L. very hilly & brushy. 2d. r. Oak. Beech &c.
East.	Bet: Secs. 16 & 21 on Random
11.00	a Stream 15 lks South
40.00	Tem. Qtr. Sec. Post.
79.80	Intd. E. line 45 lks. South of Post.
West.	Corrected. Bet: Secs. 16 & 21.
39.90	Qtr. Sec. Cor. Sug. 10. S. 6. E. 8.
	B. Oak. 30. N. 16. W. 9.
79.80.	Sec. Cor. L. Hilly 2d. rate Beech. Oak &c

114. T. No. 17. N. R. No. 2. E. 2d. Mer. Ind.

North.	Bet. Secs. 16 & 17.
4.00	a Stream 15 lks. S. E.
17.00	a Sugar 14 ins. diam.
40.00	Qtr. Sec. Cor. Ironwood 4. S. 49. W. 3.
	Dogwood 4. N. 10. E. 5.
62.34.	a. W. Oak 24 ins. diam.
80.00	Set. P. Cor. to Secs. 8. 9. 16. & 17.
	Beech. 8. N. 83. E. 4.
	" 12. N. 80. W. 28
	Land very broken 2d R. July 3d, 1821.
East	Bet. Secs. 9 & 16 on Random
40.00	Tem. Qtr. Sec. Post.
51.50.	a Stream 5 lks. S. E.
80.00	Intd. E. Line 25 lks N. of Post.
West.	Corrected.
40.00	Qtr. Sec. Cor. Beech 10. S. 20. E. 20.
	Sugar 8. N. 3. W. 35.
80.00	Sec. Cor. Land 2d. rate -
North	Bet: Secs. 31 & 32.

T. No. 17. N. R. No. 2. E. 2d. Mer. Ind. 115.

15.45	an Elm 30 inches diam.
40.00	Qtr. Sec. Cor. Ironwood 8. N. 4. W. 21.
	" 8. S. 16. W. 19.
60.70	a Hickory 14 inches diam.
80.00	Sec. P. Cor. of Secs. 29. 30. 31 & 32.
	Ash 6. N. ½. E. 15.
	Elm 12. S. 62. W. 1½.
	L. level. 2d. rate. Beech. Elm. Hick. &c.
East	Bet: Secs. 29 & 32 on Random
40.00	Tem. Qtr. Sec. Post.
80.50.	Intd. E. Line 66 lks. N. of Post.
West	Corrected.
40.25	Qtr. Sec. Cor. Beech 10. N. ¾. W. 36:
	" 12. S. 7. E. ¾.
80.50.	Sec. Cor. L. 2d. rate. Beech. Oak. Hick. &c.
North	Bet: Secs. 29 & 30.
20.52	a W. Oak 36 inches diam.
40.00	Qtr. Sec. Cor. Buckeye 6. N. 9. E. ¾.
	Hornbeam 6. S. 8. E. 2½.

40.00	a Hickory 24 inches diam.
80.00	Set. P. Cor. to Secs. 19. 20. 29 & 30.
	W. Oak 20. N. 25.
	Beech 8. S. 16. W. 10.
	Land 2d. rate. July 4th 1821.
East.	Bet. Secs. 20 & 29 on Random
40.00	Tem. Qtr. Sec. Post.
74.00	a Stream 25 lks South.
80.50	Intd. E. Line 4. lks South of Post.
West.	Corrected.
40.25.	Qtr. Sec. Cor. Beech 14. N. 38. W. 10.
	Sugar. 12. S. 21. E. 29.
80.50	Sec. Cor. L. very hilly, 2d. rate-
North	Bet. Secs. 19 & 20.
14.50.	a. W. Oak 20 inches diam.
40.00	Qtr. Sec. Cor. Elm 14. N. 29. W. 3.
	Ash. 4. S. 40. E. 26
74.90	a. W. Oak 14 inches diam.
80.00	Set. P. Cor. to Secs. 14. 18. 19. & 20.

T. No. 17. N. R. No. 2. E. 2d. Mer. Ind. 11th.

	Hickory 10. S. 82. W. 11.
	" 4. S. 74. E. 5.
	L. flat & very brushy 2nd rate.
East	Bet: Secs. 1 & 20 on Random
40.00	Tem. Qtr. Sec. Post.
80.25.	Intd. E. Line 20 lks. N. of Post.
West	Corrected.
40.12½	Qtr. Sec. Cor B. Oak 24. S. 22. E. 49.
	Beech. 16. N. 22. W. 4.
80.25.	Sec. Cor. Land very hilly.
North	Bet: Secs. 1 & 18.
34.50	a Sycamore 36 ins. diam.
40.00	Qtr. Sec. Cor. Elm 12. N. 21. W. 22.
	Ironwood 6. S. 30. W. 8.
60.35	a W. Oak 40 ins. diam.
80.00	Set. P. Cor. to Secs. 7. 8. 17. & 18.
	Buckeye. 4. N. 46. E. 17.
	Sugar 12. S. 10. E. 25.
	Land level & 2d. rate.

118. T. No. 14. N. R. No. 2. E. 2d. Mer. Ind.

East.	Betn. Secs. 8 & 17. on Random
25.50	a Stream 25 lks South.
40.00	Tem. Qtr. Sec. Post.
80.10.	Intd. E. Line 20 lks N. of Post
West	Corrected.
40.05	Qtr. Sec. Cor. Beech 14. S. 5. W. 18.
	" 20. N. 39. E. 42
80.10	Sec. Cor.
	Land 2d. rate Beech. Oak – Hickory & Ash. July 8th 1821
	Surveyed by John McDonald. Deptg. Surv.