Descriptive Notes of T.17.N._R.3.E. 2nd.Mer.

Exterior Section Corners.

Posts	Bearing Trees	inches diam.	Course they Bear.	Links dist.
I.	Hickory	10	S 3° W	16
	Do.	13	N 46 W	29
i.	Cherry	16	N 34 W	25
	Buckeye	14	N 14 E	6
K.	Ash	8	S 37 E	5
	Elm	18	N 50 W	17
k.	Beech	12	S 58 W	15
	Sugar	14	N 49 E	22
L.	Oak	48	S 76 W	25
	Hackberry	14	N 83 E	39
l.	Sugar	13	S 20 E	27
	Do.	7	N 40 W	20
M.	Beech	10	S 16 E	11
	Elm	12	N 10 W	10
m.	Beech	7	S 57 E	30
	Do.	12	N 51 W	26
N.	Buckeye	14	S 87 E	14
	Do.	7	N 80 E	10
n.	Sugar	19	S 66 E	18
	Elm	—	S 80 W	20
O.	Elm	12	S 89 W	16
	Hickory	30	S 41 E	14
o.	Buckeye	8	S 75 W	17
	Walnut	30	N 13 E	10
P.	Beech	8	S 6 W	36
	Do.	7	S 85 E	20
p.	Buckeye	8	S 71 W	22
	Sugar	14	N 75 E	30
Q.	Beech	26	West	44
	Do.	12	S 54 E	4
q.	Hickory	7	S 25 W	27
	Beech	12	S 41 E	5
R.	Sugar	13	S 61 W	6
	Do.	13	S 85 E	29
r.	Ash	14	N 33 W	22
	Elm	20	N 65 E	13
S.	Hornbeam	6	N 57 E	4
	Buckeye	7	S 27 E	30
s.	Beech	6	S 62 E	13
	Do.	6	N 7 E	3
T.	Beech	14	N 62 E	27
	Do.	12	S 47 E	22
U.	Beech	14	N 6 E	5
	Do.	10	S 49 E	15
V.	Beech	10	S 83 E	17
	Do.	14	N 36 W	14
W.	Hornbeam	6	N 22 E	21
	Hickory	12	S 21 W	12
X.	Ash	10	N 65 W	14
	Do.	30	S 63 E.	48

Interior Section Corners.

Section Corners.	Bearing Trees	inches diam.	Course they Bear.	Links dist.
11.17.13.14	Ironwood	7	S 38 E	18
	Beech	12	S 83 W	11
10.11.14.15	W. Oak	18	N 75 E	22
	Do.	20	S 29 W.	25
9.10.15.16	W. Oak	14	N 78 E	44
	Hickory	12	S 48 W	20
8.9.16.17	Sugar	18	N 19 E	28
	Ash	20	N 26 W	21
7.8.17.18	Beech	14	N 14 W	44
	Do.	12	S 62 E	10
17.18.19.20	Beech	16	N 17 W	32
	Do.	14	S 12 E	28
16.17.20.21	Beech	12	N 63 E	15
	Hickory	10	N 82 W	25
15.16.21.22	Hickory	8	North	14
	Ash	5	N 24 W	22
14.15.22.23	Walnut	24	N 59 E	9
	Do.	20	S 48 W	10
13.14.23.24	Hickory	14	N 32 W	13
	Beech	18	S 9 W	36
23.24.25.26	Beech	12	N 22 E	3
	Do.	14	N 45 W	13
22.23.26.27	Hickory	12	N 17 W	22
	Beech	10	S 12 W	11
21.22.27.28	Hickory	10	S 60 E	10
	Buckeye	7	S 39 W	16
20.21.28.29	Beech	24	N 78 W	14
	Lynn	18	N 76 E	25
19.20.29.30	Beech	10	N 88 W	8
	W. Oak	20	S 3 E	17
29.30.31.32	Ironwood	6	N 68 E	17
	Elm	12	S 65 W	17
28.29.32.33	Ash	12	N 46 E	7
	Beech	8	S 59 W	11
27.28.33.34	Beech	10	N 35 E	26
	Dogwood	3	N 68 E	5
26.27.34.35	Beech	18	S 68 E	7
	Do.	12	S 58 W	37
25.26.35.36	B. Walnut	16	N 70 W	8
	Do.	16	East	27

Quarter Section Corners.

Between Sections	Bearing Trees	inches diam.	Course they Bear.	Links dist.
I to X at 1.	Beech	14	N 31 W	3
	Do.	12	N 79 E	21
" " " " 2.	Beech	7	S 60 W	18
	Do.	8	N 37 W	20
" " " " 3.	Beech	20	S 75 W	15
	Buckeye	4	S 38 E	17
" " " " 4.	Poplar	26	S 68 E	1
	W. Oak	14	S 86 W	17
" " " " 5.	B. Walnut	18	N 68 W	18
	Ash	18	S 4 E	10
" " " " 6.	Beech	10	N 67 W	14
	Poplar	20	S 43 E	10
K to W at 1.	Beech	14	S 58 W	11
	Hickory	12	S 58 E	17
" " " " 2.	Ash	10	N 84 E	26
	Elm	20	S 72 E.	7
" " " " 3.	Elm	11	N 41 E	11
	Do.	14	S 13 E	16
" " " " 4.	Ash	20	N 13 W	27
	Hickory	18	S 47 E.	25
" " " " 5.	Ironwood	5	S 40 W	11
	Beech	14	N 40 E	14
" " " " 6.	Poplar	24	S 48 W.	13
	Sugar	12	S 61 E	13
L to V at 1.	Hickory	12	N 89 E	30
	Sugar	20	N 60 W	35
" " " " 2.	B. Walnut	20	N 33 W	12
	Sugar	14	N 16 E	10
" " " " 3.	Sugar	20	N 36 W	13
	Beech	10	N 43 E	36
" " " " 4.	Beech	18	S 44 W	23
	Ash	14	S 76 E	11
" " " " 5.	Hickory	12	S 35 W	12
	Beech	14	N 37 E	24
" " " " 6.	Ash	14	S 30 W	14
	Elm	18	N 2 E	35

Quarter Section Corners.

Between Sections	Bearing Trees	inches diam.	Course they Bear.	Links dist.
M to U at 1.	Cherry	12	N 72° E	14
	Do.	12	N 87 W	22
" " " " 2.	Beech	10	N 76 W	29
	Do.	14	S 12 E	5
" " " " 3.	Poplar	24	S 54 E	5
	Beech	12	N 18 W.	10
" " " " 4.	Beech	5	S 13 E	8
	Do.	12	N 30 E	10
" " " " 5.	Beech	6	N 5 E	15
	Do.	12	S 35 E	27
" " " " 6.	Hickory	12	S 5 W	35
	Ash	6	N 27 E	13
O to F at 1.	Sugar	12	N 15 E	16
	Elm	30	S 69 E	25
" " " " 2.	Elm	12	N 60 E	27
	Buckeye	10	N 69 E	5
" " " " 3.	Ash	24	N 41 E	14
	Do.	12	East	26
" " " " 4.	Hickory	14	S 13 W	15
	Ash	—	N 88 W	14
P to E at 1.	Hickory	14	S 30 E	12
	Elm	30	S 80 W	26
" " " " 2.	Beech	10	N 19 E	6
	Poplar	16	N 81 W	3
" " " " 3.	Sugar	10	N 27 W	23
	Beech	18	South	20
" " " " 4.	Beech	8	N 9 W	11
	Ash	18	S 20 E.	6
Q to D at 1.	Sugar	12	N 39 E	11
	Buckeye	8	S 59 W	10
" " " " 2.	Beech	14	N 86 E	20
	Do.	16	N 81 W	27
" " " " 3.	Beech	4	S 72 W	9
	Do.	8	N 52 E	21
" " " " 4.	Beech	12	N 21 E	26
	Do.	16	S 88 W	23

Quarter Section Corners.

Between Sections	Bearing Trees	inches diam.	Course they Bear.	Links dist.
R to C at 1.	Beech	14	S 20 E	26
	Do.	12	N 82 E	25
" " " " 2.	Ash	18	N 20 E	15
	Beech	10	S 85 W	14
" " " " 3.	Beech	12	S 75 W	32
	Hickory	12	S 76 E	18
" " " " 4.	Beech	14	N 55 W	30
	Sugar	8	S 2 W	11
S to B at 1.	Ash	20	N 9 E	21
	Beech	18	S 21 W	31
" " " " 2.	Buckeye	10	S 60 W	9
	B. Walnut	16	S 18 E	17
" " " " 3.	Beech	12	N 26 E	21
	Do.	12	S 6 W	26
" " " " 4.	Beech	14	N 79 W	10
	Do.	12	S 56 E	7

Meander Posts on White River

N. 1.	Ash	30	N 76 E	5
	Do.	12	S 86 W	4
" 2.	Oak	18	S 38 E	7
	Red Bud	7	N 72 W	7
" 3.	White Thorn	4	North	7
	Hackberry	24	S 52 W	15
" 4.	Locust	20	S 25 E	28
	Sugar	20	N 31 W	15
" 5.	Buckeye	4	S 5 E	21
	Box Elder	3	North	2
" 6.	Locust	20	N 8 E	8
	W. Oak	24	S 1 E	13
" 7.	Elm	20	S 88 W	21
	Buckeye	8	N — E	3
" 8.	Hackberry	7	S 70° W	6
	Do.	4	S 40° E	5

From I to X the 7 Section, and 6 Quarter Section Corners are on the County Line.

3,12

Township No. 17 North, Range No. 3 East 2nd. Mer.



Meanders of								
Posts	Courses	Chs. Lks.	Posts	Courses	Chs. Lks.	Posts	Courses	Chs. Lks.

Total number of Acres.

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys M. Chs. Lks.	When Surveyed	When pd. for and chd. in the Sur. Gen.ls acct.
Township lines					
Subdivisions	Wm. B. Laughlin			1820	

The above Map of Township No. 17 North, of Range No. 3 East of the 2nd Principal Meridian Indiana, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office, Edward Tiffin Sur. Genl.

1,110

T. No. 14. N. R. 3. E. 2nd. Mer. Ind. 233.



The measures of River are found in field-book No. 2. pages 265 to 272

T. No. 17. N. R. No. 3. 2nd. Mer. Ind. 235.

chs. lks.	(Fractional.)
	Range-Line Var. 5°.50' E.
North.	Bet: Ranges. 3 & 4. E. T. 17. N.
	On the East Side of Sec. 36.
11.08	an Elm. 36 in's diam.
40.00	Qtr. Sec. Cor. Beech. 7. S. 57. E. 30.
	" 12. N. 51. W. 26.
48.50.	a Brook 10 lks. West.
53.00	a Sugar 20 in's diam.
80.00	Set. Post. Cor. of Sec's 25 & 36.
	Beech. 10. S. 16. E. 11
	Elm. 12. N. 10. W. 10.
	Land rich. Ash. Sug. Wal. Buckeye &c.
North.	On the E. Side of Sec. 25.
20.72.	an Elm. 20 in's diam.
40.00	Qtr. Sec. Cor. Beech. 14. Cornertree
	Sugar. 13. S. 20. E. 27.
	7. N. 40. W. 20.
52.49.	Int'd River Elm. 20. S. 88. W. 21.
	Buckeye 8. N. — E. 3.
56.41.	Set. Post on N. Bank of River.

236 T. No. 17. N. R. No. 3. E. 2d Mer. Ind.

	Hackberry 4. S. 70. W. 6
	" 4. S. 40. E. 5.
80.00	Set. P. Cor. to Sec's 24 & 25.
	Oak 48. S. 46. W. 25.
	Hackberry 14. N. 83. E. 39.
	Land & Timber as before.
North.	On the East Side of Sec. 24.
40.00	Qtr. Sec. Cor. Beech 12. S. 58. W. 15.
	Sugar. 14. N. 49. E. 22
62.94.	an Ash. 18 in's diam.
80.00	Set. P. Cor. to Sec's 13 & 24 from
	which Ash. 8. S. 37. E. 53.
	Elm 18. N. 50. W. 17.
	Land & Timber as before.
North	On the East. Side of Sec. 13.
18.29.	a Hackberry 18 in's diam.
40.00	Qtr. Sec. Cor. Cherry 16. S. 34. W. 25.
	Buckeye 14. N. 14. E. 6
62.22	a Walnut 18 in's diam.
80.00	Set. P. Cor. to Sec's 12 & 13.

T. No. 14. N. R. No. 3. E. 2nd Mer. Ind. 234.

	Hickory 10. S. 3. W. 16
	Hickory 13. N. 46. W. 29.
	Land Rich. Ash. Sug. Wal. Beech & c.
	Township. Line.
East	Bet: Sec's 16 & 17. N. R. 3. E. on
	the South Side of Sec. 31.
40.00	Qtr. Sec. Cor. Beech 6. S. 62. E. 13.
	" 6. N. 4. E. 3.
64.00	a Buckeye 9 in's diam.
80.00	Set. P. Cor. to Sec's 31 & 32.
	Hornbeam 6. N. 57. E. 4.
	Buckeye 4. S. 27. E. 30.
	Good. Far. L. Oak. Sug. Lngth Spice
East.	On the South-Side of Sec. 32.
14.00	a Beech 12 in's diam.
40.00	Qtr. Sec. Cor. Ash. 14. S. 33. W. 22.
	Elm 20. N. 65. E. 13.
51.85	a Beech 14 in's diam.
80.00	Set. P. Cor. of Sec's 32 & 33.
	Sugar 13. S. 61. W. 6.

	Sug. 13. S. 85. E. 29.
	Land level. Beech. Oak. Sugar &c
East	On the South side of Sec. 33
16.11	a Beech. 12. in's diam.
40.00	Qtr. Sec. Cor. Hickory 7. N. 25. W. 24.
	Beech. 12. S. 41. E. 5
51.18	a W. Oak 20 in's diam.
80.00	Set. P. Cor. of Sec's 33 & 34.
	Land & Tim. as above. Beech 26. W. 44.
	12. S. 54. E. 4.
East.	On the South Side of Sec. 34.
4.50	a Creek 40 lks. S. W.
40.00	Qtr. Sec. Cor. Buckeye 8. S. 71. W. 22
	Sugar 14. N. 75. E. 30.
51.34.	a Beech. 24 in's diam.
80.00	Set. P. Cor. of Sec's 34 & 35.
	Beech. 8. S. 6. W. 36.
	Land 1st Rate. 7. S. 85. E. 20.
East	On the South-Side of Sec. 35.

No. 14. N. R. No. 3. E. 2nd M. Ind 241.

9.50.	Set. P. on the W. Bank of the River
	Oak 18. S.38. E.4.
	Red. Bud. 4. N.42. W.4.
23.50.	Set. P. on the E. bank of the River
	Ash. 30. N.46. E.5.
	" 12. S.86. W.4.
34.90.	an Ash. 20 in's diam.
0.00	Qtr. Sec. Post. Buckeye 8. S.45. W.14.
	Walnut. 30. N.13. E.10.
4.18.	a Sugar 20 in's diam.
10.00	Set. P. Cor. of Sec's 35 & 36.
	Rich Land Elm. 12. S.89. W.16.
	1st. Rate. Hickory 30. S.41. E.14.
East.	On the South-Side of Sec. 36.
24.24.	a Hackberry 20 in's diam.
40.00	Qtr. Sec. Cor. Sug. 19. S.66. E.18.
	Elm. — S.80. W.20
70.44.	an Oak. 30 in's diam.
80.00	Set. P. Cor. of T's. 16 & 17. N.R's 3 & 4.
	East. Sec's 1. 6. 31 & 36.
	Buckeye 14 S.87. E.14

242. T. No. 14. N. R. No. 3. E. 2d Mer. Ind.

Buckeye 7. N. 80. E. 10.
Land rich. 1st R. Ash. Hackbr. Sug.
Ung.th Spice. Surveyed by.
John Mc Donald D.S.

Subdivisions.

North	Bet. Sec's 35 & 36.
25.00	a Sug. 12 in's diam.
40.00	Qtr. Sec. Cor. Sug. 12. N. 19. E. 16.
	Elm. 30. S. 69. E. 25.
56.75	River Corner. W. Thorn. 4. N. 4.
	Hackby. 24. S. 52. W. 15.
62.50	Riv. opp. Locust 20. S. 25. E. 28.
	Sugar 20. N. 31. W. 5.
80.00	Set. P. Cor. of Sec's 25. 26. 35 & 36.
	B. Walnut 16. N. 40. W. 8.
	16. East 24.
	L. 2d R. Sug. Beech. Elm. &c.
East.	Bet. Sec's 25 & 36. on Random.
13.75	a Stream 25 lks. N. W.
40.00	Temp. Qtr. Sec. Cor.

T. No. 14. N. R. No. 3. E. 2'd M. Ind. 243.

47.64.	The River post. Buckeye 4. S. 5. E. 21.
	Box Elder 3. North 2.
51.60.	Riv. opp. Locust 20. N. 8. E. 8.
	W. Oak 14. S. 1 E. 13:
80.00	Int'd E. Line at Post.
W. Correc. 40.00.	Qtr. P. Cherry 12. N. 72. E. 14. Land 1st R.
80.00	Sec. Cor. " 12. N. 87. W. 22. Beech. Sug. Ash. Oak
North.	Bet: Sec's 25 & 26.
18.60.	a Beech. 24 in's diam.
40.00	Qtr. Sec. Cor. Elm 12. N. 60. E. 27.
	Buckeye 10. N. 69. E. 5.
57.50.	Scrub. grass. Creek. 25 lks. S. E.
74.82.	a Beech. 14 in's diam.
80.00	Set. P. Cor. to Sec's 23. 24. 25 & 26.
	Beech. 12. N. 22. E. 3.
	" 14. N. 45. W. 13.
	L. 2'd R. Beech. Oak. Hick Elm & e.
East.	Bet. Sec's 24 & 25 on Random.
40.00	Temp. Qtr. Sec. Post.
80.00	Int'd E. Line 84 lks N. of Post.
West.	Corrected.

40.00	Qtr. Sec. Cor. Hackberry 12. N. 89. E. 30. Sugar 20. S. 60. W. 35.
80.00	Sec. Cor. L. 1st R. Sug. Hack. Oak. Hick.
North.	Bet: Secs 23 & 24.
4.53.	an Ash 24 ins diam.
34.00	a stream 10 lks S. E.
40.00	Qtr. Sec. Cor. Ash. 20. N. 41. E. 14. " 12. East. 26.
63.50.	a Beech 18 ins diam.
80.00	Sec. P. Cor. to Secs 13. 14. 23. & 24. Hick. 14. N. 32. W. 13. Land Cor. 2d Rat. Beech. 18. S. 9. W. 56. Beech. Oak. Hickory (June 19th)
East.	Bet: Secs 13 & 24 on Random.
40.00	temp. Qtr. Sec. Post.
55.40	a stream 5 lks. South.
79.95	Int'd E. Line 48 lks. N. of Post.
West.	Corrected.
39.97½	Qtr. Sec. Cor. Beech 14. S. 58. W. 11.

T. No. 14. N. R. No. 3. E. 2d Mer. Ind. 245.

	Hickory 12. S. 58. E. 14.
49.95	To. Sec. Cor. Land. 2nd. R. Beech. Oak. Hick. Sugar. Brush & Briars
North.	Bet. Secs 13 & 14.
31.80	an Ash. 30 in's diam.
40.00	Qtr. Sec. Cor. Hickory 14. S. 13. W. 15. Ash. — N. 58. W. 14.
45.48.	a Hickory 24 in's diam.
51.10	a stream 5 lks. S. E.
80.00	Set. P. Cor. to Secs 11. 12. 13. & 14. Ironwood 4. S. 38. E. 18. Beech. 12. S. 83. W. 11. L. 2d R. Beech. Oak. Hickory.
East.	Bet: Secs 12 & 13. on Random.
3.00	a stream 5 lks. S. E.
40.00	temp. Qtr. Sec. Post.
51.50	a stream 10 lks. S. E.
80.10	Int'd E. Line 25 lks N. of Post.
West.	Corrected

40.05	Qtr. Sec. Cor. Beech. 14. N. 31. W. 3.
	" 12. N. 49. E. 21.
80.10	Sec. Cor. Land 2d. R. Beech. Oak.
	Hickory. Ash. Level & Brushy.
North.	Bet: Sec's 34 & 35.
31.47.	a Beech 30 in's diam.
40.00	Q. Sec. Cor. Hickory 14. S. 30. E. 12.
	Elm. 30. S. 80. W. 26.
40.90.	a Sugar. 30 in's diam.
80.00	Set. P. Cor. of Sec's 26. 27. 34 & 35
	Beech 18. S. 68. E. 4.
	" 12. S. 58. W. 37.
	Land level 2d R. Oak. Beech. Hickory.
East.	Bet: Sec's 26 & 35 on Random.
40.00	Temp. Qtr. Sec. Post.
80.48	Int'd E. Line 60 lks S. of Post.
West.	Corrected.
40.37½	Qtr. Sec. Cor. Beech. 10. N. 46. W. 29.
	" 14. S. 12. E. 5.

T. No. 14. N. R. No. 3. E. 2d. M. Ind. 24.

80.78	Sec. Cor. Land same Beech. O. Elm &c.
North.	Bet: Secs 26 & 24.
5.00	a Beech 12 in's diam.
40.00	Qtr. Sec. Cor. Beech 10. N. 19. E. 6.
	Poplar. 16. N. 81. W. 3.
68.05.	an Ash 36 in's diam.
80.00	Set- P. Cor. to Secs 22. 23. 26 & 24.
	Hickory 12. N. 14. W. 22.
	Beech 10. S. 12. W. 11.
	L. 2d R. Beech. Oak & c.
East.	Bet: Secs 23 & 26 on Random.
25.00	a Stream 25 lks S. E.
32.50	Same Stream N. E.
40.00	Temp. Qtr. Sec. Post.
44.00	Same Stream S. E.
80.80	Int'd E. Line 22 lks. S. of Post.
West.	Corrected Bet: Secs 23 & 26.
40.40	Qtr. Sec. Cor. B. Wal. 20. N. 33. W. 12.
	Sug. 14. N. 16. E. 10

248. T. No. 14. N. R. No. 3. E. 2d M. Ind.

80.00	Sec. Cor. L. 2d R. Beech. Oak. Elm. Brush & Briars June 20. 1821.
North.	Bet. Secs 22 & 23
10.00	a Stream 25 lks. S. E.
35.00	an Elm 24 in's diam.
40.00	Qtr. Sec. Cor. Sug. 10 N. 24. W. 23. Beech. 18. South 20
56.40	a Beech. 18 in's diam.
80.00	Set. P. Cor. to Secs 14. 15. 22 & 23. Land 2d R. B. Wal. 24. N. 59. E. 9. Beech. Oak &c. " 20. S. 48. W. 10.
East.	Bet: Secs 14 & 23 on Random
40.00	Temp. Qtr. Sec. Post.
80.72	Int'd E. Line 5 lks. N. of Post.
West.	Corrected.
40.36	Qtr. Sec. Post. Ash. 10. N. 84. E. 26. Elm. 20. S. 42. E. 4.
80.72.	Sec. Cor. L. & Tim. as before. - Level.

T. No. 14. N. R. No. 3. E. 2d Mer. Ind. 249.

North.	Bet: Secs 14 & 15.
10.60	a B. Walnut 18 in's diam.
40.00	Qtr. Sec. Cor. Beech. 18. N. 9. W. 11.
	Ash. 18. S. 20. E. 6
80.00	Set. P. Cor. to Secs 10. 11. 14 & 15.
	Land good. W. Oak. 18. N. 45. E. 22
	" 20. S. 29. W. 25.
	Beech. Oak. Ash. Level & dry.
East.	Bet: Secs 11 & 14 on Random
40.00	Temp. Qtr. Sec. Post.
80.43	Int'd E. Line 25 lks. N. of P.
West.	Corrected.
40.36½	Qtr. Sec. Cor. Beech. 4. S. 60. W. 15.
	" 8. N. 34. W. 20.
80.43	Sec. Cor. Land 2d R. Beech. Elm & c.
North	Bet: Secs 33 & 34.
5.13	a Beech 18 in's diam.
29.50	a Stream 15 lks S. E.
40.00	Qtr. Sec. Cor. Dug. 12. N. 59. E. 11

250. T. No. 14. N. R. No. 3. E. 2d Mer. Ind.

	Buckeye. 8. S. 59. W. 10.
51.40.	a Beech. 14 in's diam.
80.00	Set. P. Cor. to Sec's 27. 28. 33. & 34.
	Beech. 10. N. 35. E. 26
	Dogwood 3. N. 68. E. 5.
	L. level 2d R. Beech. Oak. Ash. &c.
East.	Bet: Sec's 27. & 34 on Random
40.00	Temp. Qtr. Sec. Post.
79.45.	Intd E. Line 4 lks. N. of Post.
West.	Corrected -
39.42½	Qtr. Sec. Cor. Poplar 24. S. 54. E. 5.
	Beech. 12. N. 18. W. 10.
79.45.	Sec. Cor. Land 2d R. flat & brushy
North.	Bet: Sec's 27 & 28.
18.60.	an Ash. 14 in's diam.
40.00	Qtr-Sec. Cor. Beech. 14. N. 86. E. 20
	" 16. N. 81. W. 2½.
80.00	Set. P. Cor. to Sec's 21. 22. 27 & 28
	Hickory 10. S. 60. E. 10

NOTE: THE OFFSET AT THE NE CORNER OF 13-17-2 IS ACTUALLY 45 LINKS NOT 5 LINKS...

ALSO, THE SAID NE CORNER OF 13-17-2 LIES NORTH OF THE NW CORNER OF 18-17-3 NOT SOUTH OF THAT CORNER.

THESE CHANGES ARE AS PER FIELD EVIDENCE AND AS PER THE ORIGINAL "ATLAS OF MARION COUNTY INDIANA"

DATE _____ HOUR _____

TO _____

WHILE YOU WERE OUT

M _____

OF _____

PHONE _____
AREA CODE PHONE NUMBER

TELEPHONED		RETURNED CALL		LEFT PACKAGE	
PLEASE CALL		WAS IN		PLEASE SEE ME	
WILL CALL AGAIN		WILL RETURN		IMPORTANT	

MESSAGE _____

SIGNED _____

T. No. 14. N. R. No. 3. E. 2d. Mer. Ind. 251.

	Buckeye 4. S. 39. W. 16.
	Land level. 2d R. Beech. Oak & c.
East.	Bet: Secs 22 & 27 on Random
40.00	Temp. Qtr. Sec. Post.
79.50	Int'd E. Line 40 lks N. of P.
West.	Corrected.
39.75.	Qtr. Sec. Cor. Sugar. 20. N. 36. W. 16.
	Beech. 10. N. 43. E. 36
79.50	Sec. Cor. L. level 2d R. Beech. Oak. Hick & c
North.	Bet: Secs 21 & 22
13.85	a W. Oak. 48 in's diam.
40.00	Qtr. Sec. Cor. Beech. 4. S. 72. W. 9.
	8. N. 52. E. 21
52.85.	a. W. Oak 30 in's diam.
80.00	Set. P. Cor. to Secs 15. 16. 21 & 22.
	Land 2d R. Hickory. 8. North 10.
	Tim. as before. Ash. 18. N. 74. W. 22.
East.	Bet: Secs 15 & 22 on Random

252. T. No. 14. N. R. No. 3. E. 2d. Mer. In.

40.00	Temp. Qtr. Sec. Post.
32.00	a Stream 10 lks. S. E.
49.60	Int'd E. Line 41. lks. N. of P.
West.	Corrected. Bel: Sec's 15 & 22.
39.80	Qtr. Sec. Cor. Elm 12. N. 41. E. 11.
	" 14. S. 13. E. 16.
	Sec. Cor. Land 2d R. Beech. Oak. Elm &c
North.	Bel: Sec's 15 & 16.
9.50	a Buckeye 14 in's diam.
32.00	a Stream 5 lks. East.
40.00	Qtr. Sec. Cor. Beech 12. N. 21. E. 26.
	" 16. S. 88. W. 23.
48.50	a Beech 24 in's diam.
80.00	Set. P. Cor. to Sec's 9. 10. 15 & 16.
	L. 2d Rate. W. Oak. 14. N. 48. E. 44.
	Beech Oak. Hick &c. Hickory 12. S. 48. W. 20
East.	Bel: Sec's 10 & 15 on Random.
40.00	Temp. Qtr. Sec. P.
50.00	a Stream 10 lks. S. E.

T. No. 14. R. No. 3. E. 2d. Mer. Ind. 253.

49.80.	Int'd E. Line 34 lks S. of Post.
West.	Corrected.
39.90	Qtr. Sec. Cor. Beech 20. S.45. W.15.
	Buckeye 4. S.38. E.14.
49.80	Sec. Cor. L. level. Beech. Oak. with Brush &c
North.	Bet: Sec's 32 & 33.
8.36	a Sugar 12 in's diam.
40.00	Qtr. Sec. Cor. Beech 14. S.20. E.26.
	" 12. N.82. E.25.
80.00	Set P. Cor. to Sec's 28.29. 32 & 33.
	L. & O. same. with Hickory June 22d 1821. Ash. 12. N.46. E.4.
	Beech. 8. S.59. W.11
East.	Bet: Sec's 28 & 33 on Random
38.25	a Stream 20 lks. S. E.
40.00	Temp. Qtr. Sec. P.
80.30	Int'd E. Line 8 lks. S. of P.
West.	Corrected.
40.15	Qtr. Sec. Cor. Beech 5. S.13. E.8.

	Beech. 12. N. 40. E. 10.
80.30.	Sec. Cor. Land same as above.
North.	Bet: Sec's 28 & 29.
21.18.	a Beech. 24 in's diam.
24.00	a Stream 20 lks. S. E.
40.00	Qtr. Sec. Cor. Ash. 18. N. 20. E. 15.
	Beech. 10. S. 83. W. 14.
46.50.	a Sugar 14 in's diam.
80.00	Set. P. Cor. to Sec's 20. 21. 28 & 29.
	Beech. Oak. L. 2d Rate. Hickory. Elm. B. Oak. 24. N. 75. W. 14. Lynn 18. N. 76. E. 25.
East.	Bet: Sec's 21 & 28 on Random
40.00	Temp. Qtr. Sec. Cor.
80.10.	Int'd E. Line 12 lks. S. of Post.
West.	Corrected.
40.05	Qtr. Sec. Cor. Beech. 18. S. 44. W. 23.
	Ash. 14. S. 76. E. 11.
80.10	Sec. Cor. Land level 2'd Rate
	Beech. Oak & e.

T. No. 14. N. R. No. 3. E. 2nd. Mer. Ind. 255.

North.	Bet: Sec's 20. & 21.
9.40	an Ash. 24 in's diam:
40.00	Qtr. Sec. Cor. Beech. 12. S. 75. W. 32.
	Hickory, 12. S. 76. E. 18.
43.50	a B. Oak. 36 in's diam.
80.00	Set. P. Cor. to Sec's 16. 17. 20 & 21.
	Lands & Timber as before. Beech 12. N. 63. E. 15.
	Hickory, 10. N. 82. W. 25.
East.	Bet: Sec's 16 & 21 on Random.
40.00.	Temp. Qtr. Sec. Cor.
79.90.	Int'd E. Line at Post.
West	Corrected.
39.95	Qtr. Sec. Cor. Ash. 20. N. 13. W. 27.
	Hickory, 18. S. 47. E. 25.
49.90.	Sec. Cor. L. 2d R. Beech. Oak. Hick. Ash &c
North	Bet: Sec's 16 & 17.
21.50	a W. Oak 16 in's diam.
40.00	Qtr. Sec. Cor. Beech. 14. N. 55. W. 30.
	Sugar. 8 S. 2. W. 11.

256. T. No. 14. N. R. No. 3. E. 2d. M. Ind.

55.60.	an Ash. 14 in's diam.
80.00	Set. P. Cor. Sec's 8. 9. 16 & 17.
	L. 2d R. at: Sugar 18. N. 19. E. 28.
	Beech. Oak. Sug. &c. Ash. 20. N. 26. W. 21.
East.	Bet: Sec's 9 & 16 on Random
40.00	Temp. Qtr. Sec. Post.
80.00	Int'd E. Line 16 lks. S. of Post.
West.	Corrected.
40.00	Qtr. Sec. Cor. { Poplar 36. S. 65. E. 1 / W. Oak. 14. S. 86. W. 14.
80.00	Sec. Cor. L. 2d R. level Beech. Oak. &c.
North.	Bet: Sec's 31 & 32.
10.60.	a Sug. 16. in's diam.
40.00	Qtr. Sec. Cor. Ash. 20. N. 9. E. 21.
	Beech. 18. S. 21. W. 31.
58.85.	a Beech 14 in's diam.
68.50.	a Stream 10 lks. S. E.
80.00	Set. P. Cor. to Sec's 29. 30. 31. & 32.
	Land 2d R. at: Ironwood 6. N. 83. E. 15.
	Beech. Elm. Oak. &c. Elm. 12. S. 65. W. 14.

T. No. 14. N. R. No. 3. E. 2d Mer. Ind. 254.

East.	Bet: Sec's 29 & 32 on Random.
40.00.	Temp. Qtr. Sec. Post.
80.50	Int'd E. Line 43. lks. S. of Post.
West.	Corrected.
40.29.	Qtr. Sec. Cor. Beech. 6. N. 5. E. 15.
	12. S. 35. E. 24.
80.50.	Sec. Cor. L. 2d K. Beech. Oak. Hickory
West.	Bet: Sec's 30 & 31.
15.50	a Stream 5 lks. S. E.
40.00	Qtr. Sec. Cor. Hickory 12. S. 5. W. 35.
	Ash. 6. N. 24. E. 13.
49.00	Int'd W. Line 142 lks. N. of Post.
	Beech. 14. N. 6. E. 5.
	Land 2d Rate. " 10. S. 49. E. 15.
North.	Bet: Sec's 29 & 30.
5.00	a Beech 18 in's diam.
40.00	Qtr. Sec. Cor. Buckeye 10. S. 60. W. 9.
	B Walnut 16 S 18 E. 14

258. T. No. 14. N. R. No. 3. E. 2d. Mer. Ind.

56.00	a Beech 10 in's diam.
80.00	Set. P. Cor. to Sec's 19. 20. 29 & 30.
	Land 2d R. Beech. Oak. Level. Beech 10. N. 88. W. 8.
	W. Oak. 20. S. 5. E. 14.
East.	Bet: Sec's 20 & 29 on Random
32.00	a Stream 10 lks. S. E.
40.00	Temp. Qtr. Sec. P.
80.80.	Int'd E. Line 14. lks. N. of Post.
West.	Corrected.
40.40.	Qtr. Sec. Cor. Hickory 12. S. 35. W. 12.
	Beech. 14. N. 37. E. 24.
80.80.	Sec. Cor. Land & Timber Same
West.	Bet: Sec's 19 & 30
40.00	Qtr. Sec. Cor. Ash. 14. S. 30. W. 14.
	Elm. 18. N. 2. E. 35.
78.55.	Int'd W. Line 39 lks. S. of Post.
	Beech. 10. S. 83. ~~S. N.~~ 14.
	" 14. N. 36. W. 14.
	Land 2d R. Level. Beech. Oak. Hick. Brushy &

North.	Bet: Sec's 19 & 20.
5.00	a Beech 10 in's dia.
18.50.	a Stream 10 lks. S. E.
40.00	Qtr. Sec. Cor. Beech 12. N. 26. E. 21.
	" 12. S. 6. W. 26
55.10	a Beech 16 in's diam.
80.00	Set. P. Cor. to Sec's 17. 18. 19 & 20.
	Land & Pin as before. Beech. 16. N. 14. W. 32.
	" 14. S. 2. E. 28.
East.	Bet: Sec's 17 & 20 on Random.
34.00	a Stream 10 lks. S. E.
40.00	Temp. Qtr. Sec. P.
75.00	a Stream 10 lks. S. E.
80.80.	Int'd. E. Line 24 lks. S. of Post.
West.	Corrected.
40.40.	Qtr. Sec. Cor. Ironwood 5. S. 40. W. 11.
	Beech. 14. N. 40. E. 14.
80.80.	Sec. Cor. L. 2d. R. Beech. Oak &c.
West.	Bet: Sec's 18 & 19.

29.00.	a Stream 5 lks. South.
40.00	Qtr. Sec. Cor. Poplar. 24. S. 48. W. 13.
	Sugar. 12. S. 61. E. 13.
48.12.	Int'd W. Line at Post.
	L. level. 2d Rate. Beech. Oak. Ash &c.
North.	Bet: Sec's 17. & 18.
15.00	a W. Oak 24 in's diam.
40.00	Qtr. Sec. Cor. Beech. 14. N. 49. W. 10.
	" 12. S. 56. E. 7.
66.75.	a Sugar 10 in's diam.
73.50.	a Stream 10 lks. S. E.
80.00.	Set. P. Cor. to Sec's 7. 8. 17. & 18.
	L. 2d Rate. Beech. Oak. Ash &c. Beech. 10. N. 14. W. 44.
	" 12. S. 62. E. 10.
East.	Bet: Sec's 8 & 17. on Random.
40.00	Temp. Qtr. Sec. Post.
80.83.	Int'd E. Line 30 lks. S. of Post.
West.	Corrected.
40.42½	Qtr. Sec. Cor. B. Walnut 18. N. 68. W. 18. Ash. 18. S. 4. E. 10.

T. No. 14. N. R. No. 3. E. 2d. Mer. Ind. 261.

80.83.	Sec. Cor. L. sand & good with Elm & brushy
West.	Bet: Sec's 4 & 18.
5.00	a Stream 5 lks. S. E.
40.00	Qtr. Sec. Cor. Beech. 10. N. 64. W. 14.
	Poplar. 20. S. 43. E. 10.
74.83.	On t'd W. Line 45 lks. South of Post.
	Ash. 10. N. 65. W. 14.
	30. S. 63. E. 48.
	Land level. 2d R. Beech. Oak.
	Ash. Elm & Brushy.

State of Indiana }
Marion County } ss. Office County Surveyor.

certify, that this volume contains on pages one to two hundred and sixty one a true read of the Field Notes of Marion County Indiana now on read in the Office of County Auditor of Marion County Ind.

Witness my hand and Seal of My office Oliver W. Voorhis C. S.
by Wm. P. Smith (C. S.)

T. N° 17. N. R. N° 3 E. 2 M. Inds. 265

Corn. Secs.	Chs. Lks.	Remarks.
N. 66. E.	5.50.	
N. 88 E.	7.50.	
S. 70 E.	17.00.	
N. 80 E.	3.00.	
S. 86 E.	2.86.	Int. T's. l. Bet. Secs. 25 & 30.
N. 70 W.	5.00.	West Side of River.
N. 87 W.	6.00.	
N. 75 W.	4.50.	
N. 60 W.	6.50.	350 lks. a Spring.
S. 84 W.	18.00.	150 lks. a Stream 5 lks. N.
S. 50 W.	10.00.	
South	14.50.	150 lks. a Stream 5 lks. W.
S. 7. E.	14.50.	
S. 26. E.	26.00.	
S. 13. E.	4.90.	Int. line bet. Secs. 25 & 36.
South	24.00.	
S. 23 E.	4.50.	
S. 12 E.	10.00.	
S. 6. E.	17.00.	
S. 13 W.	5.50.	
S. 30 W.	8.50	

Cn. Secs.	Chs. Lks.	Remarks.
S. 50 W.	6. 00.	
S. 85 W.	4. 50.	
N. 67 W.	5. 50.	
N. 38 W.	11. 00.	
N. 45 W.	3. 00.	
N. 6 W.	4. 00.	
N. 28 E.	2. 50.	
N. 40 E.	8. 50.	
N. 20 E.	8. 50.	
N. 30 W.	13. 00.	
N. 50 W.	12. 50.	Scrub grass. Creek. 25 lks. N. E.
N. 83 W.	17. 50.	
S. 72 W.	0. 86.	Int. line bet. Secs. 35 & 36.
S. 72 W.	10. 14.	
S. 49 W.	18. 50.	
S. 28 W.	4. 50.	
S. 46 W.	10. 50.	
S. 26 W.	15. 00.	
S. 59 W.	14. 50.	
S. 35 W.	5. 00.	
S. 22 W.	5. 00.	

T. N° 17. N. R. N° 3. E. 2° M. Ind. 26°.

37 W.	3. 83.	
26 W.	4. 44.	Int. L. bet. Ts. 16 & 17. N. Surveyed by Wm. B. Laughlin. D.S.

T. N.° 17. N. R. N.° 3. E. 2.d M. Ind. 269.

Cor. Sec.s	Chs. Lks.	Meanders of White River Remarks. On E. Side of River.
N. 30 E.	15.00.	
N. 62 E.	15.00	
N. 47 E.	5.50.	Point of Island.
N. 37 E.	5.00	
N. 30 E.	25.00.	
N. 50 E.	15.00.	Head of Island.
N. 85 E.	6.50	Int.d line bet. Sec.s 35 & 36.
N. 85 E.	4.50.	
N. 73 E.	3.00.	
East.	9.00.	
S. 46 E.	5.50.	
S. 60 E.	3.50.	
S. 29 E.	10.50.	
S. 29 W.	17.50.	
South.	9.50.	
S. 35 E.	6.00.	
S. 54 E.	3.50.	
S. 58 E.	[illegible].00	
S. 72 E.	8.50	

270 T. N.° 17. N. R. N.° 3 E. 2.d M. Ind.

Cr. Sec.s	Chs. Lks.	Remarks.
N. 85 E.	4.50.	
N. 57 E.	6.00.	
N. 35 E.	7.50.	
N. 21 E.	9.00.	
N. 9 E.	6.00.	
N. 13 W.	5.00.	
N. 4 W.	7.50.	
N. 15 W.	5.50	
N. 7 W.	5.00.	
N. 14 W.	7.50.	200 lks. a Stream 10 lks. N. E.
North	5.00	
N. 10 E.	2.00.	
North	5.00.	
N. 7 E.	3.50.	
N. 12 W.	7.50.	Int.d line bet. Sec.s 25 & 36.
N. 2 W.	6.50.	
N. 26 W.	25.00.	Point of Island.
N. 16 E.	10.50.	
N. 5 W.	9.50.	Head of Island
N. 15 E.	5.00.	
N. 32 E.	3.50.	

Corn. Sec.s	Chs. Lks.	
S. 44 W.	12.33.	The line bet. Sec.s 17 & 20.
S. 29 W.	4.50.	
S. 13 W.	4.50.	
S. 24 W.	6.50	
S. 9 W.	5.00.	
S. 29 W.	5.50.	
S. 48 W.	4.00.	
S. 65½ W.	3.65.	Int. line bet. Sec.s 17 & 20.
S. 71 W.	4.50.	
S. 85 W.	8.50.	
S. 73 W.	11.50.	
S. 51 W.	8.00	Head of Island
S. 30 W.	2.00.	
S. 2 E.	10.50.	Point of Island.
S. 10 W.	8.50.	
S. 9½ E.	4.91.	Int. line bet. 19 & 20.
S. 14 E.	17.00.	
S. 28 W.	6.00.	
S. 47 W.	10.00.	
S. 79 W.	8.00.	
S. 86 W.	11.36	

Cor. Sec.s	Ch.s Lks.	
N. 65 3/4 W.	15.50.	Int.d T.s. and Act. R's. 3 & 4. E.
		Surveyed by Wm. B. Laughlin D.S.