Descriptive Notes of T.17.N._R.4.E.2nd.Mer.

Exterior Section Corners.

Posts	Bearing Trees.	inches diam.	Course, they Bear	links dist.
I.	Hickory	13	S 3° W	28
	Do.	8	N 68 E	29
i.	Beech	12	S 14 W	36
	Sugar	18	N 31 E	18
K.	Hickory	7	S 1 W	15
	Ash	16	N 82 W	6
k.	Lynn	8	S 3 E	19
	Hickory	6	S 82 W	15
L.	Hackberry	28	S 25 E	20
	Hickory	8	N 38 W	21
l.	Beech	7	S 1 E	5
	Hickory	12	N 21 E	25
M.	Beech	15	S 3 E	24
	Do.	12	N 40 W	29
m.	Hickory	20	S 20 W	31
	Buckeye	12	N 1 W	32
N.	Beech	20	S 84 W	39
	Do.	10	S 25 E	23
n.	Buckeye	8	W	49
	Beech	30	S 80 E	30
O.	Beech	8	S 88 W	48
	Sugar	24	S 81 E	28
o.	Beech	14	N 67 W	14
	Cherry	14	S 83 E	30
P.	Beech	18	S 6 W	16
	Do.	14	N 15 E	22
p.	Beech	14	N 84 E	10
	Do.	10	S 82 W	13
Q.	Poplar	40	N 44 W	6
	Sugar	14	S 28 E	23
q.	Beech	30	N 1 E	17
	Do.	10	S 45 W	12
R.	Oak	18	N 34 W	3
	Beech	18	S 34 E	13
r.	Hickory	7	N 81 W	19
	Do.	10	S 62 E	34
S.	Sugar	30	S 23 W	17
	Do.	10	N 85 E	18
s.	~~~	14	S 74 W	29
	Do.	10	N 64 E	6
T.	Buckeye	14	S 87 E	14
	Do.	7	N 80 E	10
t	Beech	7	S 57 E	30
	Beech	12	N 51 W	26
At post U.	Beech	10	S 16 E	11
	Elm	12	N 10 W	10
u	Sugar	13	S 20 E	27
	Do.	7	N 40 W	20
At Post V.	Oak	48	S 76 W	25
	Hackberry	14	S 3 E	39
W.	Ash	10	S 30 E	13
	Elm	20	N 24 W	28
X.	Hickory	12	N 12 E	27
	Beech	6.	S 25 E	13

Interior Section Corners.

Section Corners.	Bearing Trees.	inches diam.	Course, they Bear.	links dist.
11.12.13.14	Beech	10	N 26 E	16
	Do.	12	S 2 E	26
10.11.14.15	Beech	10	N 10 W	24
	Do.	14	S 25 W	11
9.10.15.16	Beech	12	N 73 E	20
	Hornbeam	4	N 40 W	30
8.9.16.17	Beech	10	N 62 E	7
	Do.	7	S 7 W	44
7.8.17.18	Locust	20	N 21 W	25
	Sugar	24	N 68 E	41
17.18.19.20	Beech	20	S 7 E	27
	Do.	5	N 85 E	19
16.17.20.21	Elm	14	N 64 E	26
	Ash	12	S 12 W	40
15.16.21.22	Beech	7	N 16 W	6
	Do.	8	S 1 W	9
14.15.22.23	Ash	18	N 50 E	23
	Beech	18	N 36 E	21
13.14.23.24	Beech	12	N 23 E	22
	Do.	24	S 55 E	24
23.24.25.26	Sugar	12	S 5 W	45
	Beech	12	N 6 E	12
22.23.26.27	Dogwood	4	N 57 W	10
	Ash	14	S 52 E	15
21.22.27.28	Beech	12	N 26 W	14
	Hickory	12	S 26 E	27
20.21.28.29	Beech	20	S 58 E	4
	Do.	10	S 45 W	15
19.20.29.30	Sugar	24	N 33 W	24
	Beech	4	S 15 E	29
29.30.31.32	Ash	8	N 81 E	13
	B. Oak	20	S 26 W	31
28.29.32.33	Beech	12	N 50 E	27
	Hickory	12	S 78 W	28
27.28.33.34	Beech	14	N 6 W	14
	Sugar	10	S 24 E	4
26.27.34.35	Lynn	18	S 48 E	4
	W. Oak	18	N 57 W	40
25.26.35.36	Ash	12	East	15
	Do.	12	S 31 W	25

Quarter Section Corners.

Between Sections	Bearing Trees.	inches diam.	Course, they Bear.	links dist.
L to V at 1.	Beech	14	N 74 E	47
	W. Oak	12	S 31 W	40
" " " " 2.	Ash	14	S 50 W	10
	Beech	12	N 61 E	28
" " " " 3.	Sugar	20	S 86 E	27
	Lynn	7	N 76 W	25
" " " " 4.	Beech	18	N 35 E	8
	Hickory	12	S 25 E	35
" " " " 5.	Beech	14	S 62 E	27
	Sugar	30	N 28 W	26
" " " " 6.	Elm	10	S 82 E	61
In River	Ash	20	N 83 E	73
I to X at 1.	Beech	14	S 18 E	13
	Poplar	36	S 47 W	13
" " " " 2.	Beech	8	S 66 E	23
	Buckeye	4	N 71 W	16
" " " " 3.	Beech	20	N 38 E	23
	Do.	12	S 51 W	15
" " " " 4.	Beech	14	N 88 W	36
	Do.	14	S 65 E	20
" " " " 5.	Buckeye	20	S 15 E	25
	Do.	20	N 46 W	3
" " " " 6.	Ash	12	N 27 E	12
	Hickory	10	S 60 E	22
K to W at 1.	Ash	12	S 35 E	10
	Beech	~~~	N 78 W	3
" " " " 2.	Beech	12	N 28 E	28
	Do.	24	N 68 W	26
" " " " 3.	Sugar	7	N 9 E	12
	Beech	12	S 44 E	10
" " " " 4.	Beech	10	N 61 E	8
	Sugar	4	S 57 E	9
" " " " 5.	Hackberry	20	N 19 E	4
	Walnut	4	N 72 E	33
" " " " 6.	Beech	12	N 74 W	10
	Hickory	7	S 30 E	27

Quarter Section Corners

Between Sections.	Bearing Trees.	inches diam.	Course, they Bear.	links dist.
M to U at 1.	Beech	10	N 67 W	6
	Do.	7	South	25
" " " " 2.	Beech	8	S 5 W	19
	Ash	14	N 60 W	23
" " " " 3.	Beech	14	N 41 E	17
	Ash	10	N 23 W	10
" " " " 4.	Beech	10	N 70 W	15
	Do.	12	N 87 E	17
" " " " 5.	Sugar	6	N 33 W	21
	Do.	16	S 27 E	13
" " " " 6.	Hickory	10	S 83 W	3
	Hackberry	6	N 70 E	25
O to F at 1.	W. Oak	12	N 62 E	16
	Cherry	4	S 9 W	8
" " " " 2.	Ash	12	N 88 W	15
	Beech	12	S 33 W	27
" " " " 3.	Ash	10	N 16 E	37
	Do.	14	S 22 W	30
" " " " 4.	Sugar	10	N 3 W	15
	Beech	14	S 13 W	7
P to E at 1.	Beech	4	N 38 W	7
	Ash	14	S 9 E	10
" " " " 2.	Beech	12	N 73 E	35
	Ash	3	S 70 W	20
" " " " 3.	Ash	12	S 74 E	7
	Beech	12	N 60 W	12
" " " " 4.	Beech	12	N 28 W	28
	Do.	12	S 15 E	15
Q to D at 1.	Beech	12	S 40 E	23
	Do.	12	S 61 W	14
" " " " 2.	Beech	12	N 71 E	9
	Do.	12	S 27 W	27
" " " " 3.	Beech	8	S 56 E	6
	Do.	18	S 48 W	39
" " " " 4.	Sugar	14	N 8 E	14
	Beech	4	S 29 E	10

Quarter Section Corners.

Between Sections	Bearing Trees.	inches diam.	Course, they Bear.	links dist.
S to B at 1.	Hackberry	14	N 72 E	9
	Sugar	4	S 30 E	10
" " " " 2.	Ash	20	N 19 E	21
	Do.	20	S 78 W	28
" " " " 3.	B. Walnut	5	N 30 W	5
	Hackberry	4	N 4 E	4
" " " " 4.	Elm	12	S 44 E	1.80
	W. Oak	12	S 56 E	1.45
R to C at 1.	Beech	12	N 53 E	30
	Do.	10	S 63 E	27
" " " " 2.	Beech	10	S 59 E	4
	Ash	12	S 82 W	9
" " " " 3.	Beech	6	N 33 W	26
	Do.	4	S 48 E	19
" " " " 4.	Beech	10	N 87 E	17
	Sugar	20	S 30 W	56

Meander Posts on White River.

No. 6.	Sugar	20	East	8
	Do	17	S 17 E	28
" 7.	Box Elder	6	East	7
	Hackberry	16	N 9 W	27
" 8.	Hackberry	16	N 38 W	15
	Do.	12	S 30 E	5
" 9.	Box Elder	20	South	8
	Hackberry	16	N 89 W	25
" 10.	Sycamore	25	S 50 E	10
	Do	12	N 17 W	6
" 11.	Ash	10	N 54 W	3
	Buckeye	10	N 44 E	10
" 12	Ash	6	N 10 W	23
	Buckeye	6	N 86 E	6
" 13.	Hackberry	14	N 55 W	9
	Buckeye	~~~	N 35 W	10
No. 14.	Ash	7	S 57 E	10
	Box Elder	14	N 22 E	38
" 15.	Beech	14	S 31 E	12
	Buckeye	12	N 36 W	24
" 16.	W. Oak	14	North	2
	Beech	6	S 15 W	3
" 17.	Red Bud	6	N 65 W	12
	Hackberry	12	N 29 W	23
" 18.	Box Elder	10	S 4 E	4
	Hackberry	6	N 40 W	4
No. 19.	Elm	10	N 82 E	8
	Ash	20	S 45 W	12

Note—For Meander posts on the Range Line—See T.17.N.—Range 3 East.

S. M.

From I to X, the 7 Section, and 6 Quarter Section corners are on the County line.

Township No. 17 North, Range No. 4 East 2nd. Mer.



Total number of Acres

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed	When pd for and ch.d in the Sur.Gen.ls acct
Township lines			M. Ch. Lks.		
Subdivisions	Wm. B. Laughlin			1821	

The above Map, of Township No. 17 North of Range No. 4 East of the 2nd. Principal Meridian Indiana is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office, Edward Tiffin Sur.r Gen.l

Meanders of

Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s

T. No. 17. N. R. No. 4. E. Me. Ind. 99.



The West line of this Township is found in field book No. 1 pages 225. to 237. The Meanders of River. pages 273 to 277.

T. N° 17. N. R. N° 4. E. 2nd M. Surv. 101.

Ch. 1th.	Fractional
	Range Line. Var. 5° 35' E.
North	Bet. R. N° 4 & 5 E. T. N° 17. N.
	on the E. Side of Sec. 36.
4.00.	a Brook 7 lks. N. W.
27.00.	a " 4 "
40.00.	Q. t. Sec. Cor. { Hick. 20. S. 20. W. 31. / Bentley 12. N. 1. W. 32.
41.50	a Creek 150 lks. S. W.
80.00.	Set P. Cor. of Secs. 25 & 36
	Broken L. Beech Ash 4. c. { Beech 15. S. 3. E. 24. / " 12. N. 40. W. 29.
North	On the East Side of Sec. 25.
40.00.	Q. t. Sec. Cor. { Beech 7. S. 1. E. 5. / Hick. 12. N. 21. E. 25
60.05.	a Sugar. 18 in. dia
62.00	a Creek. 30 lks S. W.
80.00.	Set P. Cor. of Secs. 24 & 25
	P. Rolling Beech Sug. Ash 4. c. { Beech 6y. 28. S. 25. E. 20. / Hickory. 8. N. 38. W. 21.
North	On the [illegible] Side of Sec. 24.
10.55	an Ash 20 in. diam.
40.00	Q. t. Sec. Cor. [illegible]

	Hickory. 6. S. 84. W. 15.
80.00.	Set P. Cor. of Secs. 13 & 24.
	S. & Tim. as before { Hick. 7. S. 17. W. 15. Ash. 16 N. 82. W. 6.
North.	On the E. Side of Sec. 13.
40.00.	Qt. Sec. Cor. { Beech. 12. S. 14. W. 36. Sug. 18. N. 31. E. 18
50.04.	a Hickory 18 ins. dia.
80.00.	Set P. Cor. of Secs. 12 & 13.
	S. level Beech Oak. Hick. Ung. Spice { Hick. 13. S. 3. W. 28. " 8. N. 61. E. 29.
	Novb. 2d 1819. Surveyed by John McDonald. D. S.

Township Line

East	Bet. Ts. No. 16 & 17 N. R. No. 4 E.
	on the South Side of Sec. 31.
7.20	a Hackberry. 18 ins. dia.
40.00.	Qt. Sec. Cor. a —. 14. S. 74. W. 29.
	Do. 10. N. 64. E. 6.
48.43	an Ash. 24 ins. dia.
[illegible]	Set P. Cor. [illegible]

T. N° 17. N. R. N° 4 E 2d Mo Ind. 103.

	over Rich L. { Sug. 30. S. 23. W. 17. / 10. N. 83. E. 18
East	in the S. Side of Sec. 32.
24.10.	a Hickory 20 in. dia.
40.00.	Q. Sec. cor { Hick. 7 N. 81. W. 19 / 10 S. 62. E. 34.
61.30.	an Oak 40 in. dia.
80.00	Set P. cor. of Sec. 32 & 33.
	Level Oak Sig Buch { Oak 18. N. 34. W. 3. / Buch 18. S. 34. E. 13.
East	On the S. Side of Sec. 33.
23.70.	an Ash. 20 in. dia.
40.00	Q. Sec. cor. { Buch 30. N. 1. E. 11. / 10. S. 45. W. 12.
43.03.	an Ash. 30 in. dia.
80.00.	Set P. cor. to Sec. 33 & 34.
	Rolling L. Oak Sig. ~~Buch~~ Ash. { Poplar 40. N. 44. W. 6. / Sugar. 14. S. 28. E. 23.
East	On the S. Side of Sec. 34.
31.50.	a Beech 10 Ins. Diam.
~~40.00~~ 40.00	Q. Sec. cor. { Buch 14. N. 84. E. 10. / 10. S. 82. W. 16.
41.70.	a Beech 10 Ins. Diam.
[illegible]	[illegible]

Original notes of Stephen Vigo

104. T. [illegible] N. 17. R. [illegible] W. 4. E. 2 [illegible] 10. Ind.

68.20	a Sug. 15 in[s]. dia.
[illegible]	Set P. cor. of Sec[s]. 34 & 35.
	Witness to Corr. Beech Sug. 2 c. { Beech 18. S. 36. W. 16 / " 14. S. 15. E. 22.
last	On the South side of Sec. 35
17.50.	a Beech 20 in[s]. diam.
70.10.	[illegible] in Sec. Cor. { Beech 14. N. 67. W. 14 / Cherry 14. N. 83. E. 30.
53.00.	a Beech 174. lks. North.
72.02.	a Beech 18 in[s]. dia.
50.00.	Set P. cor. of Sec[s]. 35 & 36.
	Witness to Bch. Sug. { Bch. 8. S. 88. W. 8. / Sug. 24. N. 81. W. 21.
[illegible]	On the [illegible] side of Sec. 36.
[illegible]	an Oak 30 in[s]. diam.
26.01.	a Birch 10 lks. North.
[illegible]	[illegible] Sec. Cor. { Beech 8. N. [illegible] / Bch. 30. N. 40. E. 30
[illegible]	Set P. cor. of [illegible] R. S. N. 4 & 5 [illegible]
	[illegible] Sec. 16. 31 & 36 [illegible]
	[illegible] 30. [illegible] W. 30.
	[illegible]

[illegible] 107

Surveyed by
John McDonald D.S.

Subdivisions.

North.	Bet. Secs. 35 & 36.
19.00.	Fall Creek. 100 lks. S.W.
36.40.	a B. Oak. 30 ins. dia.
40.00.	Qt. Sec. Cor. { W. Oak 12. S. 62. E. 16. Cherry 4. S. 9. W. 8
46.64.	a Hickory 12 ins. dia.
80.00.	Set P. Cor. to Secs. 25. 26. 35 & 36.
	T. broken 2d R. near the Creek Ash. Sug. Oak. { Ash 12. E. 15 " 12. S. 31. W. 25.
East	Bet. Secs. 25 & 36 on Random.
40.00.	Temp. Qt. Sec. Post.
60.00.	a Stream 25 lks. South.
81.00.	Int. E. Line 20 lks. S. of [illegible]
West.	Corrected { Beech 10. N. 67. W. 6.
41.50.	Qt. Sec. Cor. " 7. South 15.
81.50.	Sec. Cor.
	Land very hilly, 2d R. [illegible] Beech [illegible]

108. T. 17. S. R. 1 E. 2 W. Tim.

[illegible]	Bet. Sec. 25 & 26.
13.50.	a: B. Oak. 30 in. diam.
40.00.	Qr. Sec. Cor. { Ash. 12. S. 88. E. 15 / Beech 12. S. 33. W. 27.
54.28.	a W. Oak. 14 in. diam.
80.00.	Set. P. Cor. to Sec. 23. 24. 25. 26.
	S. flat. Grd. { Sug. 12. S. 5. W. 45. / Beech & c. { Beech 12. N. 6. E. 12.
East.	Bet. Sec. 24 & 25 on Random.
40.00.	Qr. Sec. Post. Temp.
81.12.	Int. E. line 50 lks. S. of Post.
West.	Corrected?
40.56.	Qr. Sec. Cor. { Beech 14. N. 74. E. 47. / W. Oak 12. S. 31. W. 40.
81.12.	Sec. Cor. L. Wed. 2nd R. Beech. Oak. & c.
North.	Bet. Sec. 23 & 24.
85.82.	a Beech 14. in. diam.
40.00.	Qr. Sec. Cor. Ash. 10. S. 16. E. 3. / 14. S. 52. W. 30.
47.10.	a Beech 14 in. diam.
80.00.	Sec. P. Cor. to Sec. 13. 14. 23 & 24.

[illegible] 109.

	L. [illegible] 2d R. Beech. Oak Hick. Elm [illegible] } Beech. 12. N. 23. E. 22 " 24. S. 55. E. 24.
East.	Bet. Secs. 13 & 24. on Random
40.00.	Temp. Qt. Sec. Post.
81.60.	Int. E. line 20 lks. S. of Post.
West.	Corrected. } Ash 12. N. 35. E. 10.
40.75.	Qt. Sec. Cor. } Beech 10. N. 78. W. 3
81.50.	Sec. Cor. L. flat. Tim. as before.
North	Bet. Secs. 13 & 14.
27.26.	a Beech 12. ins. diam.
40.00.	Qt. Sec. Cor. Sug. 10. N. 3. W. 15. Beech 14. S. 13. W. 7.
69.20.	a Beech. 12 ins. diam.
80.00.	Set. P. Cor. of Secs. 11. 12. 13 & 14.
	L. flat 2d R. Timber. similar as before } Beech 10. N. 26. E. 11. " 12. S. 2. E. 26.
East	Bet. Secs. 12 & 13. on Random
40.0.	Temp. Qt. Sec. Post.

110. T. N° 17. [illegible] 4. [illegible] 2 [illegible]

81.60.	Int^d E. line 50 lks. S. of Post.
West.	Corrected
40.80.	Q^t Sec. Cor. { Beech 14. S. 18. E. 13. Pop. 36. S. 47. W. 13.
81.60.	Sec. Cor. Land flat 2^d Rate.
North.	Bet. Sec^s 34 & 35.
12.32.	a W. Oak. 36 in^s. diam.
34.10.	a Spring Branch S. W.
40.00.	Q^t Sec. Cor. { Beech 4. N. 38. W. 7. Ash. 14. S. 9. E. 10
54.90.	an Ash 54 in^s. diam.
80.00.	Set P. Cor. of Sec^s 26. 27. 34 & 35.
	L. & tin same with Oak { Lynn 18. S. 48. E. 4. W. Oak 18. S. 54. W. 40.
East.	Bet. Sec^s 26 & 35 on Random.
40.00.	Temp. Q^t Sec. Post.
75.15.	Int^d E. line 18 lks. S. of P.
	In this Place an Out has been missed on the Correction line, which gave me a great deal of trouble. [illegible] & measured my own

T. N° 17. N. R. N° 4. E. 2d. [illegible] 111.

	line over again & then had to go back on the Correction line & found it 5 Chains too short in this Mile.
West.	Corrected Bet. Secs. 26 & 35.
37.57½	Qt. Sec. Cor. Beech 8. S. 5. W. 19. Ash. 14. N. 60. W. 23.
75.15.	Sec. Cor. S. 2d. R. Beech &c.
North.	Bet. Secs. 26 & 27.
3.63.	a W. Oak 50 ins. dia.
11.50.	a Stream 5 lks. S. W.
40.00.	Set Qt. Sec. P. Beech 12. N. 73. E. 35. Ash. 3. S. 73. W. 20.
51.20.	an Ash 18 ins. diam.
80.00.	Set P. Cor. of Secs. 22. 23. 26. & 27. S. 2d. R. Oak Ash. Beech Spice Level & flat. Dogwood 4. N. 5[illegible] W. 10. Ash. 14. S. 52. E. 15.
[illegible]	Bet. [illegible] 3. & 26 on Random.
40.00.	Temp. Qt. Sec. [illegible]

75.00.	Int. E. line at Post.
West.	Corrected.
37.50.	Qt. Sec. Cor. Ash. 14. S. 60. W. 10.
	Beech 12. N. 61. E. 28.
75.00.	Sec. Cor. L. level 2d Rate.
North	Bet. Secs. 22 & 23.
12.96.	a Beech 12 ins. diam.
40.00.	Qt. Sec. Cor. { Ash. 12. N. 74. E. 7.
	Beech 12. N. 69. W. 12.
63.34.	a Beech 14 ins. diam.
80.00.	Set P. Cor. of Secs. 14. 15. 22 & 23.
	L. level & { Ash 18. N. 50. E. 23.
	2d R. { Beech 18. N. 36. E. 21.
East	Bet. Secs. 14 & 23 on Random.
40.00.	Temp. Qt. Sec. Post.
74.80.	Int. E. line 18 lks. N. of P.
West.	Corrected
37.40.	Qt. Sec. Cor. { Beech 12. N. 27. E. 28.
	" 24 N. 68. W. 26.
74.80.	Sec. Cor. Land 2d R.

T. No. 17. N. R. No. 4. E. 2nd. Mer. Int. 113

North.	Bet. Secs. 14 & 15.
16.15.	a Pop. 30 ins. diam.
3[illegible].50.	a Stream 5 lks. West.
40.00.	Qt. Sec. Cor. Beech 12. N. 28. W. 28
	" 12. S. 15. E. 15.
54.75.	an Ash 20. ins. diam.
80.00.	Set P. Cor. of Secs. 10. 11. 14. & 15
	L. level { Beech 10. N. 10. W. 24.
	2d. Rate { " 14. S. 25. W. 11.
East.	Bet. Secs. 11 & 14. on Random.
14.50.	a Stream 5 lks. N. W.
40.00.	Temp. Qt. Sec. Post.
74.90.	Int. E. line 5 lks. N. of Post.
West.	Corrected.
37.45.	Qt. Sec. Cor. { Beech. 8. S. 66. E. 23.
	{ Buckeye 4. N. 71. W. 16.
74.90.	Sec. Cor. L. level 2d R. Beech. Oak. Ash.
North.	Bet. Secs. 33 & 34.
8.50.	an Ash 14. ins. diam.
40.00.	Qt. Sec. Cor. { Beech 1[illegible]. S. 40. E. 23.
	{ " 12. S. 31. W. 11.

114. T. N° 17. N. R. N° 4. E. 2nd M. Ind.

63.89.	a Beech 10 ins. diam.
80.00.	Set P. Cor. of Secs. 27. 28. 33 & 34.
	L. level 2d R. Beech N. h. Sug. &c. { Beech 14. N. 6. W. 14. Sug. 10. S. 24. E. 4.
East.	Bet. Secs. 27 & 34 on Random
40.00.	Temp. Qt. Sec. Post.
80.43.	Int. E. line 17. Lks. S. of P.
West.	Corrected.
40.21½	Qt. Sec. Cor. { Beech 14. N. 41. E. 17. 10. N. 23. W. 10.
80.43.	Sec. Cor. L. 2d R. Beech. Oak. Sug. &c.
North	Bet. Secs. 27 & 28.
23.69.	a Hickory 10. ins. diam.
40.00.	Qt. Sec. Cor. Beech 12. N. 71. E. 9. 12. S. 27. W. 27.
48.50.	an Ash. 14 ins. dia.
54.00.	a Stream 10 lks. N. W.
80.00.	Set P. Cor. of Secs. 21. 22. 27 & 28.
	L. 2d R. Beech. { Beech 12. N. 20. W. 14. Hick. 12. N. 26. E. 27.

116. T. [illegible] 17. [illegible] K. [illegible] of [illegible] 1.

East.	On Random bet. Secs. 22 & 27.
10.40.	a Stream 5 lks. S. W.
40.00.	Temp. Qt. Sec. Post.
80.20.	Ind. E. line 5 lks. S. of Pt.
West.	Corrected bet. Secs. 22 & 27.
40.15.	Qt. Sec. Cor. Sug. 20. S. 86. E. 27.
	Lynn 7. S. 76. W. 25.
80.30.	Sec. Cor. L. 2d R. Beech. Oak. &c.
North.	Bet. Secs. 21 & 22.
13.54.	a Beech 16 ins. diam.
40.00.	Qt. Sec. Cor. Beech. 8. S. 56. E. 6.
	" 18. S. 48. W. 30.
65.22.	a Beech 10 ins. diam.
80.00.	Set P. Cor. of Secs. 15. 16. 21 & 22.
	L. 2d R. Beech (Beech 7. N. 16. W. 6.
	Oak. Sug. &c.) " 8. S. 1. W. 9.
East.	Bet. Secs. 15 & 22 on Random
40.[illegible]	Temp. Qt. Sec. Post.
80.[illegible]	[illegible] 10 [illegible]

[illegible] 117.

[illegible]	[illegible]
40.[illegible]	Q[illegible] Sec. [illegible] Sug. 7. N. 9. E. 12.
	Beech 12. O. 44. E. 10.
[illegible]9.20.	Sec. Cor. L. flat. 2d Rate.
[illegible]	B. t. Secs. 15 & 16.
3.00.	a Stream 5 Ks. S. W.
13.[illegible]	a Beech 12 in. diam.
40.00.	Q[illegible] Sec. Cor. Sug. 12. N. 8. E. 14.
	Beech 4. N. 29. E. 16.
[illegible].00.	a [illegible] 10 Ks. [illegible]
8[illegible].00	[illegible] Cor. to Secs. 9. 10. 15 & 16.
	L. 2d R. { Beech 12. N. [illegible]3. E. 20
	Beech [illegible] { Hornbeam 4. N. 40. [illegible]
[illegible]	B[illegible] Secs. 10 & 15. on Random
3.75.	a Stream 10 Ks. S. W.
40.[illegible]	Temp. [illegible] Sec. [illegible]
81.30.	Int. E. line at [illegible]
[illegible]	Corrected { [illegible]
10.1[illegible]	[illegible]

118. T. No. 17. N. R. No. 4 E. 2nd [illegible]

80.30.	Sec. Cor. T. 2nd R.
North.	Bet. Secs. 32 & 33.
9.50.	an Ash. 12 ins. diam.
40.00.	Qt. Sec. Cor. Beech 12. N. 53. E. 30.
	" 10. S. 63. W. 24.
57.50.	a Hickory 12 ins. dia.
80.00.	Set P. Cor. of Secs. 28. 29. 32 & 33.
	L. 2nd R. Beech. Oak. Ash. Ung. Spice. { Beech 12. N. 50. E. 24. Hick. 12. S. 78. W. 28.
East.	Bet. Secs. 28 & 33 on Random.
40.00.	Temp. Qt. Sec. Post.
80.60.	Int. E. line 133 lks. S. of P.
West.	Corrected
40.30.	Qt. Sec. Cor. Beech 10. N. 70. W. 15
	" 12. N. 87. E. 17.
80.60	Int. E. line 133 lks. S. of P.
[illegible]	[illegible] 28 & 29.
11.57.	a Hickory 12 ins. diam.
40.00.	[illegible] Beech 10. N. 59. [illegible] 4.

	[illegible]
45.00	[illegible]
18.00	[illegible]
35.60	[illegible]
[illegible]	[illegible] 20.21.28. [illegible]
	[illegible] { Beech 20. S. 58. E. 4.
	[illegible] { " 10. S. 45. W. 15.
[illegible]	Bet. Secs 21 & 28 on [illegible]
40.00	[illegible] Cor. Sec. Post.
[illegible]	[illegible] E. line 90 [illegible]
West.	Corrected
40.30	Cor. Sec. Cor. { Beech 18. N. 35. E. 8.
[illegible]	{ Hick. 12. S. 25. E. 35
[illegible]	Sec. Cor. L. [illegible] Rate.
[illegible]	Bet. Secs 20 & 21.
[illegible]	[illegible] 14 ins diam.
40.00	Cor. Sec. Cor. { Beech 6. [illegible]
	{ " 4. [illegible]
[illegible]	[illegible] 10 ins diam.
[illegible]	[illegible]

	[illegible] 1st [illegible] { [illegible] 14. [illegible] 64. [illegible] Ash. 12. [illegible] 14. W. 40.
[illegible]	Bet. Secs. 16 & 21. on Random
40.00.	Temp. Qt. Sec. Post.
81.40.	Ont. E. line 40. lks. S. of P.
West.	Corrected
40.20.	Qt. Sec. Cor. { Beech. 10. N. 61. E. 8. Spg. 4. S. 57. E. 9.
80.40.	Sec. Cor. L. 2d. Rate.
North	Bet. Secs. 16 & 17.
18.50.	The River. Hackby. 16. N. 38. W. 15
	" 10. S. 20. E. 5.
24.38.	The River opp. Side.
	Box Elder 20. S. 8.
	Hackby. 16. N. 29. W. 25.
40.00.	[illegible] Sec. Cor. Beech 10. N. 87. E. 17.
	Sugar 20. S. 30. W. 56.
62.44.	[illegible] Beech 18 ins. dia.
80.00.	[illegible] Cor. to [illegible] 16 & 17.
	[illegible] 1st Rate { [illegible] 10 [illegible]
	[illegible]

T. No. 17. N. R. No. 4. O. 2nd ab. In. 121.

East	Bet. Secs. 9 & 16. on Random.
40.00.	Temp. Qt. Sec. Post.
57.20.	The River Sugar 20. E. 8.
	" 17. S. 17. E. 28.
55.00.	The River opp.
	Box Elder 12. East 7.
	Hackberry 6. N. 9. W. 24.
60.30.	Intd. E. line at Post.
West	Corrected.
40.15.	Qt. Sec. Cor. Beech 14. N. 88. W. 36.
	" 14. N. 65. E. 20.
50.30.	Sec. Cor. 1st. 1/2 M. 2d. R. last 1st.
	R. Sug. Hackby. Buckeye & c.
North	Bet. Secs. 31 & 32.
18.40.	a Beech 20. in. dia.
40.00	Qt. Sec. Cor. Hackby. 14. N. 72. E. 9.
	Sugar 4. S. 30. E. 10.
58.[illegible]	[illegible] 24 in. diam.
80.[illegible]	[illegible]

	S. 1st R. Walnut Buckeye & [illegible] { Ash 8. N. 81. E. 13. B. Oak. 20. S. 26. W. 31.
East.	Bet. Secs 29 & 32 on Random.
40.00.	Temp. Qt. Sec. Post.
50.68.	Intd. E. line 45 lks. N. of P.
West.	Corrected
40.34.	Qt. Sec. Cor. Sug. 6. N. 33. W. 21.
	" 16. S. 27. E. 13.
80.68.	Sec. Cor. S. 2d R. Beech & [illegible]
West.	Bet. Secs 30 & 31.
40.00.	Qt. Sec. Cor. Hick. 10. S. 83. W. 3.
	Hackby. 6. N. 70. E. 25.
80.50.	Intd. W. Line at Post.
	S. 2d R. Beech, Oak. Hick. & [illegible]
North	Bet. Secs 29 & 30.
27.00.	a Spring Branch [illegible] W.
32.53.	a W. Oak. [illegible]
40.00.	[illegible] Sec. [illegible] 20. [illegible] E. [illegible]

T. N.° 17. N. R. N.° 4. E. 2.d [illegible] Inv. 1.23.

	Ash. 20. S. 78. W. 28.
58.12.	a Hickory — in.s diam.
[illegible]	Set. P. Cor. to Sec.s 19. 20. 29 & 30.
	S. flat (Sug. 24. N. 33. W. 24.
	[illegible] 2.d R. (Beech 4. S. 15. E. 20.
East.	Bet. Sec.s 20 & 29 on Random.
40.00.	Temp. Q.t Sec. Post.
81.00.	Int.d E. line 75 lks. N. of P.
West.	Corrected:
40.50.	Q.t Sec. Cor. Beech 14. S. 62. E. 27.
	Sug. 30 N. 28. W. 26.
81.00.	Sec. Cor. S. 1.st R. Ash, Elm, Wil. Hackby.
West.	Bet. Sec.s 19 & 30.
36.50.	The River. Box Elder 10. S. 4. E. 4.
	Hackby. 6. N. 40. W. 4.
40.00.	Q.t Sec. Cor. in River.
	Elm. 12. [illegible] 82. E. 61.
	Ash [illegible] 83. E. 7[illegible]
40.[illegible]	[illegible] Side.

	Elm 10. N. 32. E. 8.
	Ash 20. S. 45. E. 12.
80.40.	Int. W. Line at P. L. 1st Rate.
	Wal. Ash. & c.
North	Bet. Sec. 19 & 20
16.62	a B. Wal. 30 in. dia.
40.00.	Qt. Sec. Cor. B. Wal. 5. N. 30. W. 5.
	Hackby 4. S. 4. E. 4.
47.16.	The River. W. Oak. 14. North 2.
	Beech 6. S. 15. W. 3.
51.56.	The River opp. Side.
	Red Bnd. 6. N. 65. W. 12.
	Hackby. 12. N. 29. W. 23.
80.00.	Set P. Cor. of Sec. 17. 18. 19 & 20.
	S. ½ M. Wt. Rl. Buckeye. Ash. Walnut, & c. } Beech 20. S. 7. E. 27.
	" 5. N. 85. E. 19.
East.	Bet. Sec. 17 & 20. on Random.
15.70.	The River. Beech 14. S. 31. E. 12.
	Buckeye 12. N. 36. W. 24.
21.00.	The River opp. Side.
	Ash 7. S. 57. E. 10

T. No. 17. N. R. No. 4. E. 2d. M. Inv. 125.

	Box Elder. 14. N. 22. E. 33.
50.50.	The River. Hackby. 14. N. 55. W. 7.
	Buckeye. 9. N. 35. W. 10.
55.50	The River opp. Side.
	Ash. 6. N. 10. W. 23.
	Buckeye 6. N. 86. E. 6.
70.30.	The River. Ash 10. N. 54. W. 3.
	Buckeye 10. N. 44. E. 10.
74.00	River opp. Side. Sycamore 20. S. 50. E. 10
	" 12. N. 17. W. 6.
81.25.	Intd. E. line. 20 lks. N. of P.
	S. 1st. R. Sug. Beech. Hackby.
	Buckeye. Sycamore & "
West.	Corrected bet. Secs. 17 & 20.
40.32½	Qt. Sec. Cor. Hackby. 20. N. 19. W. 4.
	Walnut 4. N. 72. E. 33.
82.25.	Sec. Cor.
West.	Bet. Secs. 18 & 19.
40.00.	Qt. Sec. Cor. Beech 12. N. 74. W. 10.
	Hick. 7. S. 30. E. 27

80.35.	Ind. W. Line 14 lks. S. of P.
	Ash 10. N. 30. E. 13.
	Elm 20. N. 20. W. 28
	S. 1st Rate, Ash. Elm. Hick. Beech. Sug. &c.
North	Bet. Secs 17 & 18
15.00.	a Beech 12 ins. diam.
40.00.	Qt. Sec. Cor. in Prairie
	Elm 12. S. 44. E. 180.
	W. Oak. 12. S. 56. E. 145.
56.36.	a W. Oak. 18 ins. diam.
80.00.	Set P. Cor. to Secs 7. 8. 17 & 18.
	S. 1st R. Sug. Buckeye. { Locust 20. N. 21. W. 25.
	{ Sugar 24. N. 68. E. 41.
East.	Bet. Secs 8. & 17. on Random.
40.00.	Temp. Qt. Sec. Post.
55.50.	a Stream 10 lks South.
81.00	Ind. E. line 46 lks. S. of Post.
[illegible]	Corrected.
40.00.	Qt. Sec. Cor. Hick. 20. S. 15. E. 25.

T. N° 17. N. R. N° 4. E. 2d M. Ind. 127.

	Hick. 26. N. 43. W. 3.
81.00.	Sec. Cor. L. 2d R. Oak. &c.
West.	Bet. Secs. 7 & 18
40.00.	Qt. Sec. Cor. Ash 12. N. 27. E. 12.
	Hick. 10. S. 60. E. 22.
80.25.	Intd. W. line 62 lks. S. of Post.
	Hick. 12. N. 12. E. 27.
	Buch. 6. S. 25. E. 13.
	L. 1st R. Wal. Ash. Elm &c.

		Meanders of White River on the E. Side, beginning on the Range line, bet. R's. 3 & 4 E. thence
		Remarks
S. 67 E.	5.50.	
S. 55 E.	8.50.	
S. 77 E.	7.00	Point of Island.
S. 84 E.	10.50.	
S. 67 E.	5.00.	Head of Island.
S. 57 E.	7.50.	
S. 35 E.	13.00.	
N. 2 W.	7.50.	
N. 17¾ W.	15.40	Intd. line bet. Secs. 19 & 30.
N. 7 W.	3.00.	
N. 9 E.	17.00.	
N. 18 E.	18.00.	
N. 62 E.	16.00.	
N. 82 E.	12.50.	
N. 68 E.	2.20.	Intd. line bet. Secs. 19 & 20.
N. 62 E.	10.00.	
N. 34 E.	8.00	

		Remarks.
N. 17 E.	12.50.	
N. 36½ E.	3.35.	Int. L. bet. 17 & 20.
N. 58 E.	6.50.	
N. 42 E.	2.50.	
N. 70 E.	4.00.	Point of Island.
N. 80 E.	13.00.	
N. 49 E.	4.00.	Head of Island.
S. 22 E.	6.90.	Int. line bet. Secs. 17 & 20.
South	5.00	
S. 5 E.	12.50.	
S. 22 E.	3.00.	
S. 50 E.	7.00.	
S. 71 E.	3.50.	
N. 70 E.	5.00.	
N. 42 E.	6.00.	50 lks. a Stream 5 lks. S. E.
N. 24 E.	12.00.	
N. 1 E.	5.50.	
N. 13 W.	3.13	Int. line bet. Secs. 17 & 20.
N. 15 E.	15.00.	
N. 24½ E.	5.20.	Int. line bet. Secs. 16 & 17.
N. 54 E.	16.00	

		Remarks.
N. 65 E.	11.50.	
N. 84 E.	22.00.	
N. 66. E.	16.50.	High Bluffs.
N. 45 E.	9.50.	
N. 27 E.	5.50.	
N. 4. E.	7.50.	
N. 12 W.	13.50	a Stream 10 lks. N. E.
N. 32 W.	9.50.	
N. 28½ W.	3.15.	Int.d line bet. Sec.s 9 & 16.
		Meanders on W. Side
		Bet. on line Bet. Sec.s 9 & 16.
S. 18 E.	5.50.	
S. 33 E.	8.50.	
S. 18 E.	3.00.	
S. 9 E.	9.00.	
S. 12 W.	10.50.	
S. 48 W.	6.50.	
S. 66 W.	8.50.	
S. 4[illegible] W.	2.50.	
S. 72 W.	12.0[illegible]	

N. 77 W.	5.00	
S. 81 W.	12.00	
S. 62 W.	5.00	
S. 74 W.	7.50	
S. 49 W.	4.79	Port. line bet. Secs. 16 & 17.
S. 50 W.	7.00	
S. 31 W.	5.00	
S. 11 W.	6.00	
S. 18 W.	4.50	
S. 5 W.	5.30	Port. line bet. Secs. 17 & 20.
S. 2 W.	9.50	
S. 26 W.	8.50	
S. 46 W.	5.00	
S. 87 W.	4.00	
N. 38 W.	6.50	
N. 5 E.	9.00	
N. 2 E.	7.00	Port. line bet. Secs. 17 & 20.
N. 23 W.	9.00	
N. 57 W.	3.00	
N. 45 W.	4.00	75 lks. a stream 15 lks. North
N. 8 W.	10.00	
N. 70 W.	13.00	

State of Indiana
Marion County S.S.
Office of County Surveyor

I certify that this Volume contains on pages one to two hundred and seventy seven, a true Record of the Field-Notes of Marion County, Indiana, now on Record in the Office of County-Auditor of Marion County Ind. Witness my hand and Seal of my Office. Oliver W. Vorhis
C.S. by Wm. P. Smith
(Deptt)